

Nowodvorski
LIGHTING

DESIGN LAB

Za każdym pomysłem stoi człowiek.

Nasz zespół projektantów i konstruktorów tworzy Dział Rozwoju Produktu Nowodvorski Design LAB - serce marki, w którym kielkują i dojrzewają wszystkie projekty.

Godziny rozmów, szkice i makiety - to one dają początek produktom, które zdobią Wasze wnętrza. Dopracowane wzornictwo, idące w parze z dobrze przemyślaną funkcjonalnością, zaowocowało kolekcją nagród międzynarodowej rangi. Jedną z nich jest The Red Dot Design Award przyznana za projekt lampy Q LED autorstwa Łukasza Jaworskiego.

Nieskończone pokłady kreatywności i uważność skierowana na użytkownika sprawiają, że nasze produkty wymykają się utartym kryteriom. Tworzymy nie tylko lampy, ale i światło, które pisze codzienne scenariusze.

Behind every idea is a person.

Our team of designers and constructors make up the Nowodvorski Design LAB Product Development Department - the heart of the brand, where all projects germinate and mature.

Hours of conversations, sketches and mock-ups - they give rise to the products that adorn your interiors. Refined design, going hand in hand with well thought-out functionality, has resulted in a collection of awards of international standing. One of these is The Red Dot Design Award, awarded for the design of the Q LED lamp by Łukasz Jaworski.

Infinite creativity and user-oriented attention make our products escape the usual criteria. We create not just lamps, but light that writes everyday scenarios.




Borys Nowodvorski | Łukasz Jaworski



Małgorzata Nowodvorska | Łukasz Jaworski



Natalia Smela



Agnieszka Solecka



Wiola Imiolczyk



Wojciech Paul | Damian Olszak | Łukasz Jaworski



Aleksandra Kania-Biegus



Natalia Smela | Wiola Imiolczyk | Damian Olszak | Aleksandra Kania-Biegus | Łukasz Jaworski | Wojciech Paul

COLLECTIONS



CIRCOLO LED 18-29



VERTIC LED 30-31



SPIN LED 32-33



MOTIVE LED 34-35



SABER LED 36



ARM LED 37



BAR LED 38-41



LASER 42-53



STALACTITE 54-55



FOURTY 56-61



EYE 62-69



EYE SUPER 70-73



SLING 74-75



MORE EYE 76



MORE TONE 77



IMBRIA 78



BATON 79



KARO 80-81



KIER 82



PIK 83



SPHERE 84-87



PEAR 88-89



CYLINDER 90-91



MONACO 92-93



CRANE 92



VETRO 94-95



AMALFI 96-97



POLARIS 98-99



GLOBE PLUS 100



SALVA 101



NUNTUCET 102-103



NEWPORT 104-105



BOSTON 106



HAMPTON 107



CRISTAL 108-109



TURDA 110-114



LAGUNA 115



CROCO 116-117



MIST 118



FORM 119



CAMERON 120-121



VIVIANE 122



VIOLET 123



FALCON 124



HAWK 125



VIPER 126-127



ALICE 128-131



HOTEL 132-133



HOTEL PLUS 134



FLEX 135



MOSS 136-138



FLEX SHADE 139



CHILIN 140-141



PETIT 142-143



CADILAC 144-145



TRIFLE 146



ZELDA 147




SUNSET 148-150



SUNSET NATURAL 151



SUNRISE LED 152



SUN LED 153



SUNSET 153



WHEEL 154-156



WHEEL LUX 157



HEFT 158-159



DISK 160



MINIMAL 161



OSLO 162-163



AWINION 164



COBA ANTIQUE 165



KYMI 166-167



IKA 168



BIO 168



ACROSS 169



DOVER 170-173



ORBIT 174-177



PILLS 178-179



RADIUS 180-181



ROTOR 182-183



STICKS 184



AXIS 185



ROD 186-187



PILE 188



MILL 189



BULLET 245



KAREN 246



CAMILLA 246



NESS 247



CAGE 247



ALLAN 247



MANUFACTURE 190-191




WORKSHOP 192



SILICONE 193



SPIDER 194



TWIG 195



GEOMETRIC 196



UMBRELLA 248



AVEIRO 249



MARGARET 250



ARES 251



REMBRANDT LED 252-254



GIOTTO LED 255



SHY 196



VOLCANO 197



LAVA 197



GIPSY 198-199



SOLID 200



SHY 201



VAN GOGH LED 256-257



IMPULSE LED 258-259



STRAIGHT CEILING LED 260-261



STRAIGHT WALL 262



ION LED 263



SOFT CEILING LED 264



BOLD 201



CRATE 202-203



PLANT 204-205



HERMANOS 206-209



ZENITH 210-2011



PERM 212-213



SOFT WALL LED 265



SOFT LED 266-267



CL Q LED PRO 268



CL H LED PRO 269



CL OFFICE LED PRO 270-271



CL OFFICE PRO/HALL PRO SUSPENSION KIT 270-272



TECHNO 214-215



PANTOGRAPH 216



CRAFT 217



HARMONY 218




HIGH-BAY 219



GARRET 220-221



CL OFFICE PRO/HALL PRO POWER SUPPLY KIT 270-272



CL HALL LED 272-273



BERGEN 274-275



MALMO 274-275



HAGA 275



RING LED 276-277



HEMISPHERE RUST 222-223



WORKS 224



HEMISPHERE HIT 225



CANDY 228



HEMISPHERE SUPER 229-231



CANOE 234



RING WOOD LED 278-279



RING MIRROR LED 280-281



ORGANIC 282-283



SATELLITE 284-287



LID LED 288-291



ARENA 292-293



EGG 235-237



WAVE 241



LUKSOR 240



ABI 242



PICO 243



GSTAR 244



QUAD 294



KASAI 295



WING LED 296



TUBE 297



CUBE 297



LIA LED 297



CL ITAKA 298-299 LED



CL ITAKA POWER SUPPLY KIT 298



CL ITAKA SUSPENSION KIT 298




COSMO 300-301



STYLE LED 302-303



SMART LED 304



GAP 358



PAG 358



OVAL 359



CL IOS LED 360-363



HALO 364-365



FLEA 366



CHIC LED 305



PLANE 306-307



POINT TONE 366



INDIA 367



MIKE 367



SET 368



EYE TONE 369-371



POINT PLEXI 372

SPOTLIGHTS



MONO 310-318, 321-323



MONO CORNER 319



MONO LONG 320



MONO SURFACE 324-327



MONO SURFACE LONG 328-329



MONO DEEP 330-333



MONO SLIDE 334-335



MONO SLIDE TRIMLESS 335



EYE SPOT 336-339



EYE FIT 340



IRIS LED 340-341



CROSS 342



VESPA 343



BIT 372



POINT 373



SILBA 374



CRES 374



MURTER 374



MLJET 374



VIS 375



HVAR 375



SOLTA 375



UNO 376



CUP 377



MYKONOS LED 378



EGINA LED 379



CL KOS LED 380-381



CL DIA LED 382



CL KEA LED 383



MOD 384



MOD PLUS 384

DOWNLIGHTS



MIDI LED 346-351



MIDI LED RECESSED 352-353



MINI LED RECESSED 354-355



FOCUS MINI LED 356-357



COBBLE 358



GROOVE MINI LED 358-359



DOWNLIGHT ES111 385



BOX ES111 385



EYE MOD 386



DOT 387

LVM LOW VOLTAGE MAGNETIC TRACK LIGHT SYSTEM



RECESSED TRACKS AND MOUNTING ELEMENTS 470-473

CTLS COMMERCIAL TRACK LIGHT SYSTEM



CTLS - RECESSED 444-447 TRACKS AND MOUNTING ELEMENTS

BATHROOM LIGHTING




PROFILE TRACK LIGHT SYSTEM





OUTDOOR LIGHTING






PUEBLA LED 572 MERIDA LED 572 LIMA LED 573 KHUMBU 573 LENS LED 576 HEXA 577



EDESA LED 577 ANA 578 AMELIA 579 AMUR 580 TYBR 581 TAY 582



LANTERN 583 DON 583 NOOK 584 TAHOE 585 BAY LED 586 SIDEWALK SQUARE LED 587



SIDEWALK ROUND LED 587 BASALT 588 ASSAM 588 INA 588 STEP LED 589 OIA LED 589



PICCO LED 590 PAOLI 591 MON LED 591 PAT LED 591 CIRCLET LED 591 POWER CORD FOR FESTOON LIGHTS 593



FESTOON LIGHTS 593

LIGHT SOURCES AND ACCESSORIES



BULB LED G9, 7W 596 BULB LED G9, 4W 596 BULB LENS LED, G9, 3W 596 REFLECTOR LED, GU10, R35, 4W 597 REFLECTOR LED, GU10, R50, 7W 597 BULB GLASS BALL LED, E27, 8W 598




BULB LED, GX53, 8W 598 REFLECTOR LENS LED, GU10, ES111, 9W 599 REFLECTOR DIFFUSER LED, GU10, ES111, 9W 599 BULB VINTAGE LED, E14, 6W 600 BULB VINTAGE LED, E27, 6W 600 BULB VINTAGE LED, E27, 4W 600



BULB VINTAGE LED, E27, 4W 600 BULB VINTAGE LED, E27, 4W 600 BULB LED E14, C35, 6W 601 BULB LED E27, A60, 7W 601 BULB LED E27, A60, 10W 601 BULB LED, E27, A60, 2W, 5 PC SET 601



TUBE LED T8 602 WATERPROOF CONNECTOR IP68 603 WATERPROOF „Y“ CONNECTOR IP 68 603 MICROWAVE SENSOR 603 DUPLEX 603



Collections


VERTIC LED 10362

CIRCOLO LED M
10811


CIRCOLO LED S
10810

CIRCOLO LED S
10810






CIRCOLO LED M
10811



CIRCOLO LED S

■ painted aluminum, painted steel, plastic PC


■ 10810 3000K ■ 10860 4000K




CIRCOLO LED M

■ painted aluminum, painted steel, plastic PC

■ 10811 3000K ■ 10861 4000K




CIRCOLO LED S
10813



CIRCOLO LED S

■ painted aluminum, painted steel, plastic PC

■ 10813 3000K ■ 10863 4000K



CIRCOLO LED M


■ painted aluminum, painted steel, plastic PC

■ 10812 3000K ■ 10862 4000K



Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
10810	18W LED	3000K	560 lm	70°	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10860	18W LED	4000K	600 lm	70°	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10811	21W LED	3000K	660 lm	70°	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10861	21W LED	4000K	700 lm	70°	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h


Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
10813	18W LED	3000K	560 lm	70°	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10863	18W LED	4000K	600 lm	70°	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10812	21W LED	3000K	660 lm	70°	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10862	21W LED	4000K	700 lm	70°	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h

CIRCOLO LED S
10928CIRCOLO LED M
10815

CIRCOLO LED S

painted aluminum, plastic PC


■ 10928 3000K ■ 10930 4000K



CIRCOLO LED M

painted aluminum, plastic PC

■ 10815 3000K ■ 10865 4000K

CIRCOLO LED XS
10858

CIRCOLO LED XS

painted aluminum, plastic PMMA


■ 10808 3000K ■ 10858 4000K




Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
10808	9W LED	3000K	190 lm	70°	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10858	9W LED	4000K	200 lm	70°	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10928	18W LED	3000K	560 lm	70°	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10930	18W LED	4000K	600 lm	70°	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10815	21W LED	3000K	660 lm	70°	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10865	21W LED	4000K	700 lm	70°	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h



CIRCOLO LED
10817



CIRCOLO LED
10814




CIRCOLO LED

■ painted aluminum, painted steel, plastic PC

■ 10814 3000K ■ 10864 4000K



CIRCOLO LED
10867



CIRCOLO LED

■ painted aluminum, painted steel, plastic PC

■ 10817 3000K ■ 10867 4000K




Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
10814	35W LED	3000K	1200 lm	70°	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10864	35W LED	4000K	1300 lm	70°	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
10817	45W LED	3000K	1600 lm	70°	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10867	45W LED	4000K	1800 lm	70°	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h



CIRCOLO LED 10816



CIRCOLO LED

■ painted aluminum, plastic PC

■ 10816 3000K ■ 10866 4000K




Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
10816	33W LED	3000K	1100 lm	70°	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10866	33W LED	4000K	1200 lm	70°	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h



CIRCOLO LED 10866




VERTIC LED 10857



VERTIC LED

■ painted aluminum, painted steel, plastic PMMA

■ 10362 3000K ■ 10857 4000K




VERTIC LED 10362

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
10362	19W LED	3000K	650 lm	100°	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10857	19W LED	4000K	700 lm	100°	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h


■ BLACK P013 RAL 9005




SPIN LED M 10370

**SPIN LED S**

painted aluminum, plastic PC

 10368 3000K
 10620 4000K
**SPIN LED M**


painted aluminum, plastic PC

 10370 3000K
 10621 4000K
**SPIN LED L**

painted aluminum, plastic PC

 10371 3000K
 10622 4000K



Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
10368	10W LED	3000K	360 lm	100°	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10620	10W LED	4000K	390 lm	100°	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10370	14W LED	3000K	520 lm	100°	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10621	14W LED	4000K	550 lm	100°	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10371	16W LED	3000K	600 lm	100°	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10622	16W LED	4000K	630 lm	100°	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h



MOTIVE LED M

■ painted aluminum, plastic PC

■ 10311 3000K ■ 10852 4000K



MOTIVE LED L

■ painted aluminum, plastic PC

■ 10313 3000K ■ 10851 4000K



Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
10311	11W LED	3000K	380 lm	100°	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10852	11W LED	4000K	410 lm	100°	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10313	16W LED	3000K	540 lm	100°	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10851	16W LED	4000K	570 lm	100°	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h


■ BLACK P013 RAL 9005



MOTIVE LED M 10311

MOTIVE LED L 10313


SABER LED L 10314



SABER LED M

■ painted aluminum, plastic PC


■ 10312 3000K ■ 10853 4000K



SABER LED L

■ painted aluminum, plastic PC


■ 10314 3000K ■ 10854 4000K



ARM LED M

■ painted aluminum, plastic PC

■ 10366 3000K ■ 10855 4000K



ARM LED L

■ painted aluminum, plastic PC

■ 10367 3000K ■ 10856 4000K



ARM LED L 10856



Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
10312	11W LED	3000K	380 lm	100°	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10853	11W LED	4000K	410 lm	100°	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10314	16W LED	3000K	540 lm	100°	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10854	16W LED	4000K	570 lm	100°	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h


Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
10366	10W LED	3000K	360 lm	100°	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10855	10W LED	4000K	390 lm	100°	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10367	14W LED	3000K	520 lm	100°	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10856	14W LED	4000K	550 lm	100°	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h

BAR LED L 10365






BAR LED M 10364



BAR LED S

■ painted aluminum, painted steel,
plastic PMMA


■ 10363 3000K ■ 10847 4000K



BAR LED M

■ painted aluminum, painted steel,
plastic PMMA

■ 10364 3000K ■ 10848 4000K



BAR LED L

■ painted aluminum, painted steel,
plastic PMMA

■ 10365 3000K ■ 10850 4000K



Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
10363	21W LED	3000K	1000 lm	100°	>80	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10847	21W LED	4000K	1300 lm	100°	>80	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10364	24W LED	3000K	1150 lm	100°	>80	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10848	24W LED	4000K	1500 lm	100°	>80	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10365	27W LED	3000K	1300 lm	100°	>80	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10850	27W LED	4000K	1700 lm	100°	>80	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h



LASER 750
10447

LASER 490
10453

LASER 1000
10446

LASER 1000
10444







LASER 490 10453

LASER 490

painting steel

- 10451
- 10452
- 10453

1xG9, max 10W only LED



LASER 490

painting steel

- 8796
- 8797

1xG9, max 10W only LED

solid brass, painting steel


- 8798

1xG9, max 10W only LED



LASER 490 8796

LASER 750 8433




LASER 1000 10445

LASER 1000

painting steel

- 10444
- 10445
- 10446

1xG9, max 10W only LED





LASER 750

painting steel

- 10447
- 10448
- 10450

1xG9, max 10W only LED



LASER 750

painting steel


- 8432
- 8433

1xG9, max 10W only LED

solid brass, painting steel

- 8431

1xG9, max 10W only LED



LASER 1000

painting steel

- 8435
- 8436

1xG9, max 10W only LED

solid brass, painting steel

- 8434

1xG9, max 10W only LED



LASER 1000 8434

LASER 490 10704





LASER 490 10705



LASER 490

painted steel

- 8922
- 8923
- 10705

- 10xG9, max 10W only LED

solid brass, painted steel

- 8924

- 10xG9, max 10W only LED

LASER 490

painted steel

- 8918
- 8920
- 10704

- 7xG9, max 10W only LED


solid brass, painted steel

- 8921


- 7xG9, max 10W only LED



LASER 490 10704



LASER 1000 7668




LASER 1000


7667 painted steel



7668 solid brass, painted steel





7668 7xG9, max 10W only LED




LASER 750

10907 10908 10910 painted steel




10911 10912 1xG9, max 10W only LED



LASER 900

10913 10914 10915 painted steel




10916 10917 1xG9, max 10W only LED



LASER 1100

10918 10920 10921 painted steel



10922 10923 1xG9, max 10W only LED




LASER 750 10910

LASER 900 10917

LASER 1100 10922

LASER WALL XL 10828



LASER WALL XL

painted steel

- 10826
- 10827
- 10830

- 10831
- 10832

2xG9, max 10W only LED

solid brass, painted steel

- 10828


2xG9, max 10W only LED

LASER WALL 10562



LASER WALL 10563

LASER WALL 10564



LASER WALL

painted steel

- 8048
- 8047
- 10562

- 10563
- 10564

2xG9, max 10W only LED

solid brass, painted steel

- 8308


2xG9, max 10W only LED



Scan QR code to watch video manual on changing the bulb.



STALACTITE 9054



STALACTITE

painted steel

■ 8355

● 13xG9, max 10W only LED


■ solid brass, painted steel

■ 9054

● 13xG9, max 10W only LED



STALACTITE 8352



STALACTITE

painted steel, flexible stem

■ 8351

● 1xG9, max 10W only LED


■ solid brass, painted steel, flexible stem

■ 8352

● 1xG9, max 10W only LED



STALACTITE 9055



STALACTITE

painted steel, flexible stem

■ 8353

● 2xG9, max 10W only LED

■ solid brass, painted steel, flexible stem

■ 9055

● 2xG9, max 10W only LED

LASER WALL XL 10826

FOURTY WALL XL 10893

FOURTY WALL XL 10892


FOURTY XL 10899

FOURTY S 10734

FOURTY M 10821

FOURTY L 10895





FOURTY S
 painted steel

10734 10735
 10883 10884

1xGU10 R35, max 10W only LED

solid brass

10882

1xGU10 R35, max 10W only LED

FOURTY M
 painted aluminum

10820 10821
 10886 10887

1xGU10 R35, max 10W only LED

solid brass

10885

1xGU10 R35, max 10W only LED

FOURTY XL
 painted aluminum

10824 10825
 10898 10899

1xGU10 R35, max 10W only LED

solid brass

10897

1xGU10 R35, max 10W only LED

FOURTY L
 painted aluminum

10822 10823
 10895 10896

1xGU10 R35, max 10W only LED

solid brass

10894

1xGU10 R35, max 10W only LED



FOURTY S
 painted steel

10764 10765
 10900 10901

1xGU10 R35, max 10W only LED

solid brass, painted steel

10766

1xGU10 R35, max 10W only LED

FOURTY M
 painted steel

10770 10771
 10902 10903

1xGU10 R35, max 10W only LED


solid brass, painted steel

10772

1xGU10 R35, max 10W only LED



FOURTY WALL S 10746



FOURTY WALL S

painting steel

10746 10747


10888 10889

1xGU10 R35, max 10W only LED

solid brass, painting steel

10748

1xGU10 R35, max 10W only LED



FOURTY WALL XL

painting steel

10758 10759

10892 10893

2xGU10 R35, max 10W only LED


solid brass, painting steel

10760

2xGU10 R35, max 10W only LED



FOURTY WALL M 10891



FOURTY WALL M

painting steel

10752 10753

10890 10891

2xGU10 R35, max 10W only LED

solid brass, painting steel

10754

2xGU10 R35, max 10W only LED

FOURTY WALL XL 10759






EYE M 5397

EYE L 6841

EYE L 8800



EYE M

painted steel

5397 6840


5398

1xGU10, max 10W only LED

solid brass, painted steel

8914

1xGU10, max 10W only LED



EYE L

painted steel

5455 6841

5456

1xGU10, max 10W only LED


solid brass, painted steel

8800

1xGU10, max 10W only LED



EYE 7863



EYE

painted steel

6481 7862

3xGU10, max 10W only LED

solid brass, painted steel

7863

3xGU10, max 10W only LED




EYE L 8917

EYE L 8915



EYE L 8916



EYE L
painted steel

- 8916
- 8917

- 3xGU10, max 10W only LED

solid brass, painted steel

- 8915

- 3xGU10, max 10W only LED






EYE L 6838



EYE M 5463



EYE S 5256



EYE S

painting steel

5255 6836


5256

1xGU10, max 10W only LED

solid brass

8911

1xGU10, max 10W only LED



EYE M

painting steel


5463 6837

1xGU10, max 10W only LED

solid brass

8912

1xGU10, max 10W only LED



EYE L

painting steel

5471 6838

1xGU10, max 10W only LED


solid brass

8913

1xGU10, max 10W only LED



EYE WALL 8072



EYE WALL

painting steel

8073 8072

2xGU10, max 10W only LED


solid brass, painting steel

8074

2xGU10, max 10W only LED



EYE WALL CUT 7995



EYE WALL CUT

painting steel

7993 7994

2xGU10, max 10W only LED


solid brass, painting steel

7995

2xGU10, max 10W only LED



EYE FLEX 8935




EYE FLEX

painting steel, flexible stem

8934 8935

1xGU10, max 10W only LED



EYE


painting steel

5654 5655 6842

1xGU10, max 10W only LED



EYE 6842



EYE FLEX S

painting steel, flexible stem

9070 9068

1xGU10, max 10W only LED


solid brass, flexible stem, painting steel

9067

1xGU10, max 10W only LED




EYE FLEX S 9067



EYE SUPER
painted steel

6493 6506


1xGU10, max 10W only LED



EYE SUPER 6506



EYE SUPER B 6490




EYE SUPER A

painted steel

6488 6502

1xGU10, max 10W only LED



EYE SUPER B


painted steel

6490 6503

1xGU10, max 10W only LED



EYE SUPER 6501





EYE SUPER

painted steel, chrome

6487 6501

1xGU10, max 10W only LED

EYE SUPER 6491






EYE SUPER

■ painted steel, chrome

■ 6491 ■ 6504

● ● 3xGU10, max 10W only LED

EYE SUPER 6505



EYE SUPER


■ painted steel, chrome

■ 6492 ■ 6505

● ● 6xGU10, max 10W only LED



SLING IV 10354




SLING V 10355




SLING IV
glass, painted steel

- 10354
- 4xG9, max 12W only LED



SLING V
glass, painted steel


- 10355
- 5xG9, max 12W only LED



MORE EYE 7825



MORE TONE 7817



MORE EYE

painting steel


7824 7822

4xGU10, max 10W only LED

solid brass, painting steel

7610

4xGU10, max 10W only LED



MORE EYE

painting steel


7826 7825

5xGU10, max 10W only LED

solid brass, painting steel

7608

5xGU10, max 10W only LED




MORE TONE

painting steel, plastic ABS

7816 7814

4xGU10, max 10W only LED




MORE TONE


painting steel, plastic ABS

7821 7817

5xGU10, max 10W only LED



IMBRIA 7956




IMBRIA
painted steel, braided cable

- 9192
- 4xGU10, max 10W only LED

solid brass, braided cable, painted steel

- 7957
- 4xGU10, max 10W only LED




IMBRIA
painted steel, braided cable

- 9675
- 6xGU10, max 10W only LED

solid brass, braided cable, painted steel

- 7955
- 6xGU10, max 10W only LED




IMBRIA
painted steel, braided cable

- 9677
- 6xGU10, max 10W only LED

solid brass, braided cable, painted steel

- 7956
- 6xGU10, max 10W only LED



IMBRIA
painted steel, braided cable

- 9680
- 10xGU10, max 10W only LED

solid brass, braided cable, painted steel

- 7954
- 10xGU10, max 10W only LED



BATON 7852

BATON 7851




BATON
painted steel

- 7852
- 1xE27, max 10W only LED

solid brass, painted steel

- 7851
- 1xE27, max 10W only LED




BATON
painted steel

- 7856
- 3xE27, max 10W only LED


solid brass, painted steel

- 7855
- 3xE27, max 10W only LED




BATON 7856


KARO 10304



KARO
painted steel, glass
10304
3xG9, max 1.2W only LED




KARO
painted steel, glass
10305
1xG9, max 1.2W only LED



KARO
painted steel, glass
10303
5xG9, max 1.2W only LED

KARO 10934




KARO
painted steel, glass
10934
8xG9, max 1.2W only LED



KIER L 10308



KIER M 10307




KIER M

painting steel, glass

10307 10306

1xG9, max 12W only LED




KIER S

painting steel, glass

10302 10623

1xG9, max 12W



KIER L


painting steel, glass

10310 10308

1xG9, max 12W only LED



PIK 10301




PIK

painting aluminum, glass

10299

1xG9, max 12W only LED




PIK

painting aluminum, glass

10300

2xG9, max 12W only LED



PIK

painting aluminum, glass

10301

3xG9, max 12W only LED



SPHERE XL 7846

SPHERE L 7850

SPHERE M 7848




SPHERE S 7847

SPHERE M 7848

SPHERE L 7850


SPHERE XL 7846

**SPHERE S**

glass, painted steel

7847


1xG9, max 10W LED

**SPHERE M**

glass, painted steel

7848


1xE27, max 25W only LED

**SPHERE L**

glass, painted steel

7850

1xE27, max 25W only LED


**SPHERE XL**

glass, painted steel

7846

1xE27, max 25W only LED

SPHERE 7788

**SPHERE**


glass, painted steel

7788

3xE27, max 25W only LED



PEAR S 8673



PEAR S

glass, brass-plated steel, painted steel

8673

1xE27, max 25W only LED


glass, painted steel

7800

1xE27, max 25W only LED



PEAR M 8672



PEAR M

glass, brass-plated steel, painted steel

8672

1xE27, max 25W only LED


glass, painted steel

7798

1xE27, max 25W only LED



PEAR L 8671



PEAR L

glass, brass-plated steel, painted steel

8671

1xE27, max 25W only LED


glass, painted steel

7797

1xE27, max 25W only LED



PEAR 7794



PEAR

glass, brass-plated steel, painted steel

7794

3xE27, max 25W only LED



CYLINDER L 7864

CYLINDER M 7865

CYLINDER S 7866



CYLINDER S

- glass, painted steel
- 7866
- 1xGU10, max 10W only LED

- glass, solid brass, painted steel
- 7870
- 1xGU10, max 10W only LED

CYLINDER M

- glass, painted steel
- 7865
- 1xGU10, max 10W only LED

- glass, solid brass, painted steel
- 7868
- 1xGU10, max 10W only LED


CYLINDER L

- glass, painted steel
- 7864
- 1xGU10, max 10W only LED


- glass, solid brass, painted steel
- 7867
- 1xGU10, max 10W only LED



CYLINDER M 7865



MONACO 9363




MONACO

glass, braided cable, painted steel

■ 9363

● 2xE27, max 25W only LED



MONACO


glass, braided cable, painted steel

■ 9364

● 1xE27, max 25W only LED



MONACO 9364




MONACO

glass, painted steel

■ 9362

● 2xE27, max 25W only LED




CRANE

glass, painted steel, solid brass

■ 9374

● 1xE27, max 25W only LED




MONACO

painted steel, glass

■ 8794

● 1xE27, max 25W only LED



MONACO

glass, painted steel

■ 9308

● 1xE27, max 25W only LED



MONACO 9308




VETRO 7641



VETRO 7642




VETRO 9131




VETRO
glass, painted steel

- 7641
- 3xE27, max 25W only LED




VETRO
glass, painted steel

- 7642
- 5xE27, max 25W only LED



VETRO
glass, painted steel

- 9132
- 1xE27, max 25W only LED



VETRO
glass, painted steel

- 9131
- 7xE27, max 25W only LED



AMALFI M 9153




AMALFI 9155



AMALFI 9154

18-22 cm



AMALFI

metallized glass, steel, solid brass

9154 9155


1xE27, max 25W only LED



AMALFI M 9152



AMALFI L 8381



AMALFI M

metallized glass, steel, solid brass

9152 9153

1xE27, max 25W only LED



AMALFI L

metallized glass, steel, solid brass

8380 8381

1xE27, max 25W only LED


GOLD SILVER BLACK



POLARIS 9060



POLARIS 9057



POLARIS

metallized glass, painted steel

9056 9057 9058

1xE27, max 25W only LED



POLARIS 9058



POLARIS 9056

POLARIS

metallized glass, painted steel

9060

1xE27, max 25W only LED

SMOKED GOLD COPPER CHROME BLACK P013 RAL 9005




POLARIS 9056





GLOBE PLUS S 7605



GLOBE PLUS 7607



GLOBE PLUS M 7606




GLOBE PLUS
metallized glass, painted steel

- 7607
- 3xE27, max 25W only LED



SALVA C 5424



SALVA C
glass, stainless steel


- 5424
- 3xGU10, max 10W only LED

SALVA G 6845



SALVA E
glass, stainless steel

- 5428
- 5xGU10, max 10W only LED



SALVA G
glass, stainless steel

- 6845
- 4xE27, max 25W only LED




NUNTUCET 8150

NUNTUCET 8150




NUNTUCET 8151



NUNTUCET
chrome plated steel, fabric

8150

6x E14, max 10W only LED



NUNTUCET
chrome plated steel, fabric


8151

1x E14, max 10W only LED

CHROME WHITE




NEWPORT 8156



NEWPORT
glass, fabric, chrome plated steel

- 8157
- 1xE14, max 10W only LED




NEWPORT
glass, fabric, chrome plated steel

- 8156
- 6xE14, max 10W only LED



BOSTON 8153




BOSTON
chrome plated steel, glass

8153

1xE14, max 10W only LED

BOSTON 8152




BOSTON
chrome plated steel, glass

8152

4xE14, max 10W only LED

HAMPTON 8154




HAMPTON
chrome plated steel, glass

8154

6xE14, max 10W only LED



HAMPTON 8155




HAMPTON
chrome plated steel, glass

8155

2xE14, max 10W only LED




CRISTAL M 7616




CRISTAL M
crystal, painted steel

7628 7627

9xE14, max 25W only LED




CRISTAL 7633



CRISTAL
crystal, painted steel

7632 7633

2xE14, max 25W only LED




CRISTAL M
crystal, painted steel

7617 7616

9xE14, max 25W only LED




CRISTAL L 7631



CRISTAL L
crystal, painted steel

7631 7630

12xE14, max 25W only LED



CRISTAL L
crystal, painted steel

7615 7614


12xE14, max 25W only LED



TURDA 8802



TURDA 8802





TURDA 8952




TURDA 8958



TURDA 8955




TURDA 8802




TURDA
fabric, plastic, painted steel

8945
3xE27, max 15W only LED




TURDA
fabric, plastic, painted steel

8952
3xE27, max 15W only LED




TURDA
fabric, plastic, painted steel

8958
7xE27, max 15W only LED




TURDA
fabric, plastic, painted steel

8950
3xE27, max 15W only LED



TURDA
fabric, plastic, painted steel

8955
4xE27, max 15W only LED



TURDA
fabric, plastic, painted steel

8802
7xE27, max 15W only LED



TURDA 8946




TURDA 8947



LAGUNA 8962




LAGUNA 8954




TURDA
fabric, plastic, painted steel

- 8946
- 3xE27, max 15W only LED




TURDA
fabric, plastic, painted steel

- 8947
- 3xE27, max 15W only LED




TURDA
fabric, plastic, painted steel

- 8953
- 3xE27, max 15W only LED




TURDA
fabric, plastic, painted steel

- 8960
- 7xE27, max 15W only LED




LAGUNA
velvet, plastic, painted steel

- 8954
- 3xE27, max 15W only LED



LAGUNA
velvet, plastic, painted steel

- 8957
- 4xE27, max 15W only LED



LAGUNA
velvet, plastic, painted steel


- 8962
- 9xE27, max 15W only LED



CROCO 8948




CROCO 8956



CROCO
velvet, plastic, painted steel

■ 8948

● 3xE27, max 15W only LED



CROCO
velvet, plastic, painted steel

■ 8956

● 4xE27, max 15W only LED



MIST 8944



MIST 8943




MIST 8942



FORM L 9672




FORM M 9673




MIST
fabric, plastic, painted steel

- 8944
- 3xE27, max 15W only LED




MIST
fabric, plastic, painted steel

- 8944
- 7xE27, max 15W only LED




MIST
fabric, plastic, painted steel

- 8942
- 3xE27, max 15W only LED



FORM L
fabric, painted steel

- 9672
- 4xE27, max 25W only LED



FORM M
fabric, painted steel

- 9673
- 2xE27, max 25W only LED



CAMERON 9606




CAMERON 9685



CAMERON 9682



CAMERON 9683




CAMERON

fabric, plastic, painted steel

9605

2xE27, max 15W only LED




CAMERON

fabric, plastic, painted steel

9685

1xE27, max 15W only LED




CAMERON

fabric, plastic, painted steel

9684

3xE27, max 15W only LED




CAMERON

fabric, plastic, painted steel

9606

4xE27, max 15W only LED




CAMERON

fabric, plastic, painted steel

9682

4xE27, max 15W only LED




CAMERON

fabric, plastic, painted steel

9683

3xE27, max 15W only LED



CAMERON

fabric, plastic, painted steel

9687

2xE27, max 15W only LED



VIVIANE 6772



VIVIANE 6773



VIOLET 7958




VIOLET 7960



VIVIANE 6390




VIOLET 7961



VIVIANE
fabric, glass, chrome

6772 6773 6774


3xE27, max 25W only LED



VIVIANE
fabric, glass, chrome

6391 6532 6390

3xE27, max 25W only LED



VIOLET
fabric, plastic, painted steel


7958 7960 7961

3xE27, max 25W only LED

FALCON 7950



HAWK 8843




FALCON

fabric, plastic, painted steel

7951 7948 7950

6x E27, max 25W only LED




HAWK

fabric, glass, painted steel

8843 6541

6x E27, max 25W only LED




VIPER 6640

VIPER

fabric, painted steel

6640 6641

1xE27, max 25W only LED




VIPER 6513

VIPER


fabric, painted steel, chrome

6512 6513

1xE14, max 10W only LED



VIPER 6513




ALICE

fabric, painted steel

9084

1xE27, max 10W only LED




ALICE

fabric, painted steel

9091

1xE27, max 10W only LED




ALICE L

fabric, painted steel

4961

1xE27, max 25W only LED




ALICE M

fabric, painted steel

4962

2xE27, max 25W only LED

ALICE 9091




ALICE L

painted steel, fabric

4963

1xE27, max 25W only LED




ALICE M

fabric, painted steel

3458

1xE27, max 25W only LED




ALICE L

fabric, painted steel

3466

1xE27, max 25W only LED




ALICE XS

fabric, painted steel

5663

1xE27, max 10W only LED



ALICE L

painted steel, fabric

3464

3457


1xE27, max 25W only LED



ALICE L 3466




ALICE M 6817




ALICE XS
fabric, painted steel

- 9090
- 1xE27, max 10W only LED




ALICE M
fabric, painted steel

- 6812 5723
- 1xE27, max 10W only LED



ALICE L
fabric, painted steel

- 5383
- 1xE27, max 25W only LED




ALICE L
fabric, painted steel

- 6816
- 1xE27, max 25W only LED




ALICE L 6816



ALICE L
painted steel, fabric

- 6818 5386
- 1xE27, max 25W only LED




ALICE M
fabric, painted steel

- 6817
- 2xE27, max 25W only LED



HOTEL 9303



HOTEL


fabric, chrome plated steel

9303 8980

1xE14, max 10W only LED



HOTEL 9301




HOTEL

fabric, chrome plated steel

8981 9300

1xE27, max 25W only LED




HOTEL

fabric, chrome plated steel

9298

1xE27, max 25W only LED



HOTEL


chrome plated steel, fabric

8982 9301

1xE27, max 10W only LED



HOTEL LED 9302



HOTEL LED


fabric, chrome plated steel

6800 9302

1xE27, 25W only LED, 1x2.2W



HOTEL 9218



HOTEL


fabric, chrome plated steel

4730 9218

1xE27, max 25W only LED



HOTEL 9304



HOTEL

fabric, chrome plated steel



4731 9304

2xE27, max 25W only LED



HOTEL PLUS 9073

HOTEL PLUS 9072



HOTEL PLUS
fabric, painted steel, flexible stem

9073 9071

1xE27, max 25W only LED, 1xG9, max 10W only LED


HOTEL PLUS
fabric, painted steel, flexible stem

9074 9072

1xE27, max 25W only LED, 1xG9, max 10W only LED




FLEX 9766



FLEX
flexible stem, painted steel

9766

5xE27, max 25W only LED



FLEX
flexible stem, painted steel

9768

1xE27, max 25W only LED



MOSS 9736




MOSS 9737



FLEX SHADE 9764




FLEX SHADE 9758

**MOSS**

fabric, plywood, painted steel

■ 9736


● 3xE27, max 25W only LED

**MOSS**

fabric, painted steel

■ 9737

● 3xE27, max 25W only LED

**FLEX SHADE**

fabric, flexible stem, painted steel

□ 9764 ■ 9758

● 1xE27, max 25W only LED



CHILLIN 8216



CHILLIN 8215



CHILLIN 8201



CHILLIN 8200



CHILLIN 8214



CHILLIN 8213



CHILLIN 8197

CHILLIN

fabric, painted steel, flexible stem

8216 8215

1xE27, max 10W only LED, 1xG9, max 10W only LED

fabric, painted steel, solid brass, flexible stem



8213

1xE27, max 10W only LED, 1xG9, max 10W only LED

velvet, painted steel, solid brass, flexible stem

8214

1xE27, max 10W only LED, 1xG9, max 10W only LED




CHILLIN

fabric, painted steel

8201 8200 8197

1xE27, max 10W only LED



PETIT
 painted aluminum, painted steel
 8345 8346
 1xE27, max 25W only LED




PETIT C
 fabric, painted steel
 8335




PETIT A
 fabric, painted steel
 8333 8337 8343
 velvet, painted steel
 8340 8344 8334


CADILAC 7988



CADILAC 7990




CADILAC 8190




CADILAC 7992



CADILAC 7991



CADILAC 8191




CADILAC

fabric, painted steel, plastic

- 7988
- 7990
- 8190

3xE27, max 25W only LED



CADILAC


fabric, painted steel

- 7992
- 7991
- 8191

1xE27, max 25W only LED




TRIFLE 7761




TRIFLE
fabric, painted aluminum

- 7758
- 7761
- 1xG9, max 10W only LED



ZELDA 6010



ZELDA
fabric, painted steel

- 6010
- 1xE27, max 25W only LED



SUNSET B 7655




SUNSET A 7653



SUNSET C 7654



SUNSET C 7654




SUNSET C
plywood, painted steel

7654
2xGX53, max 12W only LED

SUNSET NATURAL B
plywood, painted steel


10577
2xGX53, max 12W only LED



SUNSET NATURAL B 10577



SUNSET B 7655




SUNSET B
plywood, painted steel

7655
2xGX53, max 12W only LED

SUNSET NATURAL C
plywood, painted steel


10578
2xGX53, max 12W only LED



SUNSET NATURAL C 10578



SUNSET A 7653




SUNSET A
plywood, painted steel

7653
2xGX53, max 12W only LED

SUNSET NATURAL A
plywood, painted steel


10576
2xGX53, max 12W only LED



SUNSET NATURAL A 10576



SUNRISE LED 7652



SUNRISE LED
plywood, painted steel

7652




Item No.	Power	Colour temp.	Luminous flux	Colour Rendering Index (CRI)	Input	Safety type	Ingress protection	Lifetime
7652	14W LED	3000K	340 lm	>90	~220-230 V, 50/60 Hz	⊕	IP20	30000h

DARK WOOD BLACK P013 RAL 9005



SUN LED 7651




SUN LED
plywood, painted steel

7651



SUNSET 7647



SUNSET
plywood, painted steel

7647

2xGX53, max 12W only LED

Item No.	Power	Colour temp.	Luminous flux	Colour Rendering Index (CRI)	Input	Safety type	Ingress protection	Lifetime
7651	15W LED	3000K	610 lm	>90	~220-230 V, 50/60 Hz	⊕	IP20	30000h


DARK WOOD BLACK P013 RAL 9005 GOLD



WHEEL 9028



WHEEL 9028




WHEEL

plywood, painted steel

9028 9033

1xE27, max 10W only LED

WHEEL LUX 8427




WHEEL LUX

plywood, painted steel

8427 8428

2xG9, max 10W only LED

WHEEL LUX 8430



WHEEL LUX


plywood, painted steel

8430

1xG9, max 10W only LED



WHEEL 9032




WHEEL

plywood, painted steel

9032

1xG9, max 10W only LED

WHEEL LUX 7646



WHEEL LUX


plywood, plywood, steel

7646

2xGX53, max 12W only LED



HEFT 10356



HEFT
painted steel, plywood

10356

2xGX53, max 12W only LED


BLACK P013 RAL 9005 DARK WOOD



HEFT 10356




DISK 7644



DISK
painted steel, plywood

7644

3xGX53, max 1.2W only LED




DISK
painted steel, plywood

7645

1xGX53, max 1.2W only LED




MINIMAL 9375



MINIMAL
wood, painted steel, solid brass

9375

2xE27, max 25W only LED




MINIMAL
wood, painted steel

9377

1xG9, max 10W only LED




OSLO LED 7522



OSLO 30
wood, painted steel

- 9700
- 1xE14, max 15W only LED




OSLO LED 90
wood, painted steel

- 7522
- 7520
- 1xLED TUBE T8, max 16W, included

Name	Size	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Power factor	LED driver	Lifetime	Material
LED TUBE T8	90 cm	16W LED	3000K	2300 lm	120°	≥80	~220-230 V, 50/60 Hz	>0,5	INCL	30000h	CLEAR GLASS



AWINION 9718




AWINION

fabric, plywood, painted steel

■ 9718

☐ 1xE27, max 10W only LED



COBA ANTIQUE

plywood, painted steel

■ 9042


☐ 1xE27, max 25W only LED



COBA ANTIQUE 9042



AWINION 9717




AWINION

fabric, plywood, painted steel

■ 9717

☐ 3xE27, max 10W only LED



COBA ANTIQUE

plywood, painted steel

■ 9043


☐ 3xE27, max 25W only LED



COBA ANTIQUE 9043



AWINION 9716




AWINION

fabric, plywood, painted steel

■ 9716

☐ 4xE27, max 10W only LED



COBA ANTIQUE

plywood, painted steel


■ 9044

☐ 4xE27, max 25W only LED



COBA ANTIQUE 9044

KYMI A 10573




KYMI C
plywood, painted steel, braided cable

- 10572 10575
- 1xE27, max 25W only LED




KYMI B 10571



KYMI A
plywood, painted steel, braided cable

- 10570 10573
- 1xE27, max 25W only LED



KYMI B
plywood, painted steel, braided cable

- 10571 10574
- 1xE27, max 25W only LED

NATURAL WOOD
 BLACK P013 RAL 9005
 WHITE P004 RAL 9003






IKA A 4171



IKA D 4174




BIO 6333




IKA A
plywood, painted steel

- 4171
- 1xE27, max 25W only LED




IKA D
plywood, painted steel

- 4174
- 1xE27, max 25W only LED



BIO
plywood


- 6333
- 1xGU10, max 10W only LED
- plywood
- 9847
- 1xE27, max 25W only LED



ACROSS
plywood, fabric, braided cable

- 6927
- 1xE27, max 25W only LED

ACROSS 6927






DOVER 9263





DOVER 9263




DOVER

plywood, braided cable, painted steel

9264

1xGU10, max 10W only LED



DOVER


plywood, braided cable, painted steel

9263

2xGU10, max 10W only LED



DOVER 9260




DOVER

plywood, painted steel

9261 9266

1xGU10, max 10W only LED



DOVER

plywood, painted steel

9260

2xGU10, max 10W only LED




ORBIT 7805

ORBIT 7946



ORBIT 7946




ORBIT

painted steel

7941 7945

4xGX53, max 12W only LED



ORBIT


painted steel

7942 7946

6xGX53, max 12W only LED

WHITE P004 RAL 9003 BLACK P013 RAL 9005

ORBIT 7938



ORBIT

painting steel



7938 7943

2xGX53, max 12W only LED

ORBIT 7805



ORBIT 7806



ORBIT

painting steel

7802 7805


1xGX53, max 12W only LED

ORBIT

painting steel

7803 7806

1xGX53, max 12W only LED




ORBIT

painting steel

7801 7804

2xGX53, max 12W only LED



ORBIT

painting steel

10637 10638

2xGX53, max 12W only LED

ORBIT 10638




ORBIT 7806



ORBIT 10638




ORBIT 7805





PILLS 8265




PILLS

painting aluminum, painting steel

8271 8265

1xGX53, max 12W only LED

PILLS 8263



PILLS


painting aluminum, painting steel

8268 8263

3xGX53, max 12W only LED



PILLS 8266




PILLS

painting aluminum, painting steel


8272 8266

1xGX53, max 12W only LED

PILLS 8262



PILLS 8264



PILLS

painting aluminum, painting steel

8270 8264

2xGX53, max 12W only LED

PILLS


painting aluminum, painting steel

8267 8262

5xGX53, max 12W only LED




RADIUS 7762



RADIUS
painted steel

■ 7762


● 1xE27, max 25W only LED



RADIUS
painted steel

■ 7931

● 4xE27, max 25W only LED



RADIUS
painted steel

■ 7932


● 6xE27, max 25W only LED



RADIUS 7932



ROTOR 7936




ROTOR
painted steel

7936

4xE27, max 25W only LED

8 cm



21 cm

32 cm


ROTOR
painted steel

7933

2xE27, max 25W only LED



ROTOR 7935




max 85 cm

ROTOR
painted steel

7935

4xE27, max 25W only LED




53 cm

max 85 cm


ROTOR
painted steel

7937

6xE27, max 25W only LED



STICKS 6268




STICKS

■ painted steel

■ 6267

● 2xE27, max 25W only LED




STICKS

■ painted steel

■ 6268

● 3xE27, max 25W only LED



STICKS


■ painted steel

■ 6270

● 5xE27, max 25W only LED



AXIS 9297




AXIS

■ painted steel

■ 9297

● 6xE27, max 25W only LED

ROD 9733




max. 150 cm
40 cm

70 cm

ROD
painted steel

■ 9733

● 15x E27, max 25W only LED



max. 150 cm
40 cm

70 cm

ROD
painted steel

■ 9734


● 9x E27, max 25W only LED

ROD 9734





PILE 9127



PILE

■ painted steel, steel

■ 9127


● ● 5xE27, max 25W only LED



MILL 9135



MILL 9136




MILL

■ painted steel, brass-plated steel

■ 9135

● ● 8xE27, max 25W only LED






MILL

■ painted steel, brass-plated steel

■ 9136

● ● 3xE27, max 25W only LED

MANUFACTURE 9740



MANUFACTURE
painted steel, copper-clad steel


- 9742
- 1xE27, max 25W only LED

MANUFACTURE
painted steel, copper-clad steel

- 9741
- 1xE27, max 25W only LED

MANUFACTURE
painted steel, copper-clad steel

- 9740
- 3xE27, max 25W only LED



MANUFACTURE
painted steel, copper-clad steel


- 9738
- 5xE27, max 25W only LED



MANUFACTURE 9742



WORKSHOP A 6337



WORKSHOP A

painting steel, copper-clad steel


6337

1xE27, max 25W only LED

WORKSHOP B 6336



WORKSHOP C 6335




WORKSHOP B

painting steel, copper-clad steel

6336

1xE27, max 25W only LED




WORKSHOP

painting steel, copper-clad steel

6605

1xE27, max 25W only LED



WORKSHOP C

painting steel, copper-clad steel

6335


1xE27, max 25W only LED



SILICONE 6403



SILICONE 6404



SILICONE


silicone, painting steel

6404 6403

1xE27, max 25W only LED




SPIDER 6785



TWIG 9138


X+Y=max 300 cm



SPIDER
braided cable, painted steel

- 9745 6792
- 1xE27, max 25W only LED


X+Y=max 300 cm



SPIDER
braided cable, painted steel

- 9744 6788
- 5xE27, max 25W only LED


X+Y=max 300 cm



SPIDER
braided cable, painted steel

- 9743 6785
- 7xE27, max 25W only LED


31 cm



TWIG
painted steel

- 9141
- 2xE27, max 25W only LED


70 cm



TWIG
painted steel

- 9138
- 6xE27, max 25W only LED

42 cm



TWIG
painted steel

- 9140
- 4xE27, max 25W only LED



GEOMETRIC 9695




SHY 9391




SHY
concrete, painted steel
9391
1xGU10, max 10W only LED




LAVA 6855




GEOMETRIC
concrete, painted steel
9695
3xGU10, max 10W only LED




GEOMETRIC
concrete, painted steel
9696
1xGU10, max 10W only LED




VOLCANO L
concrete, painted steel, chrome
6852
1xE27, max 25W only LED



LAVA
concrete, painted steel, chrome
6855
1xE27, max 25W only LED



GIPSY L 2208



GIPSY L


gypsum, glass

2208

2xE27, max 15W only LED



GIPSY M 2207



GIPSY M


gypsum, glass

2207

2xE27, max 15W only LED



GIPSY S 2206



GIPSY S


gypsum, glass

2206

1xE27, max 15W only LED



GIPSY L 2411



GIPSY L


gypsum, glass

2411

2xE27, max 15W only LED



GIPSY S 2410



GIPSY S

gypsum, glass

2410


1xE27, max 15W only LED



SOLID 9721




SOLID 9721



SOLID
concrete, glass

9721

2xE27, max 25W only LED



SHY M
concrete


9393

1xGU10, max 15W only LED



SHY M 9393


SHY S 9390



SHY S
concrete

9390

1xGU10, max 10W only LED



BOLD S
concrete


9388

1xGU10, max 10W only LED



BOLD S 9388

BOLD M 9392



BOLD M
concrete

9392

1xGU10 ES111, max 15W only LED



CRATE 9046



CRATE 9045




CRATE 9047



CRATE 9047


18 cm



CRATE
painted steel

■ 9046


● 1xE27, max 25W only LED



CRATE
painted steel

■ 9045

● 1xE27, max 25W only LED



CRATE
painted steel


■ 9047

● 5xE27, max 25W only LED

■ BLACK P013 RAL 9005




PLANT 9381



PLANT 9381

PLANT 9382



PLANT

painted steel, steel

- 9382 ■ 9381

- 4xGU10, max 10W only LED

- BLACK P013 RAL 9005
- WHITE P004 RAL 9003




HERMANOS A 8103

HERMANOS B 8100



HERMANOS C 8192



HERMANOS C

painting steel, solid brass

8037 8194

1xGU10, max 10W only LED

painting steel

8192

1xGU10, max 10W only LED

HERMANOS

painting steel, solid brass


8031 8030

3xGU10, max 10W only LED

painting steel

10905


3xGU10, max 10W only LED



HERMANOS 8031



HERMANOS B 8102



HERMANOS B

painting steel, solid brass

8038 8100

1xGU10, max 10W only LED


painting steel

8102

1xGU10, max 10W only LED



HERMANOS A 8105



HERMANOS A

painting steel, solid brass

8040 8103

1xGU10, max 10W only LED


painting steel

8105

1xGU10, max 10W only LED



HERMANOS 8032



HERMANOS

painting steel, solid brass


8033 8032

5xGU10, max 10W only LED

painting steel

10906

5xGU10, max 10W only LED



ZENITH L

painting steel, solid brass


■ 8005 □ 8006 ■ 8007

- ⌚ 1xGU10, max 10W only LED
- ⌚ 1xGU10 ES111, max 20W only LED

painting steel

■ 10872 ■ 10873

- ⌚ 1xGU10, max 10W only LED
- ⌚ 1xGU10 ES111, max 20W only LED



ZENITH M

painting steel, solid brass

■ 8001 □ 8002 ■ 8003

- ⌚ 1xGU10, max 10W only LED
- ⌚ 1xGU10 ES111, max 20W only LED

painting steel

■ 10878 ■ 10879

- ⌚ 1xGU10, max 10W only LED
- ⌚ 1xGU10 ES111, max 20W only LED



ZENITH S

painting steel, solid brass

■ 7996 □ 7997 ■ 7998

- ⌚ 1xGU10, max 10W only LED
- ⌚ 1xGU10 ES111, max 20W only LED

painting steel

■ 10880 ■ 10881


- ⌚ 1xGU10, max 10W only LED
- ⌚ 1xGU10 ES111, max 20W only LED

■ BLACK P013 RAL 9005 □ WHITE P004 RAL 9003 ■ GREEN P022 ■ BRASS ■ GRAY P026 ■ GRAY P027






PERM 9146



PERM
painted steel

9147





2xE27, max 25W only LED



PERM
painted steel

9146

3xE27, max 25W only LED



TECHNO
painted steel

- 9145
- 1xE27, max 25W only LED

TECHNO
painted steel

- 9144
- 1xE27, max 25W only LED

TECHNO
painted steel





- 9143
- 2xE27, max 25W only LED

TECHNO
painted steel

- 9142
- 3xE27, max 25W only LED



PANTOGRAPH 9126



PANTOGRAPH
painted steel

9126


1xE27, max 25W only LED



CRAFT 9150




CRAFT 9151



CRAFT
painted steel

9151

1xE27, max 25W only LED




CRAFT
painted steel

9150

3xE27, max 25W only LED



HARMONY 9890




HARMONY
 painted steel, chrome

6868 9890

1xE27, max 25W only LED



HIGH-BAY 5067



HIGH-BAY
 painted steel

5067

1xE27, max 25W only LED

WHITE P004 RAL 9003 BLACK P013 RAL 9005


BLACK P013 RAL 9005 WHITE P001 RAL 9003



GARRET 6444




GARRET 9247



GARRET
painted steel

9247


1xE27, max 25W only LED



GARRET
painted steel

6442


1xE27, max 25W only LED



GARRET M
painted steel

6444

1xE27, max 25W only LED




GARRET S
painted steel

6443

1xE27, max 25W only LED




HEMISPHERE RUST L 6368



HEMISPHERE RUST S
painted steel

■ 6367

● 1xE27, max 25W only LED



HEMISPHERE RUST L
painted steel

■ 6368

● 1xE27, max 25W only LED




HEMISPHERE RUST L 6368



WORKS 6510



WORKS 6613




WORKS
painted steel

6612 6613 6510

1xE27, max 25W only LED




HEMISPHERE HIT S 10702



HEMISPHERE HIT S
painted steel

10702

1xE27, max 25W only LED




HEMISPHERE HIT L
painted steel

10703


1xE27, max 25W only LED

HEMISPHERE SUPER L
10296





CANDY 10293






CANDY 10294



HEMISPHERE SUPER L 10297



HEMISPHERE SUPER S 10616



CANDY

painting steel

10293 10294 10295

10335 10334

1xGU10, max 10W only LED

HEMISPHERE SUPER L

painting steel, braided cable

10296 10297 10298

4xGX53, max 12W only LED

HEMISPHERE SUPER S

painting steel, braided cable


10618 10617 10616

1xGX53, max 12W only LED



HEMISPHERE SUPER L
10697

HEMISPHERE SUPER L
10693




HEMISPHERE SUPER S
10701



HEMISPHERE SUPER S
10695




HEMISPHERE SUPER L
10696



HEMISPHERE SUPER S
painted steel, braided cable

■ 10698 ■ 10694 ■ 10701


● 1xGX53, max 12W only LED



HEMISPHERE SUPER S
painted steel, braided cable

■ 10695


● 1xGX53, max 12W only LED



HEMISPHERE SUPER L
painted steel, braided cable

■ 10697 ■ 10693 ■ 10700

● 4xGX53, max 12W only LED



HEMISPHERE SUPER L
painted steel, braided cable

■ 10696

● 4xGX53, max 12W only LED

MONO 7708


EGG L 10320






CANOE 10322


CANOE 7927



EGG L 10324




EGG XL 10321




CANOE
composite, painted steel, steel

- 7926 ■ 7927
- 10326 ■ 10322
- 5xE27, max 25W only LED




EGG M
composite, painted steel

- 10318 ■ 10323
- 1xE27, max 25W only LED



EGG L
composite, painted steel, steel

- 10320 ■ 10324
- 5xE27, max 25W only LED




EGG XL
composite, painted steel, steel

- 10321 ■ 10325
- 7xE27, max 25W only LED



EGG L 9023




EGG M


composite, painted steel

9022 9021

1xE27, max 25W only LED



EGG XL 9026




EGG XL

composite, painted steel, steel

9026 9025

7xE27, max 25W only LED



EGG L

composite, painted steel, steel

9024 9023

5xE27, max 25W only LED

WHITE P003 RAL 9003 BLACK P014 RAL 9005 GOLD P018



EGG L 9024


Designed by Marta Czerkies
Photo by Bernadetta Kuczyńska



WAVE S 8858




LUKSOR L 8847



LUKSOR L
painted steel

- 8847
- 1xE27, max 25W only LED
- 8850
- 1xE27, max 25W only LED

brass-plated steel, painted steel



WAVE S
painted steel

- 8858
- 1xE27, max 25W only LED
- 8861
- 1xE27, max 25W only LED


brass-plated steel, painted steel



WAVE S 8858




LUKSOR S 8851



LUKSOR S
painted steel

- 8851
- 1xE27, max 25W only LED
- 8853
- 1xE27, max 25W only LED

brass-plated steel, painted steel



WAVE L
brass-plated steel, painted steel

- 8857
- 1xE27, max 25W only LED



WAVE L 8857




ABI M 8866



ABI S 8870




ABI L 8864



PICO 8862




PICO 8863



ABI M
painted steel, fabric

■ 8866


● 1xE27, max 25W only LED



ABI S
painted steel, fabric

■ 8870

● 1xE27, max 25W only LED



ABI L
painted steel, fabric

■ 8864


● 1xE27, max 25W only LED



PICO
painted steel, brass-plated steel

■ 8862


● 1xGU10, max 10W only LED




PICO
painted steel, brass-plated steel

■ 8863

● 3xGU10, max 10W only LED



GSTAR 7795



GSTAR

■ painted steel

■ 7795

● 1xGU10, max 10W only LED


■ brass-plated steel, painted steel

■ 8854

● 1xGU10, max 10W only LED



GSTAR 8285



GSTAR

■ painted steel

■ 7796

● 1xGU10, max 10W only LED


■ brass-plated steel, painted steel

■ 8285

● 1xGU10, max 10W only LED



BULLET 9061



BULLET


■ painted steel

■ 9061

● 3xE27, max 25W only LED



KAREN 4607



KAREN
painted steel, fabric

4607


1xE27, max 25W only LED

NESS

painted steel

6767 6768


1xE27, max 25W only LED



NESS 6767



CAMILLA 4610



CAMILLA
painted steel, fabric

4611 4610


1xE27, max 25W only LED

CAGE

painted steel

6844

1xGU10, max 10W only LED



CAGE 6844




ALLAN

painted steel

6941

1xGU10, max 10W only LED




ALLAN 6941





UMBRELLA 8873



UMBRELLA

■ painted steel


■ 8873

● 1xE27, max 25W only LED

■ brass-plated steel, painted steel

■ 8874

● 1xE27, max 25W only LED




AVEIRO S

■ painted steel, fabric

■ 5411

● 1xE27, max 25W only LED



AVEIRO L

■ painted steel, fabric

■ 5126


● 1xE27, max 25W only LED



AVEIRO L 5126



MARGARET 6330



MARGARET
painted steel


6330

5xE14, max 10W only LED

WHITE P004 RAL 9003




ARES 206



ARES
painted steel

203


2xE14, max 10W only LED



ARES
painted steel

202


1xE14, max 10W only LED



ARES
painted steel

204


3xE14, max 10W only LED



ARES
painted steel

205

5xE14, max 10W only LED




ARES
painted steel


206

10xE14, max 10W only LED

BLACK WITH A GOLDEN PATINA

REMBRANT LED L 8167







REMRANT LED M
8166



REMRANT LED M
8167



REMRANT LED M
brass plated steel

8166



REMRANT LED L
brass plated steel



8167



GIOTTO LED S 8168



GIOTTO LED M 8170



GIOTTO LED S
brass plated steel

8168



GIOTTO LED M
brass plated steel

8170




Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
8166	9W LED	3000K	600 lm	120°	≥80	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
8167	13W LED	3000K	900 lm	120°	≥80	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
8168	9W LED	3000K	600 lm	120°	≥80	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
8170	13W LED	3000K	900 lm	120°	≥80	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h




VAN GOGH LED S 10286



VAN GOGH LED S

Painted aluminum, plastic PC


10289 10292 10286



VAN GOGH LED M

Painted aluminum, plastic PC

10288 10291 10285



VAN GOGH LED L

Painted aluminum, plastic PC

10287 10290 10284





VAN GOGH LED S 10286

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
10289	9W LED	3000K	370 lm	120°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10292	9W LED	3000K	430 lm	120°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10286	9W LED	3000K	290 lm	120°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10288	13W LED	3000K	490 lm	120°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10291	13W LED	3000K	640 lm	120°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10285	13W LED	3000K	430 lm	120°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10287	18W LED	3000K	800 lm	120°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10290	18W LED	3000K	940 lm	120°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10284	18W LED	3000K	650 lm	120°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h


BLACK WHITE CHROME

IMPULSE LED M 8116




IMPULSE LED M
painted aluminum, plastic PC

■ 8116




IMPULSE LED S 8115

IMPULSE LED L 8117



IMPULSE LED L
painted aluminum, plastic PC

■ 8117



IMPULSE LED S
painted aluminum, plastic PC

■ 8115



Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
8115	6W LED	3000K	200 lm	120°	≥80	~220-230 V, 50/60 Hz	□	>0.5	IP23	30000h
8116	10W LED	3000K	350 lm	120°	≥80	~220-230 V, 50/60 Hz	□	>0.5	IP23	30000h
8117	15W LED	3000K	500 lm	120°	≥80	~220-230 V, 50/60 Hz	□	>0.5	IP23	30000h




STRAIGHT CEILING LED L 7551



STRAIGHT CEILING LED M 7558



STRAIGHT CEILING LED S 7597




STRAIGHT CEILING LED L

Painted steel, plastic PMMA

7551 7556 7600

1xLED TUBE T8, max 22W, included




STRAIGHT CEILING LED M

Painted steel, plastic PMMA

7553 7558 7598

1xLED TUBE T8, max 16W, included



STRAIGHT CEILING LED S

Painted steel, plastic PMMA

7552 7557 7597

1xLED TUBE T8, max 11W, included

Name	Size	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Power factor	Lifetime	Material
LED TUBE T8	60 cm	11W LED	3000K	1700 lm	120°	≥80	~220-230 V, 50/60 Hz	>0,5	30000h	CLEAR GLASS
LED TUBE T8	90 cm	16W LED	3000K	2300 lm	120°	≥80	~220-230 V, 50/60 Hz	>0,5	30000h	CLEAR GLASS
LED TUBE T8	120 cm	22W LED	3000K	3200 lm	120°	≥80	~220-230 V, 50/60 Hz	>0,5	30000h	CLEAR GLASS

GRAPHITE P010 RAL 7016 WHITE P004 RAL 9003 BLACK P013 RAL 9005

STRAIGHT CEILING LED M 7558






STRAIGHT WALL LED M 7561



STRAIGHT WALL LED S 7568



STRAIGHT WALL XS 7601




STRAIGHT WALL XS

painting steel, plastic PMMA

- 6345
- 6350
- 7601

1xE14, max 10W only LED




STRAIGHT WALL LED S

painting steel, plastic PMMA

- 7568
- 7562
- 7596

1xLED TUBE T8, max 11W, included




STRAIGHT WALL LED M

painting steel, plastic PMMA

- 7567
- 7561
- 7594

1xLED TUBE T8, max 16W, included



STRAIGHT WALL LED L

painting steel, plastic PMMA


- 7566
- 7560
- 7595

1xLED TUBE T8, max 22W, included

Name	Size	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Power factor	Lifetime	Material
LED TUBE T8	60 cm	11W LED	3000K	1700 lm	120°	≥80	~220-230 V, 50/60 Hz	>0,5	30000h	CLEAR GLASS
LED TUBE T8	90 cm	16W LED	3000K	2300 lm	120°	≥80	~220-230 V, 50/60 Hz	>0,5	30000h	CLEAR GLASS
LED TUBE T8	120 cm	22W LED	3000K	3200 lm	120°	≥80	~220-230 V, 50/60 Hz	>0,5	30000h	CLEAR GLASS



ION LED M 8171




ION LED M

glass, chrome plated steel

8171



ION LED L 8172



ION LED L

glass, chrome plated steel


8172

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
8171	12W LED	3000K	870 lm	130°	≥80	~220-230 V, 50/60 Hz	⊕	>0,5	IP20	30000h
8172	18W LED	3000K	1300 lm	130°	≥80	~220-230 V, 50/60 Hz	⊕	>0,5	IP20	30000h

WHITE P004 RAL 9003 GRAPHITE P010 RAL 7016 BLACK P013 RAL 9005

CHROME

SOFT CEILING LED 60X6 7527




SOFT CEILING LED 60X6

painting aluminum, plastic PMMA

7540 7527

1xLED TUBE T8, max 11W, included

SOFT CEILING LED 60X20 7526




SOFT CEILING LED 60X20

painting aluminum, plastic PMMA

7538 7526

2xLED TUBE T8, max 11W, included

SOFT WALL LED 60X6 7541




SOFT WALL LED 60X6

painting aluminum, plastic PMMA

7541 7528

1xLED TUBE T8, max 11W, included

SOFT CEILING LED 90X6 7533




SOFT CEILING LED 90X6

painting aluminum, plastic PMMA

7546 7533

1xLED TUBE T8, max 16W, included

SOFT CEILING LED 90X20 7531




SOFT CEILING LED 90X20

painting aluminum, plastic PMMA

7542 7531

2xLED TUBE T8, max 16W, included

SOFT WALL LED 90X6 7534




SOFT WALL LED 90X6

painting aluminum, plastic PMMA

7548 7534

1xLED TUBE T8, max 16W, included

SOFT CEILING LED 120X6 7524




SOFT CEILING LED 120X6

painting aluminum, plastic PMMA

7536 7524

1xLED TUBE T8, max 22W, included

SOFT CEILING LED 60X60 7530



SOFT CEILING LED 60X60

painting aluminum, plastic PMMA

7544 7530

5xLED TUBE T8, max 11W, included

Name	Size	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Power factor	Lifetime	Material
LED TUBE T8	60 cm	11W LED	3000K	1700 lm	120°	≥80	~220-230 V, 50/60 Hz	>0,5	30000h	CLEAR GLASS
LED TUBE T8	90 cm	16W LED	3000K	2300 lm	120°	≥80	~220-230 V, 50/60 Hz	>0,5	30000h	CLEAR GLASS
LED TUBE T8	120 cm	22W LED	3000K	3200 lm	120°	≥80	~220-230 V, 50/60 Hz	>0,5	30000h	CLEAR GLASS

WHITE P004 RAL 9003 GRAPHITE P010 RAL 7016


WHITE P004 RAL 9003 GRAPHITE P010 RAL 7016



SOFT LED 90X6 7547



SOFT LED 90X6 7547




SOFT LED 90X6


painting aluminum, plastic PMMA

□ 7547 ■ 7535

● — 1xLED TUBE T8, max 16W, included



SOFT LED 120X6 7525



SOFT LED 120X6


painting aluminum, plastic PMMA

□ 7537 ■ 7525

● — 1xLED TUBE T8, max 22W, included



SOFT LED 90X20 7532



SOFT LED 90X20

painting aluminum, plastic PMMA

□ 7545 ■ 7532

● — 2xLED TUBE T8, max 16W, included


□ WHITE P004 RAL 9003 ■ GRAPHITE P010 RAL 7016



CL Q LED PRO 8254




H LED 10690



CL Q LED PRO
painted aluminum, plastic PMMA, painted steel

- 8253 3000K 8251 4000K
- 8254 3000K 8252 4000K



CL H LED PRO
painted aluminum, plastic PC

- 10523 3000K 10524 4000K
- 10690 3000K 10691 4000K



Item No.	Power	Colour temp.	Luminous flux	Colour Rendering Index (CRI)	Input	Safety type	Ingress protection	Lifetime
8253	31W LED	3000K	2911 lm	≥ 80	~220-230 V, 50/60 Hz	⊕	IP20	50000h
8251	31W LED	4000K	3035 lm	≥ 80	~220-230 V, 50/60 Hz	⊕	IP20	50000h
8254	31W LED	3000K	1866 lm	≥ 80	~220-230 V, 50/60 Hz	⊕	IP20	50000h
8252	31W LED	4000K	1975 lm	≥ 80	~220-230 V, 50/60 Hz	⊕	IP20	50000h

Item No.	Power	Colour temp.	Luminous flux	Colour Rendering Index (CRI)	Input	Safety type	Ingress protection	Lifetime
10523	29W LED	3000K	3500 lm	≥ 80	~220-230 V, 50/60 Hz	⊕	IP20	50000h
10524	29W LED	4000K	3600 lm	≥ 80	~220-230 V, 50/60 Hz	⊕	IP20	50000h
10690	29W LED	3000K	3000 lm	≥ 80	~220-230 V, 50/60 Hz	⊕	IP20	50000h
10691	29W LED	4000K	3100 lm	≥ 80	~220-230 V, 50/60 Hz	⊕	IP20	50000h

WHITE P004 RAL 9003 BLACK P013 RAL 9005

WHITE P004 RAL 9003 BLACK P013 RAL 9005



CL OFFICE LED PRO 120
10212






CL OFFICE LED PRO 150
10213



CL OFFICE LED PRO 120

painting aluminum, plastic PMMA

- 10211 3000K 10212 4000K
- 10208 3000K 10210 4000K



CL OFFICE PRO/HALL
PRO SUSPENSION KIT

steel, painted steel

- 8291 8250

CL OFFICE PRO/HALL
PRO POWER SUPPLY KIT





painted steel

- 8290 8288

CL OFFICE LED PRO 150

chrome plated aluminum, plastic PMMA

- 10215 3000K 10216 4000K
- 10213 3000K 10214 4000K



CL OFFICE PRO/HALL
PRO SUSPENSION KIT

steel, painted steel

- 8291 8250

CL OFFICE PRO/HALL
PRO POWER SUPPLY KIT

painted steel

- 8290 8288

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	LED brand	Driver brand	Ingress protection	Lifetime	Warranty
10211	31W LED	3000K	3760 lm	90°	≥ 80	~220-230 V, 50/60 Hz	PHILIPS	PHILIPS	IP20	50000h	5 YEARS
10212	31W LED	4000K	4160 lm	90°	≥ 80	~220-230 V, 50/60 Hz	PHILIPS	PHILIPS	IP20	50000h	5 YEARS
10208	31W LED	3000K	3490 lm	90°	≥ 80	~220-230 V, 50/60 Hz	PHILIPS	PHILIPS	IP20	50000h	5 YEARS
10210	31W LED	4000K	3610 lm	90°	≥ 80	~220-230 V, 50/60 Hz	PHILIPS	PHILIPS	IP20	50000h	5 YEARS


Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	LED brand	Driver brand	Ingress protection	Lifetime	Warranty
10215	40W LED	3000K	4820 lm	86°	≥ 80	~220-230 V, 50/60 Hz	PHILIPS	PHILIPS	IP20	50000h	5 YEARS
10216	40W LED	4000K	5250 lm	86°	≥ 80	~220-230 V, 50/60 Hz	PHILIPS	PHILIPS	IP20	50000h	5 YEARS
10213	40W LED	3000K	4540 lm	83°	≥ 80	~220-230 V, 50/60 Hz	PHILIPS	PHILIPS	IP20	50000h	5 YEARS
10214	40W LED	4000K	4710 lm	83°	≥ 80	~220-230 V, 50/60 Hz	PHILIPS	PHILIPS	IP20	50000h	5 YEARS

WHITE P004 RAL 9003 BLACK P013 RAL 9005 NICKEL

NICKEL WHITE P004 RAL 9003 BLACK P013 RAL 9005





CL HALL LED PRO 10206



CL HALL LED PRO

Painted aluminum, plastic PC


10207 4000K 10206 4000K



CL OFFICE PRO/HALL PRO SUSPENSION KIT

steel, painted steel

8291 8250



CL OFFICE PRO/HALL PRO POWER SUPPLY KIT

Painted steel

8290 8288



CL HALL PRO LED 10206

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	LED brand	Driver brand	Ingress protection	Lifetime	Warranty
10207	40W LED	4000K	5540 lm	80°	≥ 80	~220-230 V, 50/60 Hz	PHILIPS	PHILIPS	IP20	50000h	5 YEARS
10206	40W LED	4000K	5400 lm	80°	≥ 80	~220-230 V, 50/60 Hz	PHILIPS	PHILIPS	IP20	50000h	5 YEARS

WHITE P004 RAL 9003 BLACK P013 RAL 9005




BERGEN 10455

MALMO 10457



HAGA 10456



HAGA

aluminum


10456

2xG9, max 10W only LED

painting steel

9708 9710

2xG9, max 10W only LED



BERGEN

aluminum


10455

2xGU10, max 10W only LED

painting steel

9706 9707

2xGU10, max 10W only LED



MALMO

aluminum

10457

2xGU10, max 10W only LED

painting steel

9704 9705

2xGU10, max 10W only LED

RING LED S 7634









RING LED S 7637



RING LED S 10317



RING LED S 10315



RING LED S

painted steel

■ 7634 ■ 7637



RING LED M

painted steel

■ 7635 ■ 7638



RING LED L

painted steel

■ 7636 ■ 7640



RING LED S

painted steel

■ 10315 ■ 10316 ■ 10317



RING LED M

painted steel

■ 10352 ■ 10347 ■ 10350



RING LED L


painted steel

■ 10353 ■ 10348 ■ 10351




Item No.	Power	Colour temp.	Luminous flux	Colour Rendering Index (CRI)	Input	Safety type	Ingress protection	Lifetime
7634	7W LED	3000K	60 lm	>90	~220-230 V, 50/60 Hz	⊕	IP20	30000h
7637	7W LED	3000K	60 lm	>90	~220-230 V, 50/60 Hz	⊕	IP20	30000h
7635	10W LED	3000K	130 lm	>90	~220-230 V, 50/60 Hz	⊕	IP20	30000h
7638	10W LED	3000K	130 lm	>90	~220-230 V, 50/60 Hz	⊕	IP20	30000h
7636	13W LED	3000K	160 lm	>90	~220-230 V, 50/60 Hz	⊕	IP20	30000h
7640	13W LED	3000K	160 lm	>90	~220-230 V, 50/60 Hz	⊕	IP20	30000h

Item No.	Power	Colour temp.	Luminous flux	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
10315	7W LED	3000K	60 lm	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10316	7W LED	3000K	60 lm	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10317	7W LED	3000K	60 lm	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10347	10W LED	3000K	130 lm	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10350	10W LED	3000K	130 lm	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10352	10W LED	3000K	130 lm	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10348	13W LED	3000K	160 lm	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10351	13W LED	3000K	160 lm	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10353	13W LED	3000K	160 lm	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h




RING WOOD LED M
10281




RING WOOD LED L
plywood, painted steel

10282



RING WOOD LED S
plywood, painted steel

10280



RING WOOD LED M
plywood, painted steel

10281



RING WOOD LED M
10281



RING WOOD LED S
10280

Item No.	Power	Colour temp.	Luminous flux	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
10280	7W LED	3000K	60 lm	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10281	10W LED	3000K	130 lm	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10282	13W LED	3000K	160 lm	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h




RING MIRROR LED L
10278



RING MIRROR LED M
10277




RING MIRROR LED S 10276



RING MIRROR LED L

glass, painted steel


10278



RING MIRROR LED S

glass, painted steel

10276



RING MIRROR LED M

glass, painted steel

10277




Item No.	Power	Colour temp.	Luminous flux	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
10276	7W LED	3000K	30 lm	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10277	10W LED	3000K	60 lm	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h
10278	13W LED	3000K	90 lm	>90	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	30000h




ORGANIC 8304




ORGANIC 8305



ORGANIC 8302




ORGANIC 8303



ORGANIC
painted steel

8304 8302

3xGX53, max 12W



ORGANIC
painted steel

8305 8303

1xGX53, max 12W

WHITE P004 RAL 9003 BLACK P013 RAL 9005



ORGANIC 8303

SATELLITE M 8017

SATELLITE S 8013






SATELLITE S SENSOR
8011



SATELLITE M 8018



SATELLITE S SENSOR


painted steel, plastic

8011 8010

3xE27, max 25W only LED



SATELLITE L 8021




SATELLITE M

painted steel, plastic

8017 8016

8018 8020

7xE27, max 25W only LED




SATELLITE S

painted steel, plastic

8013 8012

8014 8015

3xE27, max 25W only LED



SATELLITE L

painted steel, plastic


8022 8021

8023 8024

10xE27, max 25W only LED




LID ROUND LED 10408



LID ROUND LED 15W

plastic


- 10402 3000K □ 10411 4000K
- 10406 3000K ■ 10415 4000K



LID ROUND LED 25W

plastic


- 10403 3000K □ 10412 4000K
- 10407 3000K ■ 10416 4000K



LID ROUND LED 35W

plastic

- 10404 3000K □ 10413 4000K
- 10408 3000K ■ 10417 4000K



LID ROUND LED 50W


plastic

- 10405 3000K □ 10414 4000K
- 10410 3000K ■ 10418 4000K



Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
10402	15W LED	3000K	1500 lm	120°	>80	~220-230 V, 50/60 Hz	□	>0.7	IP20	30000h
10411	15W LED	4000K	1600 lm	120°	>80	~220-230 V, 50/60 Hz	□	>0.7	IP20	30000h
10406	15W LED	3000K	1200 lm	120°	>80	~220-230 V, 50/60 Hz	□	>0.7	IP20	30000h
10415	15W LED	4000K	1300 lm	120°	>80	~220-230 V, 50/60 Hz	□	>0.7	IP20	30000h
10403	25W LED	3000K	1900 lm	120°	>80	~220-230 V, 50/60 Hz	□	>0.9	IP20	30000h
10412	25W LED	4000K	2100 lm	120°	>80	~220-230 V, 50/60 Hz	□	>0.9	IP20	30000h
10407	25W LED	3000K	1600 lm	120°	>80	~220-230 V, 50/60 Hz	□	>0.9	IP20	30000h
10416	25W LED	4000K	1800 lm	120°	>80	~220-230 V, 50/60 Hz	□	>0.9	IP20	30000h
10404	35W LED	3000K	3100 lm	120°	>80	~220-230 V, 50/60 Hz	□	>0.9	IP20	30000h
10413	35W LED	4000K	3400 lm	120°	>80	~220-230 V, 50/60 Hz	□	>0.9	IP20	30000h
10408	35W LED	3000K	2700 lm	120°	>80	~220-230 V, 50/60 Hz	□	>0.9	IP20	30000h
10417	35W LED	4000K	3000 lm	120°	>80	~220-230 V, 50/60 Hz	□	>0.9	IP20	30000h
10405	50W LED	3000K	4600 lm	120°	>80	~220-230 V, 50/60 Hz	□	>0.9	IP20	30000h
10414	50W LED	4000K	5000 lm	120°	>80	~220-230 V, 50/60 Hz	□	>0.9	IP20	30000h
10410	50W LED	3000K	4300 lm	120°	>80	~220-230 V, 50/60 Hz	□	>0.9	IP20	30000h
10418	50W LED	4000K	4500 lm	120°	>80	~220-230 V, 50/60 Hz	□	>0.9	IP20	30000h

□ WHITE ■ BLACK




LID SQUARE LED 15W

plastic

10420 3000K 10428 4000K

10424 3000K 10433 4000K




LID SQUARE LED 25W

plastic

10421 3000K 10430 4000K

10425 3000K 10434 4000K




LID SQUARE LED 35W

plastic

10422 3000K 10431 4000K

10426 3000K 10435 4000K



LID SQUARE LED 50W

plastic

10423 3000K 10432 4000K

10427 3000K 10436 4000K



LID SQUARE LED 10421

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
10420	15W LED	3000K	1500 lm	120°	>80	~220-230 V, 50/60 Hz	☐	>0.7	IP20	30000h
10428	15W LED	4000K	1600 lm	120°	>80	~220-230 V, 50/60 Hz	☐	>0.7	IP20	30000h
10424	15W LED	3000K	1200 lm	120°	>80	~220-230 V, 50/60 Hz	☐	>0.7	IP20	30000h
10433	15W LED	4000K	1300 lm	120°	>80	~220-230 V, 50/60 Hz	☐	>0.7	IP20	30000h
10421	25W LED	3000K	1900 lm	120°	>80	~220-230 V, 50/60 Hz	☐	>0.9	IP20	30000h
10430	25W LED	4000K	2100 lm	120°	>80	~220-230 V, 50/60 Hz	☐	>0.9	IP20	30000h
10425	25W LED	3000K	1600 lm	120°	>80	~220-230 V, 50/60 Hz	☐	>0.9	IP20	30000h
10434	25W LED	4000K	1800 lm	120°	>80	~220-230 V, 50/60 Hz	☐	>0.9	IP20	30000h
10422	35W LED	3000K	3100 lm	120°	>80	~220-230 V, 50/60 Hz	☐	>0.9	IP20	30000h
10431	35W LED	4000K	3400 lm	120°	>80	~220-230 V, 50/60 Hz	☐	>0.9	IP20	30000h
10426	35W LED	3000K	2700 lm	120°	>80	~220-230 V, 50/60 Hz	☐	>0.9	IP20	30000h
10435	35W LED	4000K	3000 lm	120°	>80	~220-230 V, 50/60 Hz	☐	>0.9	IP20	30000h
10423	50W LED	3000K	4600 lm	120°	>80	~220-230 V, 50/60 Hz	☐	>0.9	IP20	30000h
10432	50W LED	4000K	5000 lm	120°	>80	~220-230 V, 50/60 Hz	☐	>0.9	IP20	30000h
10427	50W LED	3000K	4300 lm	120°	>80	~220-230 V, 50/60 Hz	☐	>0.9	IP20	30000h
10436	50W LED	4000K	4500 lm	120°	>80	~220-230 V, 50/60 Hz	☐	>0.9	IP20	30000h


☐ WHITE ■ BLACK



ARENA LED 10176



ARENA 10184





ARENA

painting steel, plastic PMMA

10184 10178

10182 10175

3x E14, max 10W only LED



ARENA SENSOR

painting steel, plastic PMMA

10186 10181 10177

3x E14, max 10W only LED

ARENA LED

painting steel, plastic PMMA

10185 10180

10183 10176



ARENA LED 10176





Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
10185	20W LED	4000K	2200 lm	100°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	50000h
10180	20W LED	4000K	2200 lm	100°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	50000h
10183	20W LED	4000K	2200 lm	100°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	50000h
10176	20W LED	4000K	2200 lm	100°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	50000h



QUAD 10471



QUAD SENSOR 10472



QUAD

painted steel, plastic PMMA

10470 10471

4xGX53, max 15W only LED

QUAD SENSOR

painted steel, plastic PMMA

10472 10473



4xGX53, max 15W only LED



KASAI 9490



KASAI 7952



KASAI

glass, chrome plated steel

9490

2xE27, max 10W only LED

glass, brushed stainless steel

9491

2xE27, max 10W only LED

glass, painted steel

7952

2xE27, max 10W only LED

KASAI SENSOR

glass, chrome plated steel

8827

2xE27, max 10W only LED


glass, brushed stainless steel

8828

2xE27, max 10W only LED



WING LED 7543



WING LED

painting steel

7543 7550


1xLED TUBE T8, max 11W, included

Name	Size	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Power factor	LED driver	Lifetime	Material
LED TUBE T8	60 cm	11W LED	3000K	1700 lm	120°	≥80	~220-230 V, 50/60 Hz	>0,5	INCL	30000h	CLEAR GLASS

WHITE P004 RAL 9003 BLACK P013 RAL 9005



TUBE 9317



TUBE


painting aluminum

9317 9320

2xGU10 ES111, max 15W only LED



CUBE 5266



CUBE


painting steel, glass

5266 5272

1xG9, max 10W only LED



LIA LED 6913



LIA LED

painting aluminum


6913

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
6913	7W LED	3000K	460 lm	89°	≥80	~220-230 V, 50/60 Hz	⊕	>0,5	IP20	10000h


WHITE P004 RAL 9003 GRAPHITE P010 RAL 7016 BLACK P013 RAL 9005

Sposoby montażu / Installation methods / Методы монтажа

1. Grawitacyjny w suficie kasetonowym 600x600 mm
1. Gravity mounting in coffered ceiling 600 mm x 600 mm
1. Встраиваемый монтаж в кассонный потолок 600x600 мм





2. Mocowanie za pomocą sprężyn w suficie podwieszanym
2. Spring mounting in suspended ceiling
2. Встраиваемый монтаж с фиксацией пружин к потолку



sprężyny w zestawie
springs included
Пружины в комплекте

cut out 570 mm

3. Zwieszenie na linkach stalowych
3. Suspended on steel wires
3. Подвеска на стальных тросах



CL ITAKA POWER SUPPLY KIT

plastic, painted aluminum, painted steel

8280



CL ITAKA SUSPENSION KIT

steel, painted steel

8314

CL ITAKA LED 40W

plastic, zinc aluminum alloy

8460 3000K 8456 4000K




Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
8460	40W LED	3000K	4200 lm	100°	≥ 80	~220-230 V, 50/60 Hz	☑	>0.9	IP20	50000h
8456	40W LED	4000K	4200 lm	100°	≥ 80	~220-230 V, 50/60 Hz	☑	>0.9	IP20	50000h

NICKEL CHROME WHITE P004 RAL 9003



CL ITAKA LED 40W 8460



COSMO

brushed stainless steel, marble

3382

1xE27, max 25W only LED

chrome plated steel, marble

4917

1xE27, max 25W only LED




COSMO 3382



STYLE LED 8404



- Indukcyjne ładowanie smartphona (5V 1A)
 - Możliwość wyboru temperatury barwowej światła w przedziałach 3000K - 6000K
 - Włącznik dotykowy z funkcją ściemniania
 - Port USB umożliwiający ładowanie telefonu
- Wireless charger for smartphones (5V 1 A)
 - Possibility to choose the colour temperature of light in the range from 3000K to 6000K
 - Touch switch with dimming function
 - USB port for charging mobile phones
- Индуктивная зарядка смартфона (5 В, 1 А)
 - Возможность выбора температуры света в диапазоне 3000К - 6000К
 - Сенсорный переключатель с функцией затемнения
 - USB-вход для зарядки телефона.



STYLE LED

painted aluminum, plastic ABS

■ 8404



Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
8404	10W LED	CCT CHANGE 3000-6000K	390 lm	100°	≥ 80	~220-230 V, 50/60 Hz	□	>0.5	IP20	25000h

■ BLACK




STYLE LED 8404



SMART LED 8358



- Możliwość wyboru temperatury barwowej światła w przedziałach 3000K - 6000K
 - Włącznik dotykowy z funkcją ściemniania
 - Port USB umożliwiające ładowanie telefonu
- Possibility to choose the colour temperature of light in the range from 3000K to 6000K
 - Touch switch with dimming function
 - USB port for charging mobile phones
- Возможность выбора температуры света в диапазоне 3000K - 6000K
 - Сенсорный переключатель с функцией затемнения
 - USB-вход для зарядки телефона



SMART LED

painted aluminum, plastic ABS


■ 8358



CHIC LED 8357



- Włącznik dotykowy z funkcją ściemniania
 - Temperatura barwowa światła 4000K
- Touch switch with dimming function
 - Colour temperature 4000K
- Сенсорный переключатель с функцией затемнения
 - Цветовая температура света 4000K



CHIC LED

painted aluminum, plastic ABS

■ 8357




Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
8358	8W LED	CCT CHANGE 3000-6000K	400 lm	120°	≥ 80	~220-230 V, 50/60 Hz	□	>0.5	IP20	25000h

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
8357	7,5W LED	4000K	400 lm	100°	≥ 80	~220-230 V, 50/60 Hz	□	>0.5	IP20	25000h

■ BLACK ■ SILVER


■ BLACK ■ SILVER



PLANE 6904




PLANE 6902




PLANE
plywood, flexible stem, painted steel

- 6904
- 3xGU10, max 10W only LED



PLANE
plywood, painted steel

- 6902
- 1xGU10, max 10W only LED






Spotlights



MONO 7711

3 warianty kolekcji MONO /
3 variants of the MONO collection /
3 варианта коллекции MONO



MONO



MONO SURFACE



MONO DEEP



Scan QR code to watch video manual
on changing the bulb.





MONO S 10776

MONO S 10786

FOURTY WALL XL
10892




MONO S 10777



MONO S 10784



MONO S 10779



MONO S

painted steel


- 10776 10777 10778 10779
- 10781 10782 10783 10784
- 10785 10786

solid brass

- 10780
- 1xGU10, max 10W only LED

1xGU10, max 10W only LED

MONO 7807



MONO

painting steel, plastic ABS

7807 7838

7771 7763

1xGU10, max 10W only LED


solid brass, painting steel, plastic ABS

7778

1xGU10, max 10W only LED



MONO 7811



MONO

painting steel, plastic ABS

7811 7842

7775 7767

3xGU10, max 10W only LED


solid brass, painting steel, plastic ABS

7783

3xGU10, max 10W only LED



MONO 7810



MONO

painting steel, plastic ABS

7810 7841

7774 7766

2xGU10, max 10W only LED


solid brass, painting steel, plastic ABS

7782

2xGU10, max 10W only LED



MONO 7812



MONO

painting steel, plastic ABS

7812 7843

7776 7768

4xGU10, max 10W only LED

solid brass, painting steel, plastic ABS

7784

4xGU10, max 10W only LED

MONO CORNER 2X150
7721

MONO 7844



MONO

painting steel, plastic ABS

7813 7844

7777 7770


6xGU10, max 10W only LED

solid brass, painting steel, plastic ABS

7785

6xGU10, max 10W only LED

MONO 7770



MONO CORNER 2X150 7700



MONO 2X150

painting steel, plastic ABS

7750 7720

7694 7698


8xGU10, max 10W only LED

solid brass, painting steel, plastic ABS

7754

8xGU10, max 10W only LED

MONO 2X150 7698



MONO CORNER 2X150

painting steel, plastic ABS

7751 7721


7695 7700

8xGU10, max 10W only LED

solid brass, painting steel, plastic ABS

7755

8xGU10, max 10W only LED



MONO 2X200 7701

MONO CORNER 2X200 7702



MONO 2X200

painting steel, plastic ABS

7752 7722

7696 7701

8xGU10, max 10W only LED

solid brass, painting steel, plastic ABS

7756

8xGU10, max 10W only LED

MONO CORNER 2X200

painting steel, plastic ABS

7753 7723


7697 7702

8xGU10, max 10W only LED

solid brass, painting steel, plastic ABS


7757

8xGU10, max 10W only LED





MONO LONG S 7727



MONO LONG S
painted steel, plastic ABS


- 7724
- 7727
- 7670
- 7673

1xGU10, max 10W only LED

solid brass, painted steel, plastic ABS

- 7731

1xGU10, max 10W only LED



MONO LONG M
painted steel, plastic ABS



- 7725
- 7728
- 7671
- 7674

1xGU10, max 10W only LED

solid brass, painted steel, plastic ABS

- 7732

1xGU10, max 10W only LED



MONO 7786

MONO

painted steel, plastic ABS

- 7787
- 7786
- 7773
- 7765

1xGU10, max 10W only LED


solid brass, painted steel, plastic ABS

- 7781

1xGU10, max 10W only LED



MONO LONG 7730



MONO LONG
painted steel, plastic ABS



- 7726
- 7730
- 7672
- 7675

2xGU10, max 10W only LED

solid brass, painted steel, plastic ABS

- 7733

2xGU10, max 10W only LED



MONO 7840

MONO

painted steel, plastic ABS


- 7808
- 7840
- 7772
- 7764

1xGU10, max 10W only LED

solid brass, painted steel, plastic ABS

- 7780

1xGU10, max 10W only LED



MONO 7712



MONO

painting steel, plastic ABS


- 7705 7708
- 7715 7718

1xGU10, max 10W only LED

solid brass, painting steel, plastic ABS

- 7712

2xGU10, max 10W only LED



MONO 7710



MONO 7711

MONO

painting steel, plastic ABS

- 7703 7706
- 7713 7716

1xGU10, max 10W only LED

solid brass, painting steel, plastic ABS

- 7710

1xGU10, max 10W only LED

MONO

painting steel, plastic ABS

- 7704 7707
- 7714 7717

1xGU10, max 10W only LED

solid brass, painting steel, plastic ABS

- 7711

1xGU10, max 10W only LED





MONO SURFACE 7683

MONO SURFACE

painting steel, plastic ABS

7827 7833

7683 7688


1xGU10, max 10W only LED

solid brass, painting steel, plastic ABS

7744

1xGU10, max 10W only LED

cut out ø 35 mm



MONO SURFACE 7684

MONO SURFACE

painting steel, painting aluminum, plastic ABS

7828 7834

7684 7690


2xGU10, max 10W only LED

solid brass, painting aluminum, plastic ABS


7745

2xGU10, max 10W only LED


cut out 160x31 mm




MONO SURFACE 7685



MONO SURFACE 7686



MONO SURFACE 7687



MONO SURFACE

painting steel, painting aluminum, plastic ABS

7830 7835

7685 7691

3xGU10, max 10W only LED

solid brass, painting aluminum, plastic ABS

7746

3xGU10, max 10W only LED

cut out 690x31 mm

MONO SURFACE

painting steel, painting aluminum, plastic ABS

7831 7836

7686 7692

4xGU10, max 10W only LED

solid brass, painting aluminum, plastic ABS

7747

4xGU10, max 10W only LED

cut out 1170x31 mm

MONO SURFACE

painting steel, painting aluminum, plastic ABS

7832 7837

7687 7693

6xGU10, max 10W only LED

solid brass, painting aluminum, plastic ABS

7748

6xGU10, max 10W only LED






cut out 1990x31 mm



MONO SURFACE LONG S 7680



MONO SURFACE LONG 7682



MONO SURFACE LONG S

painting steel, plastic ABS

- 7734 7737
- 7676 7680

1xGU10, max 10W only LED

solid brass, painting steel, plastic ABS

- 7741

1xGU10, max 10W only LED

cut out \varnothing 35 mm

MONO SURFACE LONG M

painting steel, plastic ABS

- 7735 7738
- 7677 7681

1xGU10, max 10W only LED

solid brass, painting steel, plastic ABS

- 7742

1xGU10, max 10W only LED

cut out \varnothing 35 mm

MONO SURFACE LONG

painting steel, painting aluminum, plastic ABS

- 7736 7740
- 7678 7682

2xGU10, max 10W only LED

solid brass, painting aluminum, plastic ABS

- 7743

2xGU10, max 10W only LED

cut out 160x31 mm





MONO DEEP 10466

MONO DEEP 10468



MONO DEEP 10464



MONO DEEP

painting steel, plastic PC


10464 10458

1xGU10, max 10W only LED

cut out 64x138 mm



MONO DEEP 10462




MONO DEEP

chrome plated steel, plastic PC



10467 10462

4xGU10, max 10W only LED

cut out 64x1135 mm



MONO DEEP 10460



MONO DEEP

painting steel, plastic PC



10465 10460

2xGU10, max 10W only LED



cut out 64x268 mm



MONO DEEP 10468



MONO DEEP 10466



MONO DEEP

painting steel, plastic PC

10466 10461

3xGU10, max 10W only LED

cut out 64x685 mm

MONO DEEP

painting steel, plastic PC

10468 10463

6xGU10, max 10W only LED

cut out 64x2002 mm



MONO SLIDE 10799



MONO SLIDE 10796



MONO SLIDE TRIMLESS 10803



MONO SLIDE
painted steel, plastic PA

- 10795
 10796
 10797
 10798
- 10799
 10800
 10801
- 1xGU10, max 10W only LED
- cut out \varnothing 76 mm

MONO SLIDE TRIMLESS
painted steel, plastic PA

- 10802
 10803
 10804
- 10805
 10806
 10807
- 1xGU10, max 10W only LED
- cut out \varnothing 76 mm



EYE SPOT 6018




EYE SPOT 6611





EYE SPOT 6018



EYE SPOT

painting steel, chrome


- 6014 6134 6018

1xGU10, max 10W only LED


painting steel, solid brass

- 8816

1xGU10, max 10W only LED



EYE SPOT 6611



EYE SPOT

painting steel, chrome

- 6607 6610 6611

6xGU10, max 10W only LED

painting steel, solid brass

- 8819

6xGU10, max 10W only LED



EYE SPOT 6015

EYE SPOT

painting steel, chrome


- 6015 6135 6020

2xGU10, max 10W only LED

painting steel, solid brass

- 8817

2xGU10, max 10W only LED



EYE SPOT 6136

EYE SPOT

painting steel, chrome

- 6016 6136 6021


3xGU10, max 10W only LED

painting steel, solid brass

- 8818

3xGU10, max 10W only LED

EYE SPOT 8820



EYE SPOT

painting steel, chrome

- 6017 6022

4xGU10, max 10W only LED


painting steel, solid brass

- 8820

4xGU10, max 10W only LED



EYE FIT 9400



EYE FIT

painting steel, chrome


9396 9400

1xGU10, max 10W only LED

cut out ø 60 mm



IRIS LED 8994



IRIS LED

painting aluminum, plastic

8993 8994



Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
8993	7W LED	3000K	550 lm	30°	≥ 80	~220-230 V, 50/60 Hz	☑	>0.5	IP20	30000h
8994	7W LED	3000K	530 lm	30°	≥ 80	~220-230 V, 50/60 Hz	☑	>0.5	IP20	30000h

WHITE P004 RAL 9003 BLACK P013 RAL 9005




IRIS LED 8994



CROSS 9596




VESPA 9592




CROSS
painted steel, chrome

- 9600
- 5xGU10 ES111, max 15W only LED




VESPA
painted steel, chrome

- 9595 8842
- 6xGU10 ES111, max 15W only LED




CROSS
painted steel, chrome

- 9598
- 1xGU10 ES111, max 15W only LED




CROSS
painted steel, chrome

- 9597
- 2xGU10 ES111, max 15W only LED




CROSS
painted steel, chrome

- 9596
- 3xGU10 ES111, max 15W only LED




VESPA
painted steel, chrome

- 9594 8838
- 1xGU10 ES111, max 15W only LED




VESPA
painted steel, chrome

- 9593 8840
- 2xGU10 ES111, max 15W only LED



VESPA
painted steel, chrome

- 9592 8841
- 3xGU10 ES111, max 15W only LED




Downlights

MIDI LED 10055





MIDI LED 10048




MIDI LED

painted aluminum

- 10048 3000K
 10052 4000K
- 10055 3000K
 10058 4000K



MIDI LED 10060



MIDI LED

painted aluminum

- 10050 3000K
 10053 4000K
- 10056 3000K
 10060 4000K



Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
10048	20W LED	3000K	1700 lm	36°	>90	~220-230 V, 50/60 Hz	☐	>0.5	IP20	30000h
10052	20W LED	4000K	1700 lm	36°	>90	~220-230 V, 50/60 Hz	☐	>0.5	IP20	30000h
10055	20W LED	3000K	1700 lm	36°	>90	~220-230 V, 50/60 Hz	☐	>0.5	IP20	30000h
10058	20W LED	4000K	1700 lm	36°	>90	~220-230 V, 50/60 Hz	☐	>0.5	IP20	30000h
10050	40W LED	3000K	3500 lm	36°	>90	~220-230 V, 50/60 Hz	☐	>0.9	IP20	30000h
10053	40W LED	4000K	3500 lm	36°	>90	~220-230 V, 50/60 Hz	☐	>0.9	IP20	30000h
10056	40W LED	3000K	3500 lm	36°	>90	~220-230 V, 50/60 Hz	☐	>0.9	IP20	30000h
10060	40W LED	4000K	3500 lm	36°	>90	~220-230 V, 50/60 Hz	☐	>0.9	IP20	30000h

☐ WHITE ■ BLACK






MIDI LED 10047



MIDI LED 10047



MIDI LED 10054



MIDI LED

painting aluminum

▣ 10047 3000K ▣ 10051 4000K

▣ 10054 3000K ▣ 10057 4000K




Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
10047	16W LED	3000K	1500 lm	36°	>90	~220-230 V, 50/60 Hz	☐	>0.5	IP20	30000h
10051	16W LED	4000K	1500 lm	36°	>90	~220-230 V, 50/60 Hz	☐	>0.5	IP20	30000h
10054	16W LED	3000K	1500 lm	36°	>90	~220-230 V, 50/60 Hz	☐	>0.5	IP20	30000h
10057	16W LED	4000K	1500 lm	36°	>90	~220-230 V, 50/60 Hz	☐	>0.5	IP20	30000h

☐ WHITE ☐ BLACK



MIDI LED RECESSED
10064



MIDI LED RECESSED

■ painted aluminum

■ 10061 3000K ■ 10064 4000K





✓ cut out 85×85 mm

MIDI LED RECESSED
10062



MIDI LED RECESSED
10063



MIDI LED RECESSED

■ painted aluminum

■ 10062 3000K ■ 10065 4000K



✓ cut out 200×45 mm

MIDI LED RECESSED

■ painted aluminum

■ 10063 3000K ■ 10066 4000K



✓ cut out 390×45 mm

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
10061	16W LED	3000K	1400 lm	36°	>90	~220-230 V, 50/60 Hz	☐	>0.5	IP20	30000h
10064	16W LED	4000K	1400 lm	36°	>90	~220-230 V, 50/60 Hz	☐	>0.5	IP20	30000h
10062	20W LED	3000K	1800 lm	36°	>90	~220-230 V, 50/60 Hz	☐	>0.5	IP20	30000h
10065	20W LED	4000K	1800 lm	36°	>90	~220-230 V, 50/60 Hz	☐	>0.5	IP20	30000h
10063	40W LED	3000K	3300 lm	36°	>90	~220-230 V, 50/60 Hz	☐	>0.9	IP20	30000h
10066	40W LED	4000K	3300 lm	36°	>90	~220-230 V, 50/60 Hz	☐	>0.9	IP20	30000h

■ BLACK






MINI LED RECESSED
10045



MINI LED RECESSED
10043



MINI LED RECESSED

painting aluminum


10042 3000K 10043 4000K



cut out 140x35 mm



MINI LED RECESSED
10045



MINI LED RECESSED

painting aluminum

10045 3000K 10046 4000K



cut out 275x35 mm

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
10042	10W LED	3000K	600 lm	30°	>90	~220-230 V, 50/60 Hz	□	>0.5	IP20	30000h
10043	10W LED	4000K	660 lm	30°	>90	~220-230 V, 50/60 Hz	□	>0.5	IP20	30000h
10045	20W LED	3000K	1220 lm	30°	>90	~220-230 V, 50/60 Hz	□	>0.9	IP20	30000h
10046	20W LED	4000K	1280 lm	30°	>90	~220-230 V, 50/60 Hz	□	>0.9	IP20	30000h


WHITE BLACK



FOCUS MINI LED
10067



FOCUS MINI LED
10071



FOCUS MINI LED

painting aluminum


- 10067 3000K
 10070 4000K
- 10068 3000K
 10071 4000K



FOCUS MINI LED
10071


Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
10067	10W LED	3000K	600 lm	36°	>90	~220-230 V, 50/60 Hz	☐	>0,9	IP20	30000h
10070	10W LED	4000K	600 lm	36°	>90	~220-230 V, 50/60 Hz	☐	>0,9	IP20	30000h
10068	10W LED	3000K	600 lm	36°	>90	~220-230 V, 50/60 Hz	☐	>0,9	IP20	30000h
10071	10W LED	4000K	600 lm	36°	>90	~220-230 V, 50/60 Hz	☐	>0,9	IP20	30000h

WHITE
 BLACK



COBBLE 7791

COBBLE 7790




COBBLE
painted aluminum

☐ 7791 ■ 7790

☑ 1xGU10 ES111, max 15W only LED

GROOVE 7793

GROOVE 7792




GROOVE
painted aluminum

☐ 7793 ■ 7792

☑ 1xGU10 ES111, max 15W only LED

GAP 9385

GAP 9384




GAP
painted aluminum

☐ 9385 ■ 9384

☑ 2xGU10, max 10W only LED

PAG 9387

PAG 9386



PAG
painted aluminum


☐ 9387 ■ 9386

☑ 2xGU10, max 10W only LED

GROOVE 9383



GROOVE 9316



GROOVE
painted aluminum


☐ 9383 ■ 9316

☑ 2xGU10 ES111, max 15W only LED

OVAL 9241



OVAL 9240



OVAL
painted aluminum

☐ 9241 ■ 9240

☑ 2xGU10 ES111, max 15W only LED



CL IOS LED 20W, ANGLE 36°
8737



CL IOS LED 30W, ANGLE 60°
8735

CL IOS LED 20W, ANGLE 36

zinc aluminum alloy

8740 3000K 8738 4000K

8737 3000K 8736 4000K





CL IOS LED 20W, ANGLE 60

zinc aluminum alloy

8744 3000K 8743 4000K

8742 3000K 8741 4000K



CL IOS LED 30W, ANGLE 36

zinc aluminum alloy

8731 3000K 8730 4000K

8728 3000K 8727 4000K



CL IOS LED 30W, ANGLE 60

zinc aluminum alloy

8735 3000K 8734 4000K

8733 3000K 8732 4000K




Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Ingress protection	LED brand	Driver brand	Lifetime	Warranty
8740	20W LED	3000K	1600 lm	36°	≥ 90	IP20	Brightlux	Osram	50000h	5 years
8738	20W LED	4000K	1600 lm	36°	≥ 90	IP20	Brightlux	Osram	50000h	5 years
8737	20W LED	3000K	1600 lm	36°	≥ 90	IP20	Brightlux	Osram	50000h	5 years
8736	20W LED	4000K	1600 lm	36°	≥ 90	IP20	Brightlux	Osram	50000h	5 years
8744	20W LED	3000K	1600 lm	60°	≥ 90	IP20	Brightlux	Osram	50000h	5 years
8743	20W LED	4000K	1600 lm	60°	≥ 90	IP20	Brightlux	Osram	50000h	5 years
8742	20W LED	3000K	1600 lm	60°	≥ 90	IP20	Brightlux	Osram	50000h	5 years
8741	20W LED	4000K	1600 lm	60°	≥ 90	IP20	Brightlux	Osram	50000h	5 years

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Ingress protection	LED brand	Driver brand	Lifetime	Warranty
8731	30W LED	3000K	2700 lm	36°	≥ 90	IP20	Brightlux	Osram	50000h	5 years
8730	30W LED	4000K	2700 lm	36°	≥ 90	IP20	Brightlux	Osram	50000h	5 years
8728	30W LED	3000K	2700 lm	36°	≥ 90	IP20	Brightlux	Osram	50000h	5 years
8727	30W LED	4000K	2700 lm	36°	≥ 90	IP20	Brightlux	Osram	50000h	5 years
8735	30W LED	3000K	2700 lm	60°	≥ 90	IP20	Brightlux	Osram	50000h	5 years
8734	30W LED	4000K	2700 lm	60°	≥ 90	IP20	Brightlux	Osram	50000h	5 years
8733	30W LED	3000K	2700 lm	60°	≥ 90	IP20	Brightlux	Osram	50000h	5 years
8732	30W LED	4000K	2700 lm	60°	≥ 90	IP20	Brightlux	Osram	50000h	5 years



CL IOS LED 40W, ANGLE 60°
8723



CL IOS LED 40W, ANGLE 60

zinc aluminum alloy


□ 8726 3000K □ 8725 4000K

■ 8724 3000K ■ 8723 4000K




CL IOS LED 40W, ANGLE 60°
8723

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Ingress protection	Safety type	Driver brand	Lifetime	Warranty
8726	40W LED	3000K	3200 lm	60°	≥ 90	IP20	Brightlux	Osram	50000h	5 years
8725	40W LED	4000K	3200 lm	60°	≥ 90	IP20	Brightlux	Osram	50000h	5 years
8724	40W LED	3000K	3200 lm	60°	≥ 90	IP20	Brightlux	Osram	50000h	5 years
8723	40W LED	4000K	3200 lm	60°	≥ 90	IP20	Brightlux	Osram	50000h	5 years




HALO 8196



HALO 8196

HALO 8195



HALO
painted steel, plastic ABS

- 8195
- 8196

1xGU10, max 10W only LED

WHITE P004 RAL 9003 BLACK P013 RAL 9005



FLEA 8202



POINT TONE 8222



INDIA 7858



MIKE 7660



FLEA 8203







POINT TONE 8225



INDIA 7860



MIKE 7658



FLEA

painting steel

- 8202
- 8203

1xGX53, max 12W only LED

POINT TONE

painting steel, plastic ABS

- 8220
- 8221
- 8222

8225 8224 8223

1xGU10, max 10W only LED

INDIA

painting aluminum

- 7858
- 7860

1xGU10, max 15W only LED

MIKE

painting aluminum

- 7660
- 7658


1xGU10, max 15W only LED



SET 8900



SET 8895



SET
painted steel

■ 8900 □ 8895


☐ 1xGU10, max 10W only LED



EYE TONE 8932



EYE TONE 8928



EYE TONE
painted steel, plastic ABS

■ 8932 □ 8928


☐ 1xGU10, max 10W only LED



SET 8902



SET 8897



SET
painted steel, painted aluminum

■ 8902 □ 8897


☐ 1xGU10, max 10W only LED



EYE TONE 8931



EYE TONE 8926



EYE TONE
painted steel, plastic ABS

■ 8931 □ 8926


☐ 1xGU10, max 10W only LED



SET 8901



SET 8896



SET
painted steel

■ 8901 □ 8896


☐ 1xGU10, max 10W only LED



EYE TONE 8930



EYE TONE 8925



EYE TONE
painted steel, plastic ABS

■ 8930 □ 8925


☐ 1xGU10, max 10W only LED



SET 8903



SET 8898




SET
painted steel

■ 8903 □ 8898

☐ 1xGU10, max 10W only LED



EYE TONE 8087



EYE TONE

painted steel, plastic ABS


■ 8086 ■ 8087

□ 8088 □ 7665

⚡ 2xGU10, max 10W only LED



EYE TONE 8093



EYE TONE

painted steel, plastic ABS

■ 8091 ■ 8092

□ 8093 □ 7666

⚡ 3xGU10, max 10W only LED

■ BLACK P013 RAL 9005 □ WHITE P004 RAL 9003 ■ GOLD P021



EYE TONE 7666

POINT PLEXI M 6526



POINT PLEXI M
painted steel, plastic PMMA

- 6525 6526
- 1xGU10, max 10W only LED

POINT PLEXI L 6528



POINT PLEXI L
painted steel, plastic PMMA


- 6528 6530
- 1xE27, max 20W

POINT S 7603



POINT S
painted steel

- 7603
- 1xGU10, max 10W only LED



POINT M
painted steel


- 7602
- 1xGU10, max 10W only LED

POINT M 6001



POINT S
painted steel

- 6000
- 1xGU10, max 10W only LED



POINT M
painted steel

- 6001
- 1xGU10, max 10W only LED

BIT M 9481



BIT M
painted steel

- 9481 9485
- 1xGU10 ES111, max 15W only LED


BIT S 9486



BIT S
painted steel

- 9482 9486
- 1xGU10 ES111, max 15W only LED

POINT S 6006




POINT S
painted steel

- 6006
- 1xGU10, max 10W only LED



SILBA 10476



SILBA

painting aluminum

10476 10477

1xGX53, max 12W only LED


VIS

painting aluminum

10486 10485

1xGX53, max 12W only LED


cut out ø 65 mm



VIS 10486



CRES 10478



CRES

painting aluminum

10478 10480

1xGX53, max 12W only LED


HVAR

painting aluminum

10488 10487

1xGX53, max 12W only LED


cut out ø 65 mm



HVAR 10488



MURTER 10490



MURTER

painting aluminum

10490 10489

1xGX53, max 12W only LED

cut out ø 65 mm


SOLTA

painting aluminum

10492 10491

1xGU10, max 10W only LED


cut out ø 67 mm



SOLTA 10492



MLJET 10494



MLJET

painting aluminum


10494 10493

1xGU10, max 10W only LED

cut out ø 67 mm



UNO S 10841



UNO S


painting steel

10840 10841

- 1xGX53, max 15 W only LED
- cut out \varnothing 83 mm



CUP 10789



CUP

plastic ABS

10788 10789 10790

10791 10792


- 1xGU10, max 10W only LED
- cut out \varnothing 64 mm



CUP 10789



UNO M 10843



UNO M

painting steel

10842 10843

- 1xGX53, max 15 W only LED
- cut out \varnothing 102 mm



CUP 10794

CUP 3 PC SET


plastic ABS

10793 10794

- 3xGU10, max 10W only LED
- cut out \varnothing 64 mm



UNO L 10845



UNO L



painting steel

10844 10845

- 1xGX53, max 15 W only LED
- cut out \varnothing 127 mm



MYKONOS LED 10542





MYKONOS LED 6W

plastic

- 10535 3000K 10536 4000K



cut out 100 mm



EGINA LED 5W


plastic

- 10546 3000K 10547 4000K

- 10548 3000K 10550 4000K



cut out 75 mm



EGINA LED 10W

plastic

- 10551 3000K 10552 4000K


- 10553 3000K 10554 4000K



cut out 100 mm



EGINA LED 10553



EGINA LED 15W

plastic

- 10555 3000K 10556 4000K

- 10557 3000K 10558 4000K



cut out 125 mm


MYKONOS LED 10W

plastic

- 10537 3000K 10538 4000K



cut out 125 mm




MYKONOS LED 15W

plastic

- 10540 3000K 10541 4000K



cut out 150 mm



MYKONOS LED 18W

plastic

- 10542 3000K 10543 4000K



cut out 175 mm

MYKONOS LED 24W

plastic

- 10544 3000K 10545 4000K




cut out 200 mm

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
10535	6W LED	3000K	360 lm	110°	>80	~220-230 V, 50/60 Hz	☐	>0.5	IP20	30000h
10536	6W LED	4000K	390 lm	110°	>80	~220-230 V, 50/60 Hz	☐	>0.5	IP20	30000h
10537	10W LED	3000K	900 lm	110°	>80	~220-230 V, 50/60 Hz	☐	>0.5	IP20	30000h
10538	10W LED	4000K	950 lm	110°	>80	~220-230 V, 50/60 Hz	☐	>0.5	IP20	30000h
10540	15W LED	3000K	1450 lm	110°	>80	~220-230 V, 50/60 Hz	☐	>0.5	IP20	30000h
10541	15W LED	4000K	1500 lm	110°	>80	~220-230 V, 50/60 Hz	☐	>0.5	IP20	30000h
10542	18W LED	3000K	1700 lm	110°	>80	~220-230 V, 50/60 Hz	☐	>0.5	IP20	30000h
10543	18W LED	4000K	1800 lm	110°	>80	~220-230 V, 50/60 Hz	☐	>0.5	IP20	30000h
10544	24W LED	3000K	2400 lm	110°	>80	~220-230 V, 50/60 Hz	☐	>0.5	IP20	30000h
10545	24W LED	4000K	2500 lm	110°	>80	~220-230 V, 50/60 Hz	☐	>0.5	IP20	30000h

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
10546	5W LED	3000K	350 lm	30°	>80	~220-230 V, 50/60 Hz	☐	>0.5	IP20	30000h
10547	5W LED	4000K	370 lm	30°	>80	~220-230 V, 50/60 Hz	☐	>0.5	IP20	30000h
10548	5W LED	3000K	330 lm	30°	>80	~220-230 V, 50/60 Hz	☐	>0.5	IP20	30000h
10550	5W LED	4000K	350 lm	30°	>80	~220-230 V, 50/60 Hz	☐	>0.5	IP20	30000h
10551	10W LED	3000K	700 lm	30°	>80	~220-230 V, 50/60 Hz	☐	>0.5	IP20	30000h
10552	10W LED	4000K	750 lm	30°	>80	~220-230 V, 50/60 Hz	☐	>0.5	IP20	30000h
10553	10W LED	3000K	650 lm	30°	>80	~220-230 V, 50/60 Hz	☐	>0.5	IP20	30000h
10554	10W LED	4000K	700 lm	30°	>80	~220-230 V, 50/60 Hz	☐	>0.5	IP20	30000h
10555	15W LED	3000K	1100 lm	30°	>80	~220-230 V, 50/60 Hz	☐	>0.5	IP20	30000h
10556	15W LED	4000K	1200 lm	30°	>80	~220-230 V, 50/60 Hz	☐	>0.5	IP20	30000h
10557	15W LED	3000K	1000 lm	30°	>80	~220-230 V, 50/60 Hz	☐	>0.5	IP20	30000h
10558	15W LED	4000K	1100 lm	30°	>80	~220-230 V, 50/60 Hz	☐	>0.5	IP20	30000h

☐ WHITE

☐ WHITE ☐ BLACK




CL KOS LED 8W

plastic

8782 3000K 8781 4000K



cut out ø 100 mm




CL KOS LED 10W

plastic

8780 3000K 8778 4000K



cut out ø 125 mm




CL KOS LED 16W

plastic

8777 3000K 8776 4000K



cut out ø 150 mm



CL KOS LED 24W

plastic

8775 3000K 8774 4000K




cut out ø 200 mm



CL KOS LED 16W
8777


Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Ingress protection	LED brand	Driver brand	Lifetime	Warranty
8782	8W LED	3000K	650 lm	100°	≥ 80	IP44/20	Sanan	Driver on board	50000h	5 years
8781	8W LED	4000K	670 lm	100°	≥ 80	IP44/20	Sanan	Driver on board	50000h	5 years
8780	10W LED	3000K	1000 lm	100°	≥ 80	IP44/20	Sanan	Driver on board	50000h	5 years
8778	10W LED	4000K	1100 lm	100°	≥ 80	IP44/20	Sanan	Driver on board	50000h	5 years
8777	16W LED	3000K	1500 lm	100°	≥ 80	IP44/20	Sanan	Driver on board	50000h	5 years
8776	16W LED	4000K	1600 lm	100°	≥ 80	IP44/20	Sanan	Driver on board	50000h	5 years
8775	24W LED	3000K	2300 lm	100°	≥ 80	IP44/20	Sanan	Driver on board	50000h	5 years
8774	24W LED	4000K	2600 lm	100°	≥ 80	IP44/20	Sanan	Driver on board	50000h	5 years

CL DIA LED 18W
8722




CL DIA LED 18W
zinc aluminum alloy

8722 3000K 8721 4000K



CL DIA LED 30W
zinc aluminum alloy

8720 3000K 8718 4000K




CL KEA LED 30W
8771




CL KEA LED 20W
plastic

8773 3000K 8772 4000K




CL KEA LED 30W
plastic

8771 3000K 8770 4000K



CL KEA LED 40W
plastic

8768 3000K 8767 4000K



Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Ingress protection	LED brand	Driver brand	Lifetime	Warranty
8720	30W LED	3000K	2250 lm	40°	≥ 90	IP20	Cree	Osram	50000h	5 years
8718	30W LED	4000K	2250 lm	40°	≥ 90	IP20	Cree	Osram	50000h	5 years
8722	18W LED	3000K	1500 lm	40°	≥ 90	IP20	Cree	Osram	50000h	5 years
8721	18W LED	4000K	1500 lm	40°	≥ 90	IP20	Cree	Osram	50000h	5 years



Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Ingress protection	LED brand	Driver brand	Lifetime	Warranty
8773	20W LED	3000K	1150 lm	65°	≥ 90	IP44/20	Samsung	Osram	50000h	5 years
8772	20W LED	4000K	1150 lm	65°	≥ 90	IP44/20	Samsung	Osram	50000h	5 years
8771	30W LED	3000K	1850 lm	65°	≥ 90	IP44/20	Samsung	Osram	50000h	5 years
8770	30W LED	4000K	1850 lm	65°	≥ 90	IP44/20	Samsung	Osram	50000h	5 years
8768	40W LED	3000K	2700 lm	65°	≥ 90	IP44/20	Samsung	Osram	50000h	5 years
8767	40W LED	4000K	2700 lm	65°	≥ 90	IP44/20	Samsung	Osram	50000h	5 years

WHITE BLACK

Can be used in the bathroom

WHITE CHROME

MOD 9412



MOD

painted steel

- 9417 9413

1xGU10 ES111, max 15W only LED

cut out 120x120 mm

MOD


painted steel

- 9416 9412

2xGU10 ES111, max 15W only LED

cut out 230x120 mm

DOWNLIGHT ES111 9575



DOWNLIGHT ES111


painted steel

- 9571 9575

1xGU10 ES111, max 15W only LED

cut out 165x165 mm

DOWNLIGHT ES111 9570



DOWNLIGHT ES111



painted steel

- 9570 9574

2xGU10 ES111, max 15W only LED

cut out 320x165 mm

MOD PLUS 9404



MOD PLUS

painted steel

- 9404 9408

1xGU10 ES111, max 15W only LED

cut out 120x120 mm

MOD PLUS


painted steel

- 9403 9407

2xGU10 ES111, max 15W only LED

cut out 230x120 mm

BOX ES111 9495




BOX ES111

plywood, painted steel

- 9495 9497

1xGU10 ES111, max 15W only LED

BOX ES111 9470



BOX ES111


plywood, painted steel

- 9470 9472

2xGU10 ES111, max 15W only LED



EYE MOD 8937



EYE MOD

painted steel


□ 8936 ■ 8937

☒ 1xGU10, max 10W only LED

☑ cut out 95×90 mm



EYE MOD 8938



EYE MOD

painted steel

□ 8938 ■ 8940


☒ 2xGU10, max 10W only LED

☑ cut out 175×90 mm

DOT 9378



DOT 9378




DOT

painted steel

□ 9378 ■ 8826

☒ 1xGU10, max 10W only LED

☑ cut out ø 110 mm



Track Light Systems

LVM - LOW VOLTAGE MAGNETIC TRACK LIGHT SYSTEM

CTLS - COMMERCIAL TRACK LIGHT SYSTEM

PROFILE - TRACK LIGHT SYSTEM

TRACK LIGHT SYSTEMS

Sposoby montażu
Installation methods
Методы монтажа

System szynoprzewodowy
Track light system
Трековая система

Zastosowanie
Work position
Применение

Źródło światła
Source of light
Источник света

Napięcie
Voltage
Напряжение

Zastosuj z Cameleon System
Works with Cameleon System
Работает с системой Cameleon

LVM LOW VOLTAGE MAGNETIC TRACK LIGHT SYSTEM



1 circuit track light system
1 obwodowy system szynoprzewodowy
1 Однофазная трековая система



Sufit / Ceiling / Потолок

- Natynkowy / Surface / Поверхностный монтаж
- Podtynkowy / Recessed / Врезной монтаж
- Wiszący / Hanging / Подвеска на stalowych trosach

Ściana / Wall / Стена

- Natynkowy / Surface / Поверхностный монтаж
- Podtynkowy / Recessed / Врезной монтаж

Zintegrowane źródło światła
LED integrated
Встроенный светодиод (LED)

~ 48V

No

CTLS COMMERCIAL TRACK LIGHT SYSTEM



3 circuits track light system
3 obwodowy system szynoprzewodowy
Трехфазная трековая система



Sufit / Ceiling / Потолок

- Natynkowy / Surface / Поверхностный монтаж
- Podtynkowy / Recessed / Врезной монтаж
- Wiszący / Hanging / Подвеска на stalowych trosach

Wymienne źródło światła, zintegrowane źródło światła
Exchangable source of light, LED integrated
Сменный источник света, встроенный светодиод (LED)

~ 230V

Yes

PROFILE TRACK LIGHT SYSTEM



1 circuit track light system
1 obwodowy system szynoprzewodowy
1 Однофазная трековая система



Sufit / Ceiling / Потолок

- Natynkowy / Surface / Поверхностный монтаж
- Podtynkowy / Recessed / Врезной монтаж
- Wiszący / Hanging / Подвеска на stalowych trosach

Wymienne źródło światła, zintegrowane źródło światła
Exchangable source of light, LED integrated
Сменный источник света, встроенный светодиод (LED)

~ 230V

Yes



LVM TRACK 2M
10163

LVM RECESSED TRACK 2M
10157

LVM LINE LED 9W
10143

LVM FOCUS OUT LED 15 W
10151

LVM TRACK 2M
10163


LVM - Low Voltage Magnetic Track Light System

SPOSOBY MONTAŽU / INSTALLATION METHODS / МЕТОДЫ МОНТАЖА


1




SURFACE CONNECTION




LVM TRACK



LVM TRACK



LVM INSIDE CORNER




ELECTRICAL CONNECTION
LVM CORNER CONDUCTIVE
MODULE


2




RECESSED - SURFACE
CONNECTION




LVM RECESSED TRACK



LVM TRACK



LVM INSIDE CORNER




ELECTRICAL CONNECTION
LVM CORNER CONDUCTIVE
MODULE


3




SURFACE - RECESSED
CONNECTION




LVM TRACK



LVM RECESSED TRACK



LVM INSIDE CORNER




ELECTRICAL CONNECTION
LVM CORNER CONDUCTIVE
MODULE


4




RECESSED CONNECTION




LVM RECESSED TRACK



LVM RECESSED TRACK



LVM RECESSED
INSIDE CORNER




ELECTRICAL CONNECTION
LVM CORNER CONDUCTIVE
MODULE


5




SURFACE CONNECTION




LVM TRACK



LVM HORIZONTAL
CORNER



LVM INSIDE CORNER




ELECTRICAL CONNECTION
LVM CORNER CONDUCTIVE
MODULE


6




RECESSED CONNECTION




LVM RECESSED TRACK



LVM RECESSED
HORIZONTAL CORNER



LVM RECESSED
INSIDE CORNER




ELECTRICAL CONNECTION
LVM CORNER CONDUCTIVE
MODULE

SPOSOBY MONTAŻU / INSTALLATION METHODS / МЕТОДЫ МОНТАЖА


8




SURFACE CONNECTION




LVM TRACK



LVM TRACK



LVM INSIDE CORNER




ELECTRICAL CONNECTION
LVM CORNER CONDUCTIVE
MODULE


9




RECESSED - SURFACE
CONNECTION




LVM TRACK



LVM RECESSED TRACK



LVM INSIDE CORNER




ELECTRICAL CONNECTION
LVM CORNER CONDUCTIVE
MODULE


10




SURFACE - RECESSED
CONNECTION




LVM RECESSED TRACK



LVM TRACK



LVM INSIDE CORNER




ELECTRICAL CONNECTION
LVM CORNER CONDUCTIVE
MODULE


11




RECESSED CONNECTION




LVM RECESSED TRACK



LVM RECESSED TRACK



LVM RECESSED
INSIDE CORNER



ELECTRICAL CONNECTION
LVM CORNER CONDUCTIVE
MODULE



LVM FOCUS LED 15W
10150




LVM FOCUS LED 9W
10144



LVM FOCUS LED 15W
10643




LVM FOCUS LED 9W
10644



LVM FOCUS LED 15W
painted aluminum, plastic

■ 10150 3000K ■ 10643 4000K



LVM FOCUS LED 9W
painted aluminum, plastic

■ 10144 3000K ■ 10644 4000K



Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Voltage DC	Safety type	Ingress protection	Lifetime
10150	15W LED	3000K	1300 lm	30°	>90	48V	⚡	IP20	30000h
10643	15W LED	4000K	1400 lm	30°	>90	48V	⚡	IP20	30000h

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Voltage DC	Safety type	Ingress protection	Lifetime
10144	9W LED	3000K	800 lm	30°	>90	48V	⚡	IP20	30000h
10644	9W LED	4000K	880 lm	30°	>90	48V	⚡	IP20	30000h



LVM FOCUS OUT LED 15W
10151




LVM FOCUS OUT LED 9W
10145



LVM FOCUS OUT LED 15W
10645




LVM FOCUS OUT LED 9W
10646



LVM FOCUS OUT LED 15W

■ painted aluminum, plastic

■ 10151 3000K ■ 10645 4000K



LVM FOCUS OUT LED 9W

■ painted aluminum, plastic

■ 10145 3000K ■ 10646 4000K



Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Voltage DC	Safety type	Ingress protection	Lifetime
10151	15W LED	3000K	1300 lm	30°	>90	48V	⚡	IP20	30000h
10645	15W LED	4000K	1400 lm	30°	>90	48V	⚡	IP20	30000h

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Voltage DC	Safety type	Ingress protection	Lifetime
10145	9W LED	3000K	800 lm	30°	>90	48V	⚡	IP20	30000h
10646	9W LED	4000K	880 lm	30°	>90	48V	⚡	IP20	30000h

LVM LINE LED 15W
10148

LVM LINE LED 9W
10143

LVM LID LED 8W
10152

LVM TRUCK 2M
10163





LVM LINE LED 15W
10148




LVM LINE LED 9W
10143



LVM LINE LED 15W
10650




LVM LINE LED 9W
10651



LVM LINE LED 15W

■ painted aluminum, plastic

■ 10148 3000K ■ 10650 4000K



LVM LINE LED 9W

■ painted aluminum, plastic

■ 10143 3000K ■ 10651 4000K



Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Voltage DC	Safety type	Ingress protection	Lifetime
10148	15W LED	3000K	700 lm	110°	>90	48V	⚡	IP20	30000h
10650	15W LED	4000K	770 lm	110°	>90	48V	⚡	IP20	30000h

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Voltage DC	Safety type	Ingress protection	Lifetime
10143	9W LED	3000K	400 lm	110°	>90	48V	⚡	IP20	30000h
10651	9W LED	4000K	440 lm	110°	>90	48V	⚡	IP20	30000h



LVM SPOT LED 15W
10147




LVM SPOT LED 9W
10142



LVM SPOT LED 15W
10655




LVM SPOT LED 9W
10656



LVM SPOT LED 15W

painting aluminum, plastic

■ 10147 3000K ■ 10655 4000K



LVM SPOT LED 9W

painting aluminum, plastic

■ 10142 3000K ■ 10656 4000K



Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Voltage DC	Safety type	Ingress protection	Lifetime
10147	15W LED	3000K	1020 lm	30°	>90	48V	⚡	IP20	30000h
10655	15W LED	4000K	1100 lm	30°	>90	48V	⚡	IP20	30000h

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Voltage DC	Safety type	Ingress protection	Lifetime
10142	9W LED	3000K	780 lm	30°	>90	48V	⚡	IP20	30000h
10656	9W LED	4000K	850 lm	30°	>90	48V	⚡	IP20	30000h

LVM RECESSED TRACK 2M
10157

LVM FOCUS OUT LED 9W
10145


LVM FOCUS OUT LED 15W
10151

LVM ROLLER LED 9W
10146





LVM ROLLER LED 9W
10652



LVM ROLLER LED 9W

■ painted aluminum, plastic

■ 10146 3000K ■ 10652 4000K



LVM ROLLER LED 9W
10146



Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Voltage DC	Safety type	Ingress protection	Lifetime
10146	9W LED	3000K	620 lm	36°	>90	48V	⚡	IP20	30000h
10652	9W LED	4000K	680 lm	36°	>90	48V	⚡	IP20	30000h

■ BLACK

LVM FOCUS OUT LED 15W
10151

LVM FOCUS OUT LED 9W
10145

LVM SPOT LED 15W
10147

LVM SLOT LED 5W
10154



LVM SLOT LED 5W
10154




LVM SLOT LED 8W
10155

LVM SLOT LED 5W
10653



LVM SLOT LED 8W
10654




max 90 cm

6 cm

LVM SLOT LED 5W

■ painted aluminum, plastic PMMA

■ 10154 3000K ■ 10653 4000K



max 90 cm

8.5 cm

LVM SLOT LED 8W

■ painted aluminum, plastic PMMA


■ 10155 3000K ■ 10654 4000K



Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Voltage DC	Safety type	Ingress protection	Lifetime
10154	5W LED	3000K	210 lm	100°	>90	48V	⚡	IP20	30000h
10653	5W LED	4000K	250 lm	100°	>90	48V	⚡	IP20	30000h
10155	8W LED	3000K	370 lm	100°	>90	48V	⚡	IP20	30000h
10654	8W LED	4000K	400 lm	100°	>90	48V	⚡	IP20	30000h




LVM LID LED 8W
10647




LVM LID LED 8W

■ painted aluminum, plastic PMMA

■ 10152 3000K ■ 10647 4000K



LVM LID LED 8W
10648



LVM LID LED 8W

■ painted aluminum, plastic PMMA

■ 10153 3000K ■ 10648 4000K




LVM LID LED 8W
10153

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Voltage DC	Safety type	Ingress protection	Lifetime
10152	8W LED	3000K	650 lm	160°	>90	48v	⚡	IP20	30000h
10647	8W LED	4000K	650 lm	160°	>90	48v	⚡	IP20	30000h
10153	8W LED	3000K	650 lm	160°	>90	48v	⚡	IP20	30000h
10648	8W LED	4000K	650 lm	160°	>90	48v	⚡	IP20	30000h

■ BLACK ■ WHITE

LVM - LOW VOLTAGE MAGNETIC TRACK LIGHT SYSTEM



Zestaw zawiera listwę maskującą
Set includes a masking strip
В комплект входит маскировочная полоска

1 LVM TRACK 1M

aluminum


10162

2 LVM TRACK 2M

aluminum

10163

Schemat zasilania / Power supply circuit diagram / Схема питания




System szynoprzewodowy (LVM) należy równomiernie obciążyć elektrycznie oraz równomiernie rozmieścić oprawy na jego długości.
Zalecany dystans pomiędzy mocowaniami max. 1000 mm.
Maksymalna długość systemu szynoprzewodowego z jednego źródła zasilania - 20 m.

The track light system (LVM) should be evenly electrically loaded and the fittings should be evenly placed along its length.
The recommended fastening distance is max. 1000 mm.
Maximum length of track light system with a single power source is 20 m.

Система трекового освещения (LVM) должна быть равномерно электрически нагружена, а светильники - равномерно распределены по ее длине.
Рекомендуемое расстояние между креплениями не более 1000 мм.
Допустимая макс. длина системы трекового освещения - 20 м.

Sposób montażu / Installation method / Метода монтажа

- 1. Zwieszenie na linkach
- 1. Suspended on steel wires
- 1. Подвеска на стальных тросах



3 LVM POWER SUPPLY KIT

plastic, painted steel

10597

4 LVM SUSPENSION KIT



steel

10170




Sposób montażu / Installation method / Метода монтажа

- 2. Montaż bezpośredni
- 2. Surface mounting
- 2. Поверхностный монтаж



5 LVM 48V, 150W,
INSIDE POWER SUPPLY
aluminum


10161



6 LVM OUTSIDE POWER SUPPLY
CONDUCTIVE MODULE

plastic


10168



7 LVM STRAIGHT
CONDUCTIVE MODULE

plastic


10167



8 LVM CORNER
CONDUCTIVE MODULE

plastic

10166




9 LVM INSIDE CORNER

aluminum

10165

includes 2xLVM TRACK BUCKLE CONNECTOR




10 LVM HORIZONTAL
CORNER

aluminum

10164

includes 2xLVM TRACK BUCKLE CONNECTOR




11 LVM TRACK BUCKLE
CONNECTOR

steel

10171

LVM - RECESSED LOW VOLTAGE MAGNETIC TRACK LIGHT SYSTEM

Sposób montażu / Installation method / Метода монтажа



1 LVM RECESSED TRACK 1M

aluminum

10156


2 LVM RECESSED TRACK 2M

aluminum

10157

Zestaw zawiera listwę maskującą
Set includes a masking strip
В комплект входит маскировочная полоска

Schemat zasilania / Power supply circuit diagram / Схема питания




Konstrukcja szynoprzewodów umożliwia dostosowanie wysokości skrzydełek do różnych grubości płyt gipsowo-kartonowych.
Możliwa regulacja to: 3, 6, 12 i 14 mm.
System szynoprzewodowy (LVM) należy równomiernie obciążyć elektrycznie oraz równomiernie rozmieścić oprawy na jego długości.
Zalecany dystans pomiędzy mocowaniami max. 1000 mm.
Maksymalna długość systemu szynoprzewodowego z jednego źródła zasilania - 20 m.

The design of the track light system makes it possible to adjust the height of the wings for different thicknesses of drywall.
Possible adjustments are: 3, 6, 12 and 14 mm.
The track light system (LVM) should be evenly electrically loaded and the fittings should be evenly placed along its length.
The recommended fastening distance is max. 1000 mm.
Maximum length of track light system with a single power source is 20 m.


Конструкция трека позволяет регулировать высоту крыльев в зависимости от толщины гипсокартона.
Возможные регулировки составляют: 3, 6, 12 и 14 мм.
Система трекового освещения (LVM) должна быть равномерно электрически нагружена, а светильники - равномерно распределены по ее длине.
Рекомендуемое расстояние между креплениями не более 1000 мм.
Допустимая макс. длина системы трекового освещения - 20 м.

1. Montaż podtynkowy
1. Recessed mounting
1. Врезной монтаж



* Zasilacz zewnętrzny 48V DC
* External power supply 48V DC
* Внешний источник питания 48 V DC


* Możliwość zastosowania zasilacza zewnętrznego 48V DC.
Zaleca się aby suma watażu użytych opraw nie przekraczała 90% mocy znamionowej zasilacza.
* Possibility of using an external 48V DC power supply.
It is recommended that the total wattage of the luminaires used does not exceed 90% of the power supply's rated power.
* Можно использовать внешний источник питания 48 V DC.
Рекомендуется, чтобы общая мощность используемых светильников не превышала 90% от номинальной мощности источника питания.



**3 LVM 48V, 150W
INSIDE POWER SUPPLY**

aluminium


10161



**4 LVM CORNER CONDUCTIVE
MODULE**

plastic


10166



**5 LVM STRAIGHT CONDUCTIVE
MODULE**

plastic


10167



**6 LVM OUTSIDE POWER SUPPLY
CONDUCTIVE MODULE**

plastic

10168




**7 LVM RECESSED
INSIDE CORNER**

aluminium

10160

includes 2xLVM TRACK BUCKLE CONNECTOR




**8 LVM RECESSED
HORIZONTAL CORNER**

aluminium

10158

includes 2xLVM TRACK BUCKLE CONNECTOR



**9 LVM TRACK BUCKLE
CONNECTOR**

steel

10171



CTLS NEA LED 40W
8748

CTLS - Commercial
Track Light System



350°

90°

CTLS MILO LED 15W 8766



350°

90°

CTLS MILO LED 15W 8763



350°

90°

CTLS MILO LED 25W 8760



350°


90°

CTLS MILO LED 25W 8761

Zestaw zawiera 3 soczewki
3 lenses included
В комплекте 3 линзы




Zestaw zawiera 3 soczewki
3 lenses included
В комплекте 3 линзы



CTLS MILO LED 15W

zinc aluminum alloy

- 8766 3000K 8765 4000K
- 8764 3000K 8763 4000K



CTLS MILO LED 25W

zinc aluminum alloy

- 8762 3000K 8761 4000K
- 8760 3000K 8758 4000K



Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Ingress protection	LED brand	Driver brand	Lifetime	Warranty
8766	15W LED	3000K	1300 lm	15/24/50°	≥ 90	IP20	Samsung	Ostram	50000h	5 years
8765	15W LED	4000K	1300 lm	15/24/50°	≥ 90	IP20	Samsung	Ostram	50000h	5 years
8764	15W LED	3000K	1300 lm	15/24/50°	≥ 90	IP20	Samsung	Ostram	50000h	5 years
8763	15W LED	4000K	1300 lm	15/24/50°	≥ 90	IP20	Samsung	Ostram	50000h	5 years

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Ingress protection	LED brand	Driver brand	Lifetime	Warranty
8762	25W LED	3000K	1900 lm	15/24/40°	≥ 90	IP20	Samsung	Ostram	50000h	5 years
8761	25W LED	4000K	1900 lm	15/24/40°	≥ 90	IP20	Samsung	Ostram	50000h	5 years
8760	25W LED	3000K	1900 lm	15/24/40°	≥ 90	IP20	Samsung	Ostram	50000h	5 years
8758	25W LED	4000K	1900 lm	15/24/40°	≥ 90	IP20	Samsung	Ostram	50000h	5 years




CTLS NEA LED 20W 8757



CTLS NEA LED 20W 8754



Zestaw zawiera 3 soczewki i filtr przeciwośnieniowy "plaster miodu"
 3 lenses and anti-glare "honeycomb" included
 3 линзы и антибликовый фильтр (тип фильтра «Соты») в комплекте



CTLS NEA LED 20W

zinc aluminum alloy

8757 3000K 8756 4000K

8754 4000K



Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Ingress protection	LED brand	Driver brand	Lifetime	Warranty
8757	20W LED	3000K	1600 lm	15/23/36°	≥ 90	IP20	Samsung	Ostram	50000h	5 years
8756	20W LED	4000K	1600 lm	15/23/36°	≥ 90	IP20	Samsung	Ostram	50000h	5 years
8754	20W LED	4000K	1600 lm	15/23/36°	≥ 90	IP20	Samsung	Ostram	50000h	5 years

WHITE BLACK




CTLS NEA LED 30W 8751



CTLS NEA LED 30W 8752



Zestaw zawiera 3 soczewki i filtr przeciwośnieniowy "plaster miodu"
 3 lenses and anti-glare "honeycomb" included
 3 линзы и антибликовый фильтр (тип фильтра «Соты») в комплекте



CTLS NEA LED 30W

zinc aluminum alloy

8753 3000K 8752 4000K

8751 3000K 8750 4000K




Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Ingress protection	LED brand	Driver brand	Lifetime	Warranty
8753	30W LED	3000K	2600 lm	20/25/37°	≥ 90	IP20	Samsung	Ostram	50000h	5 years
8752	30W LED	4000K	2600 lm	20/25/37°	≥ 90	IP20	Samsung	Ostram	50000h	5 years
8751	30W LED	3000K	2600 lm	20/25/37°	≥ 90	IP20	Samsung	Ostram	50000h	5 years
8750	30W LED	4000K	2600 lm	20/25/37°	≥ 90	IP20	Samsung	Ostram	50000h	5 years

WHITE BLACK



Zestaw zawiera 3 soczewki i filtr przeciwośnieniowy "plaster miodu"
3 lenses and anti-glare "honeycomb" included
3 линзы и антибликовый фильтр (тип фильтра «Соты») в комплекте



CTLS NEA LED 40W

zinc aluminum alloy

- 8748 3000K 8747 4000K
- 8746 3000K 8745 4000K

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Ingress protection	LED brand	Driver brand	Lifetime	Warranty
8748	40W LED	3000K	3600 lm	20/25/37°	≥ 90	IP20	Samsung	Ostram	50000h	5 years
8747	40W LED	4000K	3600 lm	20/25/37°	≥ 90	IP20	Samsung	Ostram	50000h	5 years
8746	40W LED	3000K	3600 lm	20/25/37°	≥ 90	IP20	Samsung	Ostram	50000h	5 years
8745	40W LED	4000K	3600 lm	20/25/37°	≥ 90	IP20	Samsung	Ostram	50000h	5 years

WHITE BLACK




CTLS NEA LED 40W
8745



CTLS TINOS LED 10W
10396




CTLS TINOS LED 20W
10391



CTLS TINOS LED 10W

painting aluminum, plastic

- 10390 3000K □ 10393 4000K
- 10396 3000K ■ 10399 4000K



CTLS TINOS LED 20W

painting aluminum, plastic

- 10391 3000K □ 10394 4000K
- 10397 3000K ■ 10400 4000K



Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
10390	10W LED	3000K	950 lm	36°	>80	~220-230 V, 50/60 Hz	⊕	>0.9	IP20	30000h
10393	10W LED	4000K	1000 lm	36°	>80	~220-230 V, 50/60 Hz	⊕	>0.9	IP20	30000h
10396	10W LED	3000K	880 lm	36°	>80	~220-230 V, 50/60 Hz	⊕	>0.9	IP20	30000h
10399	10W LED	4000K	980 lm	36°	>80	~220-230 V, 50/60 Hz	⊕	>0.9	IP20	30000h


Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
10391	20W LED	3000K	1800 lm	36°	>80	~220-230 V, 50/60 Hz	⊕	>0.9	IP20	30000h
10394	20W LED	4000K	2000 lm	36°	>80	~220-230 V, 50/60 Hz	⊕	>0.9	IP20	30000h
10397	20W LED	3000K	1700 lm	36°	>80	~220-230 V, 50/60 Hz	⊕	>0.9	IP20	30000h
10400	20W LED	4000K	1900 lm	36°	>80	~220-230 V, 50/60 Hz	⊕	>0.9	IP20	30000h

□ WHITE ■ BLACK

□ WHITE ■ BLACK



CTLS TINOS LED 30W
10398



CTLS TINOS LED 30W

painted aluminum, plastic

□ 10392 3000K □ 10395 4000K

■ 10398 3000K ■ 10401 4000K



Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
10392	30W LED	3000K	2800 lm	36°	>80	~220-230 V, 50/60 Hz	⊕	>0.9	IP20	30000h
10395	30W LED	4000K	3000 lm	36°	>80	~220-230 V, 50/60 Hz	⊕	>0.9	IP20	30000h
10398	30W LED	3000K	2600 lm	36°	>80	~220-230 V, 50/60 Hz	⊕	>0.9	IP20	30000h
10401	30W LED	4000K	2900 lm	36°	>80	~220-230 V, 50/60 Hz	⊕	>0.9	IP20	30000h


□ WHITE ■ BLACK



CTLS TINOS LED 30W
10401



CTLS MONO 10239



CTLS MONO

painting steel, plastic ABS

■ 10235 □ 10236


■ 10238 ■ 10239

● 1xGU10, max 10W only LED

solid brass, plastic ABS

■ 10237

● 1xGU10, max 10W only LED




CAMELEON ADAPTER CTLS

plastic

■ 8281 □ 8282



CTLS - COMMERCIAL TRACK LIGHT SYSTEM, 3 CIRCUIT



1 CTLS TRACK 3 CIRCUIT 1M

aluminum


8715 8714

2 CTLS TRACK 3 CIRCUIT 2M

aluminum

8717 8716


Sposoby montażu / Installation methods / Методы монтажа



3 CTLS SUSPENSION KIT 3 CIRCUIT

plastic, steel

8696 8697







4 CTLS POWER SUPPLY KIT 3 CIRCUIT

painted steel, painted steel, plastic

8284 8283

Schematy zasilania / Power supply circuit diagrams / Схема питания




Maksymalna długość systemu szynoprzewodowego - 100 m.
Zalecany dystans pomiędzy mocowaniami max. 1000 mm.
System szynoprzewodowy (CTLS) należy równomiernie obciążyć elektrycznie oraz równomiernie rozmieścić oprawy na jego długości.


Maximum length of track lights system - 100 m.
The recommended fastening distance is max. 1000 mm.
The track light system (CTLS) should be evenly electrically loaded and the fittings should be evenly placed along its length.

Допустимая макс. длина системы трекового освещения - 100 м.
Рекомендуемое расстояние между креплениями не более 1000 мм.
Система трекового освещения (CTLS) должна быть равномерно электрически нагружена, а светильники - равномерно распределены по ее длине.

CEILING




Krawędzie ustalające polaryzację (pozycje) oprawy oświetleniowej.
Ridges setting polarity (position) of the lighting fixture.
Края устанавливающие полярность (позицию) светильника.




2. Montaż bezpośredni 2. Surface mounting 2. Поверхностный монтаж

CEILING





Krawędzie ustalające polaryzację (pozycje) oprawy oświetleniowej.
Ridges setting polarity (position) of the lighting fixture.
Края устанавливающие полярность (позицию) светильника.



WHITE BLACK


WHITE BLACK

CTLS - POLARITY IN COMMERCIAL TRACK LIGHT SYSTEM




5 CTLS POWER END CAP, RIGHT (PE-R)
plastic, copper

8712 8713




6 CTLS POWER END CAP, LEFT (PE-L)
plastic, copper

8232 8233




7 CTLS POWER STRAIGHT CONNECTOR
plastic, copper

8707 8708




8 CTLS POWER L CONNECTOR, RIGHT (L-R)
plastic, copper

8227 8228




9 CTLS POWER L CONNECTOR, LEFT (L-L)
plastic, copper

8705 8706




10 CTLS POWER T CONNECTOR, LEFT 2 (T-L2)
plastic, copper

8236 8237




11 CTLS POWER T CONNECTOR, LEFT 1 (T-L1)
plastic, copper

8243 8244




12 CTLS POWER T CONNECTOR, RIGHT 2 (T-R2)
plastic, copper

8703 8704




13 CTLS POWER T CONNECTOR, RIGHT 1 (T-R1)
plastic, copper

8241 8242




14 CTLS POWER X CONNECTOR
plastic, copper

8701 8702




15 CTLS POWER FLEX CONNECTOR
plastic, copper

8698 8700



16 CTLS DEAD END CAP
plastic


8710 8711



17 CTLS STRAIGHT CONNECTOR MINI
plastic, copper

8085 8084

CTLS - RECESSED COMMERCIAL TRACK LIGHT SYSTEM, 3 CIRCUIT



1 CTLS RECESSED TRACK 3 CIRCUIT 1M

aluminum





8693 8692

2 CTLS RECESSED TRACK 3 CIRCUIT 2M

aluminum

8695 8694

Schematy zasilania / Power supply circuit diagrams / Схема питания





Maksymalna długość systemu szynoprzewodowego - 100 m.
Zalecany dystans pomiędzy mocowaniami max. 1000 mm.
System szynoprzewodowy (CTLS) należy równomiernie obciążać elektrycznie oraz równomiernie rozmieścić oprawy na jego długości.

Maximum length of track lights system - 100 m.
The recommended fastening distance is max. 1000 mm.
The track light system (CTLS) should be evenly electrically loaded and the fittings should be evenly placed along its length.



Допустимая макс. длина системы трекового освещения - 100 м.
Рекомендуемое расстояние между креплениями не более 1000 мм.
Система трекового освещения (CTLS) должна быть равномерно электрически нагружена, а светильники - равномерно распределены по ее длине.

Sposób montażu / Installation method / Метода монтажа


- 1. Montaż podtynkowy
- 1. Recessed mounting
- 1. Врезной монтаж



CTLS - POLARITY IN RECESSED COMMERCIAL TRACK LIGHT SYSTEM



- 3 CTLS RECESSED POWER END CAP, RIGHT (PE-R)**
 plastic, copper
 8691 8690
- 4 CTLS RECESSED POWER END CAP, LEFT (PE-L)**
 plastic, copper
 8234 8235
- 5 CTLS RECESSED POWER STRAIGHT CONNECTOR**
 plastic, copper
 8686 8685
- 6 CTLS RECESSED POWER L CONNECTOR, RIGHT (L-R)**
 plastic, copper
 8230 8231
- 7 CTLS RECESSED POWER L CONNECTOR, LEFT (L-L)**
 plastic, copper
 8684 8683



- 8 CTLS RECESSED POWER T CONNECTOR, LEFT 2 (T-L2)**
 plastic, copper
 8238 8240
- 9 CTLS RECESSED POWER T CONNECTOR, LEFT 1 (T-L1)**
 plastic, copper
 8247 8248
- 10 CTLS RECESSED POWER T CONNECTOR, RIGHT 2 (T-R2)**
 plastic, copper
 8681 8682
- 11 CTLS RECESSED POWER T CONNECTOR, RIGHT 1 (T-R1)**
 plastic, copper
 8245 8246
- 12 CTLS RECESSED POWER X CONNECTOR**
 plastic, copper
 8678 8680
- 13 CTLS RECESSED POWER FLEX CONNECTOR**
 plastic, copper
 8676 8677
- 14 CTLS RECESSED DEAD END CAP**
 plastic
 8688 8687
- 15 CTLS RECESSED FIXING SET**
 steel
 8306

WHITE
 BLACK

OTHER
 WHITE
 BLACK



PROFILE MONO 7582



Profile
Track Light System



PROFILE TINOS LED 7W 10385



PROFILE TINOS LED 10W 10373



PROFILE TINOS LED 7W

Painted aluminum, plastic

- 10372 3000K 10376 4000K
- 10381 3000K 10385 4000K



PROFILE TINOS LED 10W

Painted aluminum, plastic

- 10373 3000K 10377 4000K
- 10382 3000K 10386 4000K




Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
10372	7W LED	3000K	550 lm	36°	>80	~220-230 V, 50/60 Hz	☐	>0.9	IP20	30000h
10376	7W LED	4000K	570 lm	36°	>80	~220-230 V, 50/60 Hz	☐	>0.9	IP20	30000h
10381	7W LED	3000K	530 lm	36°	>80	~220-230 V, 50/60 Hz	☐	>0.9	IP20	30000h
10385	7W LED	4000K	550 lm	36°	>80	~220-230 V, 50/60 Hz	☐	>0.9	IP20	30000h

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
10373	10W LED	3000K	950 lm	36°	>80	~220-230 V, 50/60 Hz	☐	>0.9	IP20	30000h
10377	10W LED	4000K	1000 lm	36°	>80	~220-230 V, 50/60 Hz	☐	>0.9	IP20	30000h
10382	10W LED	3000K	880 lm	36°	>80	~220-230 V, 50/60 Hz	☐	>0.9	IP20	30000h
10386	10W LED	4000K	980 lm	36°	>80	~220-230 V, 50/60 Hz	☐	>0.9	IP20	30000h



PROFILE TINOS LED 20W 10383



PROFILE TINOS LED 20W

painting aluminum, plastic

- 10374 3000K 10378 4000K
- 10383 3000K 10387 4000K




Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
10374	20W LED	3000K	1800 lm	36°	>80	~220-230 V, 50/60 Hz	<input checked="" type="checkbox"/>	>0.9	IP20	30000h
10378	20W LED	4000K	2000 lm	36°	>80	~220-230 V, 50/60 Hz	<input checked="" type="checkbox"/>	>0.9	IP20	30000h
10383	20W LED	3000K	1700 lm	36°	>80	~220-230 V, 50/60 Hz	<input checked="" type="checkbox"/>	>0.9	IP20	30000h
10387	20W LED	4000K	1900 lm	36°	>80	~220-230 V, 50/60 Hz	<input checked="" type="checkbox"/>	>0.9	IP20	30000h

WHITE BLACK



PROFILE TINOS LED 30W 10375



PROFILE TINOS LED 30W

painting aluminum, plastic

- 10375 3000K 10380 4000K
- 10384 3000K 10388 4000K




Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
10375	30W LED	3000K	2800 lm	36°	>80	~220-230 V, 50/60 Hz	<input checked="" type="checkbox"/>	>0.9	IP20	30000h
10380	30W LED	4000K	3000 lm	36°	>80	~220-230 V, 50/60 Hz	<input checked="" type="checkbox"/>	>0.9	IP20	30000h
10384	30W LED	3000K	2600 lm	36°	>80	~220-230 V, 50/60 Hz	<input checked="" type="checkbox"/>	>0.9	IP20	30000h
10388	30W LED	4000K	2900 lm	36°	>80	~220-230 V, 50/60 Hz	<input checked="" type="checkbox"/>	>0.9	IP20	30000h

WHITE BLACK



PROFILE IRIS LED 7W 8996



PROFILE IRIS LED 7W


painting aluminum, plastic PC

8995 3000K 8996 3000K


8997 4000K 8998 4000K



PROFILE IRIS LED 20W 9005



PROFILE IRIS LED 12W 9002



PROFILE IRIS LED 12W

painting aluminum, plastic PC

9000 3000K 9001 3000K

9002 4000K 9003 4000K



PROFILE IRIS LED 20W

painting aluminum, plastic PC

9004 3000K 9005 3000K

9006 4000K 9007 4000K




Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
8995	7W LED	3000K	550 lm	30°	>80	~220-230 V, 50/60 Hz	☐	>0.5	IP20	30000h
8996	7W LED	3000K	530 lm	30°	>80	~220-230 V, 50/60 Hz	☐	>0.5	IP20	30000h
8997	7W LED	4000K	560 lm	30°	>80	~220-230 V, 50/60 Hz	☐	>0.5	IP20	30000h
8998	7W LED	4000K	550 lm	30°	>80	~220-230 V, 50/60 Hz	☐	>0.5	IP20	30000h
9000	12W LED	3000K	1000 lm	30°	>80	~220-230 V, 50/60 Hz	☐	>0.5	IP20	30000h
9001	12W LED	3000K	950 lm	30°	>80	~220-230 V, 50/60 Hz	☐	>0.5	IP20	30000h
9002	12W LED	4000K	1100 lm	30°	>80	~220-230 V, 50/60 Hz	☐	>0.5	IP20	30000h
9003	12W LED	4000K	1000 lm	30°	>80	~220-230 V, 50/60 Hz	☐	>0.5	IP20	30000h

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
9004	20W LED	3000K	1500 lm	30°	>80	~220-230 V, 50/60 Hz	☐	>0.5	IP20	30000h
9005	20W LED	3000K	1400 lm	30°	>80	~220-230 V, 50/60 Hz	☐	>0.5	IP20	30000h
9006	20W LED	4000K	1600 lm	30°	>80	~220-230 V, 50/60 Hz	☐	>0.5	IP20	30000h
9007	20W LED	4000K	1500 lm	30°	>80	~220-230 V, 50/60 Hz	☐	>0.5	IP20	30000h



PROFILE STORE PRO LED 12W 8323



PROFILE STORE PRO LED 12W


Painted aluminum, plastic

8321 3000K 8323 3000K

8322 4000K



PROFILE STORE PRO LED 18W 8326



PROFILE STORE PRO LED 18W

Painted aluminum, plastic

8325 3000K 8327 3000K

8326 4000K



Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
8321	12W LED	3000K	1000 lm	24°	≥ 80	~220-230 V, 50/60 Hz	☑	>0.5	IP20	30000h
8322	12W LED	4000K	960 lm	24°	≥ 80	~220-230 V, 50/60 Hz	☑	>0.5	IP20	30000h
8323	12W LED	3000K	930 lm	24°	≥ 80	~220-230 V, 50/60 Hz	☑	>0.5	IP20	30000h
8325	18W LED	3000K	1440 lm	24°	≥ 80	~220-230 V, 50/60 Hz	☑	>0.5	IP20	30000h
8326	18W LED	4000K	1700 lm	24°	≥ 80	~220-230 V, 50/60 Hz	☑	>0.5	IP20	30000h
8327	18W LED	3000K	1600 lm	24°	≥ 80	~220-230 V, 50/60 Hz	☑	>0.5	IP20	30000h


WHITE BLACK



PROFILE STORE PRO LED 18W 8327



PROFILE MIKE 7661



PROFILE MIKE

painting aluminum, plastic

7662 7661


1xGU10, max 15W only LED



PROFILE ZOOM LED 7625



PROFILE INDIA 7657




PROFILE INDIA

painting aluminum, plastic

7656 7657

1xGU10, max 15W only LED



PROFILE ZOOM LED

painting aluminum, plastic

7623 3000K 7625 3000K

7624 4000K 7626 4000K

BEAM CONE


BEAM ANGLE 15°



BEAM ANGLE 50°



PROFILE FOKUS 7621



PROFILE FOCUS LED

painting aluminum, plastic

7618 3000K 7621 3000K

7620 4000K 7622 4000K


Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection
7618	10W LED	3000K	600 lm	36°	>90	~220-230 V, 50/60 Hz	□	>0.9	IP20
7620	10W LED	4000K	600 lm	36°	>90	~220-230 V, 50/60 Hz	□	>0.9	IP20
7621	10W LED	3000K	600 lm	36°	>90	~220-230 V, 50/60 Hz	□	>0.9	IP20
7622	10W LED	4000K	600 lm	36°	>90	~220-230 V, 50/60 Hz	□	>0.9	IP20
7623	9W LED	3000K	600 lm	15-50°	>90	~220-230 V, 50/60 Hz	□	>0.9	IP20
7624	9W LED	4000K	660 lm	15-50°	>90	~220-230 V, 50/60 Hz	□	>0.9	IP20
7625	9W LED	3000K	600 lm	15-50°	>90	~220-230 V, 50/60 Hz	□	>0.9	IP20
7626	9W LED	4000K	660 lm	15-50°	>90	~220-230 V, 50/60 Hz	□	>0.9	IP20

PROFILE IRIS LED 20W 9005





PROFILE EYE SUPER C 9244



PROFILE EYE SUPER C

painting steel, plastic PC

9245 9244


1xGU10, max 10W only LED

PROFILE BIT PLUS

painting steel, plastic PC

9020 9018


1xGU10 ES111, max 15W only LED



PROFILE BIT PLUS 9018



PROFILE EYE SUPER A 9325



PROFILE EYE SUPER A

painting steel, plastic PC

9324 9325


1xGU10, max 10W only LED

PROFILE BIT

painting steel, plastic PC

8823


1xGU10 ES111, max 15W only LED



PROFILE BIT 8823



PROFILE EYE FLEX 9332



PROFILE EYE FLEX

painting steel, flexible stem, plastic

9332


1xGU10, max 10W only LED

PROFILE EYE

painting steel, plastic PC

9337 9338


1xGU10, max 10W only LED



PROFILE EYE 9338



PROFILE EYE SPOT 9322



PROFILE EYE SPOT

painting steel, plastic PC, chrome

9321 9322

1xGU10, max 10W only LED


solid brass, plastic PC

7857

1xGU10, max 10W only LED



PROFILE MONO 7583



PROFILE MONO

painting steel, plastic ABS

7581 7582

7584 7585

1xGU10, max 10W only LED


solid brass, painting steel, plastic ABS

7583

1xGU10, max 10W only LED



PROFILE VESPA 8825



PROFILE VESPA


painting steel, plastic PC, chrome

8824 8825

1xGU10 ES111, max 15W only LED



PROFILE PUCK 10358




PROFILE PUCK

painting steel, plastic PC

10358

1xGX53, max 12W only LED




CAMELEON ADAPTER PROFILE

plastic

8360 8361



PROFILE TRACK LIGHT SYSTEM



1 PROFILE TRACK 1 M

Painted aluminum


9450 9448

2 PROFILE TRACK 2 M

Painted aluminum

9451 9452

Schemat zasilania / Power supply circuit diagram / Схема питания




Zalecany dystans pomiędzy mocowaniami max. 1000 mm
Maksymalna długość jednego obwodu systemu szynoprzewodowego PROFILE - 20 m, a maksymalne obciążenie elektryczne - 1500W
System szynoprzewodowy należy równomiernie obciążyć elektrycznie oraz równomiernie rozmieścić oprawy na jego długości.

The recommended fastening distance is max. 1000 mm
The maximum length of one circuit of PROFILE track light system - 20 m, and the maximum circuit power load - 1500W
The track light system should be evenly electrically loaded and the fittings should be evenly placed along its length.

Рекомендуемое расстояние между креплениями не более 1000 мм
Допустимая макс. длина системы трекового освещения - 20 м, максимальная электрическая нагрузка - 1500W
Система трекового освещения должна быть равномерно электрически нагружена, а светильники - равномерно распределены по ее длине

WHITE BLACK


Sposoby montażu / Installation methods / Методы монтажа



3 PROFILE POWER SUPPLY KIT

Painted steel

9237 9238




4 PROFILE SUSPENSION KIT



Painted steel, plastic

9461 9460

- 1. Zwieszenie na linkach stalowych
- 1. Suspended on steel wires
- 1. Подвеска на стальных тросах





- 2. Montaż bezpośredni
- 2. Surface mounting
- 2. Поверхностный монтаж



WHITE BLACK


PROFILE TRACK LIGHT SYSTEM



5 PROFILE POWER END CAP

plastic PC, steel, copper


9462 9463



6 PROFILE POWER STRAIGHT CONNECTOR

plastic PC, steel


10225 10226



7 PROFILE STRAIGHT CONNECTOR

plastic PC, steel, copper


9454 9453



8 PROFILE L CONNECTOR

plastic PC, steel, copper


9456 9455



9 PROFILE T CONNECTOR

plastic PC, steel, copper


9187 9186



10 PROFILE X CONNECTOR

plastic PC, steel, copper


9190 9188



11 PROFILE FLEX CONNECTOR

plastic PC, steel, copper

8382 8383




12 PROFILE DEAD END CAP

plastic PC

9457 9458

PROFILE RECESSED TRACK LIGHT SYSTEM



1 PROFILE RECESSED TRACK 1 METER

Painted aluminum


9012 9013

2 PROFILE RECESSED TRACK 2 METERS


Painted aluminum

9014 9015

Schemat zasilania / Power supply circuit diagram / Схема питания



1 faza, 1 obwód
1-phase, 1-circuit



Zalecany dystans pomiędzy mocowaniami max. 1000 mm.
Maksymalna długość jednego obwodu systemu szynoprzewodowego PROFILE - 20 m, a maksymalne obciążenie elektryczne - 1500W.
System szynoprzewodowy należy równomiernie obciążyć elektrycznie oraz równomiernie rozmieścić oprawy na jego długości.



The recommended fastening distance is max. 1000 mm.
The maximum length of one circuit of track light system PROFILE - 20 m, and the maximum circuit power load - 1500W.
The track light system should be evenly electrically loaded and the fittings should be evenly placed along its length.

Рекомендуемое расстояние между креплениями не более 1000 мм.
Допустимая макс. длина системы трекового освещения - 20 м, максимальная электрическая нагрузка - 1500W.
Система трекового освещения должна быть равномерно электрически нагружена, а светильники - равномерно распределены по ее длине.



WHITE BLACK

Sposób montażu / Installation method / Метода монтажа

- 1. Montaż podtynkowy
- 1. Recessed mounting
- 1. Врезной монтаж




PROFILE RECESSED TRACK LIGHTS SYSTEM




3 PROFILE RECESSED POWER END CAP
plastic PC, steel, copper

8972 8973




4 PROFILE RECESSED POWER STRAIGHT CONNECTOR
plastic PC, steel

10227 10228




5 PROFILE RECESSED STRAIGHT CONNECTOR
plastic PC, steel, copper

8967 8968




6 PROFILE RECESSED L CONNECTOR
plastic PC, steel, copper

8970 8971




7 PROFILE RECESSED T CONNECTOR
plastic PC, steel, copper

8834 8835




8 PROFILE RECESSED X CONNECTOR
plastic PC, steel, copper

8836 8837




9 PROFILE RECESSED FLEX CONNECTOR
plastic PC, steel, copper

8384 8385




10 PROFILE RECESSED DEAD END CAP
plastic PC

8974 8975



11 PROFILE RECESSED FIXING SET
steel


8805



Bathroom
lighting



ICE BALL 8126



ICE BALL


brass-plated steel, glass

8126

1xG9, max 10W only LED
IP44



ALOE 10525



ALOE

brass-plated steel, glass


10525

1xG9, max 10W only LED
IP44





ARALIA 10527



ARALIA

brass-plated steel, glass

10527

1xG9, max 10W only LED

IP44



NATALIE 10727



NATALIE 10726




NATALIE 10724



NATALIE 10723



AGAVE 10526




AGAVE

brass-plated steel, glass

10526

1xG9, max 10W only LED

IP44




NATALIE

aluminum, glass

10726 10727 10728

2xG9, max 10W only LED

IP44



NATALIE

aluminum, glass


10723 10724 10725

1xG9, max 10W only LED

IP44



ICE TUBE LED S 8121




ICE TUBE LED S
plastic PC, chrome plated steel

8121



ICE TUBE LED M 8122




ICE TUBE LED M
plastic PC, chrome plated steel

8122



ICE TUBE LED S 8118




ICE TUBE LED S
plastic PC, chrome plated steel

8118



ICE TUBE LED M 8120



ICE TUBE LED M
plastic PC, chrome plated steel


8120



Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
8121	5W LED	4000K	430 lm	120°	≥80	~220-230 V, 50/60 Hz	☑	>0.5	IP44	30000h
8122	8W LED	4000K	700 lm	120°	≥80	~220-230 V, 50/60 Hz	☑	>0.5	IP44	30000h

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
8118	12W LED	4000K	1200 lm	120°	≥80	~220-230 V, 50/60 Hz	☑	>0.5	IP44	30000h
8120	18W LED	4000K	1750 lm	120°	≥80	~220-230 V, 50/60 Hz	☑	>0.5	IP44	30000h

TORCH 8123




TORCH

chrome plated steel, glass

8123

1xG9, max 10W only LED
IP44

BALI 9353



BALI

glass, painted steel


8053

1xE14, max 10W only LED

glass, chrome plated steel

9353


1xE14, max 10W only LED
IP44



PALMAS LED

aluminum, glass, plastic PC

10729 10730



PALMAS LED 10729

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
10729	15W LED	4000K	1000 lm	130°	>90	~220-230 V, 50/60 Hz	⊕	>0.9	IP44	30000h
10730	15W LED	4000K	1000 lm	130°	>90	~220-230 V, 50/60 Hz	⊕	>0.9	IP44	30000h



VISTA 8051







VISTA 8050



PAN LED S 8173



PAN LED M 8174



VISTA

chrome plated steel, glass

8051

1xG9, max 10W only LED

IP44

VISTA

chrome plated steel, glass

8050

3xG9, max 10W only LED

IP44

PAN LED S

glass, chrome plated steel

8173

PAN LED M


glass, chrome plated steel

8174

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
8173	12W LED	4000K	770 lm	120°	≥80	~220-230 V, 50/60 Hz	⊕	>0.5	IP44	20000h
8174	17W LED	4000K	1000 lm	120°	≥80	~220-230 V, 50/60 Hz	⊕	>0.5	IP44	20000h



ICE EGG A 8124



ICE EGG A


■ painted steel, glass

■ 8124

● 1xG9, max 10W only LED
IP44



ICE EGG B 8125




ICE EGG B

■ painted steel, glass

■ 8125

● 1xG9, max 10W only LED
IP44

ICE EGG C 8132



ICE EGG C

■ painted aluminum, glass

■ 8132


● 1xG9, max 10W only LED
IP44



ICE EGG B 8125



BRAZOS 6948



BRAZOS


glass, chrome plated steel

6948

1xG9, max 10W only LED
IP44



BRAZOS 6950



BRAZOS


glass, chrome plated steel

6950

2xG9, max 10W only LED
IP44



BRAZOS 6951



BRAZOS


glass, chrome plated steel

6951

3xG9, max 10W only LED
IP44



SIMI 8052



SIMI


painted steel, glass

8052

1xG9, max 10W only LED
IP44



BRAZOS 8057



BRAZOS


glass, painted steel

8057

1xG9, max 10W only LED
IP44



BRAZOS 8056



BRAZOS

glass, painted steel


8056

3xG9, max 10W only LED
IP44



CAYO 8055

CAYO 8055



CAYO

glass, painted steel

■ 8055

● 1xG9, max 10W only LED

IP44


glass, chrome plated steel

▨ 9505

● 1xG9, max 10W only LED

IP44

SIS 8054



SIS

glass, painted steel

■ 8054

● 1xG9, max 10W only LED

IP44

glass, chrome plated steel

▨ 9506

● 1xG9, max 10W only LED

IP44

■ BLACK □ WHITE ▨ CHROME


□ WHITE ■ BLACK ▨ CHROME



CEARA 10713



CEARA 10716



CEARA

aluminum

10713 10714


10715 10716

1xGU10, max 15W only LED

IP44



BOL 10483



BOL

aluminum

10483 10484

1xGX53, max 12W only LED


IP54



PARANA 10719



PARANA 10718



PARANA

aluminum

10717 10718


10719 10720

1xGU10, max 15W only LED

IP44



MAUN 10481



MAUN

aluminum

10481 10482

1xGX53, max 12W only LED


IP54



BRAVO 8364



BRAVO 8365



BRAVO

aluminum, glass


8364 8365

1xGU10, max 15W only LED

IP54



ALPHA 8362



ALPHA

aluminum, glass

8362 8363

1xGU10, max 15W only LED

IP54



FOXTROT 8373





FOXTROT 8373



FOXTROT 8374



ZESTAW ZAWIERA 4 KOLOROWE NAKŁADKI.
THE SET INCLUDES FOUR COLOURED RINGS.
В КОМПЛЕКТЕ 4 ЦВЕТНЫЕ НАКЛАДКИ



FOXTROT

painted aluminum, glass

□ 8373 ■ 8374

⚡ 1xGU10, max 15W only LED

IP54/20



✂ cut out Ø 85 mm

Can be used outdoor

□ WHITE ■ BLACK



CHARLIE 8367



CHARLIE 8366

CHARLIE

painting aluminum, glass

8366 8367



1xGU10, max 15W only LED

IP54/20

cut out ø 75 mm



GOLF 8376



GOLF 8375

GOLF

painting aluminum, glass

8375 8376



1xGU10, max 15W only LED

IP54/20

cut out ø 68 mm



DELTA 8370



DELTA 8368

DELTA

painting aluminum, glass

8368 8370



1xGU10, max 15W only LED

IP54/20

cut out ø 75 mm



ECHO 8372



ECHO 8371

ECHO

painting aluminum, glass

8371 8372


1xGU10, max 15W only LED

IP54/20

cut out ø 80 mm



HELIOS LED 8992



HELIOS LED

plastic PC


8991 3000K 8992 4000K



cut out ø 85 mm



EOL LED 8988



EOL LED

plastic PC


8988 3000K 8990 4000K



cut out ø 85 mm



ACRE 10711



ACRE

aluminum, glass

10711




1xGU10, max 15W only LED

IP44/20

cut out ø 75 mm



BAHIA 10712



BAHIA

aluminum, glass

10712




1xGU10, max 15W only LED

IP44/20

cut out ø 75 mm



JULIET 7663



JULIET

steel

7663 7664



1xGU10, max 15W only LED

IP54/20

cut out ø 56 mm




JULIET 7664


Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
8991	5W LED	3000K	300 lm	100°	≥ 80	~220-230 V, 50/60 Hz	☐	>0.5	IP44/20	20000h
8992	5W LED	4000K	300 lm	100°	≥ 80	~220-230 V, 50/60 Hz	☐	>0.5	IP44/20	20000h
8988	5W LED	3000K	350 lm	90°	≥ 80	~220-230 V, 50/60 Hz	☐	>0.5	IP44/20	20000h
8990	5W LED	4000K	400 lm	90°	≥ 80	~220-230 V, 50/60 Hz	☐	>0.5	IP44/20	20000h

WHITE

CHROME SILVER BRASS



PIN LED S 8127




PIN LED S
painted aluminum, plastic PC

■ 8127



PIN LED M 8128




PIN LED M
painted aluminum, plastic PC

■ 8128



PIN LED L 8130



PIN LED L
painted aluminum, plastic PC

■ 8130



Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
8127	6W LED	4000K	280 lm	120°	≥80	~220-230 V, 50/60 Hz	☐	>0.9	IP44	30000h
8128	10W LED	4000K	500 lm	120°	≥80	~220-230 V, 50/60 Hz	☐	>0.9	IP44	30000h
8130	15W LED	4000K	700 lm	120°	≥80	~220-230 V, 50/60 Hz	☐	>0.9	IP44	30000h






1. Na lustrze
1. On the mirror
1. На зеркало

2. Na szafce łazienkowej
2. On the bathroom cabinet
2. На шкафу в ванной комнате

3. Na ścianie
3. On the wall
3. На стене

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
10665	8W LED	3000K	600 lm	120°	≥ 80	~220-230 V, 50/60 Hz	☐	>0.5	IP44	25000h
10668	8W LED	3000K	550 lm	120°	≥ 80	~220-230 V, 50/60 Hz	☐	>0.5	IP44	25000h
10672	8W LED	3000K	600 lm	120°	≥ 80	~220-230 V, 50/60 Hz	☐	>0.5	IP44	25000h
10676	8W LED	4000K	600 lm	120°	≥ 80	~220-230 V, 50/60 Hz	☐	>0.5	IP44	25000h
10680	8W LED	4000K	650 lm	120°	≥ 80	~220-230 V, 50/60 Hz	☐	>0.5	IP44	25000h
10683	8W LED	4000K	650 lm	120°	≥ 80	~220-230 V, 50/60 Hz	☐	>0.5	IP44	25000h
10666	12W LED	3000K	900 lm	120°	≥ 80	~220-230 V, 50/60 Hz	☐	>0.5	IP44	25000h
10670	12W LED	3000K	850 lm	120°	≥ 80	~220-230 V, 50/60 Hz	☐	>0.5	IP44	25000h
10673	12W LED	3000K	900 lm	120°	≥ 80	~220-230 V, 50/60 Hz	☐	>0.5	IP44	25000h
10681	12W LED	4000K	950 lm	120°	≥ 80	~220-230 V, 50/60 Hz	☐	>0.5	IP44	25000h
10684	12W LED	4000K	950 lm	120°	≥ 80	~220-230 V, 50/60 Hz	☐	>0.5	IP44	25000h
10677	12W LED	4000K	900 lm	120°	≥ 80	~220-230 V, 50/60 Hz	☐	>0.5	IP44	25000h



CEZANNE LED S

Painted aluminum, plastic ABS, plastic PMMA

- 10668 3000K ■ 10676 4000K
- ▨ 10665 3000K ▨ 10680 4000K
- 10672 3000K □ 10683 4000K



CEZANNE LED M

Painted aluminum, plastic ABS, plastic PMMA

- 10670 3000K ■ 10677 4000K
- ▨ 10666 3000K ▨ 10681 4000K
- 10673 3000K □ 10684 4000K



CEZANNE LED L

Painted aluminum, plastic ABS, plastic PMMA

- 10671 3000K ■ 10678 4000K
- ▨ 10667 3000K ▨ 10682 4000K
- 10674 3000K □ 10685 4000K



Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
10667	15W LED	3000K	1100 lm	120°	≥ 80	~220-230 V, 50/60 Hz	☐	>0.5	IP44	25000h
10671	15W LED	3000K	1050 lm	120°	≥ 80	~220-230 V, 50/60 Hz	☐	>0.5	IP44	25000h
10674	15W LED	3000K	1100 lm	120°	≥ 80	~220-230 V, 50/60 Hz	☐	>0.5	IP44	25000h
10678	15W LED	4000K	1100 lm	120°	≥ 80	~220-230 V, 50/60 Hz	☐	>0.5	IP44	25000h
10682	15W LED	4000K	1200 lm	120°	≥ 80	~220-230 V, 50/60 Hz	☐	>0.5	IP44	25000h
10685	15W LED	4000K	1200 lm	120°	≥ 80	~220-230 V, 50/60 Hz	☐	>0.5	IP44	25000h




PICASSO LED M 8131

PICASSO LED

chrome plated aluminum, plastic PC

8131



KAGERA LED M 9503



KAGERA LED L 9502





LATH LED M 8175

LATH LED

chrome plated steel, plastic PC


8175



KAGERA LED M

chrome plated aluminum, glass

9503



KAGERA LED L

chrome plated aluminum, glass

9502





Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
8131	12W LED	4000K	900 lm	120°	≥80	~220-230 V, 50/60 Hz	⊕	>0.5	IP44	30000h
8175	16W LED	4000K	1000 lm	120°	≥80	~220-230 V, 50/60 Hz	⊕	>0.5	IP44	20000h

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
9502	24W LED	4000K	1380 lm	120°	≥80	~220-230 V, 50/60 Hz	⊕	>0.5	IP44	20000h
9503	18W LED	4000K	1000 lm	120°	≥80	~220-230 V, 50/60 Hz	⊕	>0.5	IP44	20000h



MALAKKA LED 9501

BASSA LED 9500



BASSA LED
chrome plated steel, glass

- 9500




MALAKKA LED
chrome plated steel, glass

- 9501

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
9500	18W LED	4000K	850 lm	120°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0.5	IP44	20000h
9501	18W LED	4000K	940 lm	120°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0.5	IP44	20000h

WHITE CHROME

AGNES ROUND LED 8208



AGNES ROUND LED

painted steel, plastic PMMA

- 8207 3000K 8204 3000K
- 8186 4000K 8183 4000K



AGNES ROUND LED

painted steel, plastic PMMA

- 8208 3000K 8205 3000K
- 8187 4000K 8184 4000K






AGNES ROUND LED

painted steel, plastic PMMA

- 8210 3000K 8206 3000K
- 8188 4000K 8185 4000K



AGNES SQUARE LED 8108



AGNES SQUARE LED

painted steel, plastic PMMA

- 8112 3000K 8108 3000K
- 8135 4000K 8138 4000K



AGNES SQUARE LED

painted steel, plastic PMMA

- 8113 3000K 8110 3000K
- 8134 4000K 8137 4000K



AGNES SQUARE LED

painted steel, plastic PMMA

- 8114 3000K 8111 3000K
- 8133 4000K 8136 4000K




Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Ingress protection	Lifetime
8207	22W LED	3000K	1300 lm	120°	≥ 80	~220-230 V, 50/60 Hz	⊕	IP44	20000h
8204	22W LED	3000K	1200 lm	120°	≥ 80	~220-230 V, 50/60 Hz	⊕	IP44	20000h
8186	22W LED	4000K	1500 lm	120°	≥ 80	~220-230 V, 50/60 Hz	⊕	IP44	20000h
8183	22W LED	4000K	1300 lm	120°	≥ 80	~220-230 V, 50/60 Hz	⊕	IP44	20000h
8208	32W LED	3000K	2200 lm	120°	≥ 80	~220-230 V, 50/60 Hz	⊕	IP44	20000h
8205	32W LED	3000K	2100 lm	120°	≥ 80	~220-230 V, 50/60 Hz	⊕	IP44	20000h
8187	32W LED	4000K	2400 lm	120°	≥ 80	~220-230 V, 50/60 Hz	⊕	IP44	20000h
8184	32W LED	4000K	2300 lm	120°	≥ 80	~220-230 V, 50/60 Hz	⊕	IP44	20000h
8210	64W LED	3000K	4800 lm	120°	≥ 80	~220-230 V, 50/60 Hz	⊕	IP44	20000h
8206	64W LED	3000K	4700 lm	120°	≥ 80	~220-230 V, 50/60 Hz	⊕	IP44	20000h
8188	64W LED	4000K	4900 lm	120°	≥ 80	~220-230 V, 50/60 Hz	⊕	IP44	20000h
8185	64W LED	4000K	4800 lm	120°	≥ 80	~220-230 V, 50/60 Hz	⊕	IP44	20000h

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Ingress protection	Lifetime
8112	16W LED	3000K	1100 lm	120°	≥ 80	~220-230 V, 50/60 Hz	⊕	IP44	20000h
8108	16W LED	3000K	900 lm	120°	≥ 80	~220-230 V, 50/60 Hz	⊕	IP44	20000h
8135	16W LED	4000K	1200 lm	120°	≥ 80	~220-230 V, 50/60 Hz	⊕	IP44	20000h
8138	16W LED	4000K	1000 lm	120°	≥ 80	~220-230 V, 50/60 Hz	⊕	IP44	20000h
8113	32W LED	3000K	2400 lm	120°	≥ 80	~220-230 V, 50/60 Hz	⊕	IP44	20000h
8110	32W LED	3000K	2200 lm	120°	≥ 80	~220-230 V, 50/60 Hz	⊕	IP44	20000h
8134	32W LED	4000K	2500 lm	120°	≥ 80	~220-230 V, 50/60 Hz	⊕	IP44	20000h
8137	32W LED	4000K	2300 lm	120°	≥ 80	~220-230 V, 50/60 Hz	⊕	IP44	20000h
8114	64W LED	3000K	4800 lm	120°	≥ 80	~220-230 V, 50/60 Hz	⊕	IP44	20000h
8111	64W LED	3000K	4700 lm	120°	≥ 80	~220-230 V, 50/60 Hz	⊕	IP44	20000h
8133	64W LED	4000K	4900 lm	120°	≥ 80	~220-230 V, 50/60 Hz	⊕	IP44	20000h
8136	64W LED	4000K	4800 lm	120°	≥ 80	~220-230 V, 50/60 Hz	⊕	IP44	20000h

WHITE BLACK

WHITE BLACK




Outdoor
lighting



PATIO 10105

PATIO 10105



PATIO

■ painted steel, plastic LLDPE

■ 10105

● 1xE27, max 25W only LED

IP44



STONE M
10580



STONE L
10581




STONE S
10579





STONE S 10579



STONE S

plastic PE


10579

1xE27, max 25W only LED

IP44



STONE M 10580



STONE M

plastic PE


10580

1xE27, max 25W only LED

IP44



STONE L 10581



STONE L

plastic PE

10581

1xE27, max 25W only LED

IP44



STONE S 10579

STONE L 10581

STONE M 10580




CUMULUS M 9715

CUMULUS M 6977

CUMULUS L 6978

CUMULUS S 6976





CUMULUS L 6978



CUMULUS S 9751



CUMULUS M 9715



CUMULUS S

plastic PE

6976

1xE27, max 25W only LED

IP44


CUMULUS M

plastic PE

6977

1xE27, max 25W only LED

IP44




CUMULUS XL

plastic PE

9714

1xE27, max 25W only LED

IP44




CUMULUS L

plastic PE

6978

1xE27, max 25W only LED

IP44




CUMULUS S

plastic PE, painted steel

9751

1xE27, max 25W only LED

IP65




CUMULUS M

plastic PE, painted steel

9715

1xE27, max 25W only LED

IP65



CUMULUS L

plastic PE


9607

1xE27, max 25W only LED


IP65




FLOWERPOT S 9711



FLOWERPOT M 9712




FLOWERPOT L 9713



FLOWERPOT S 9711



CUMULUS CUBE M 8966



CUMULUS CUBE M

plastic PE

8966

1xE27, max 25W only LED

IP44


STAR

plastic PE

9426

1xE27, max 25W only LED


IP44



STAR 9426



CUMULUS CUBE L 8965



CUMULUS CUBE L

plastic PE

8965

1xE27, max 25W only LED

IP44


GALAXY

plastic PE, painted steel

9246

1xE27, max 25W only LED

IP65




GALAXY 9246





MARGOT 10504



MARGOT

■ painted aluminum, glass


■ 10504

● 1xE14, max 10W only LED

IP54



MARGOT 10503



MARGOT

■ painted aluminum, glass


■ 10503

● 2xE14, max 10W only LED

IP54



MARGOT 10504




STRUCTURE LED

Painted aluminum, plastic PC

8146



STRUCTURE LED 8146



STRUCTURE LED

Painted aluminum, plastic PC

8145



STRUCTURE LED 8145

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
8145	13W LED	3000K	820 lm	120°	≥80	~220-230 V, 50/60 Hz	⊕	>0.9	IP54	20000h
8146	13W LED	3000K	820 lm	120°	≥80	~220-230 V, 50/60 Hz	⊕	>0.9	IP54	20000h

BLACK




STRUCTURE LED 8145



SYMMETRY LED 8176

SYMMETRY LED
 painted aluminum, plastic PC


■ 8176



SYMMETRY LED 8176

SYMMETRY LED
 painted aluminum, plastic PC

■ 8180




SYMMETRY LED 8180

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
8176	7W LED	3000K	210 lm	70°	>80	~220-230 V, 50/60 Hz	⊕	>0.9	IP54	30000h
8180	7W LED	3000K	380 lm	70°	>80	~220-230 V, 50/60 Hz	⊕	>0.9	IP54	30000h




PICNIC LED 8177



PICNIC LED
painted aluminum, plastic PC

8178 8177



HANGING SET FOR PICNIC LED

aluminum, steel

8107 8106

Lampa bezprzewodowa, przenośna, zewnętrzna

- Podstawa ładowująca w komplecie
- Akumulator litowy 2×2200 mAh
- Czas pełnego ładowania 5-8 h
- Czas pracy 12 h
- Włącznik dotykowy
- Ściemniacz

Wireless lamp, portable, outdoor

- Charging base (set incl.)
- 2×2200 mAh lithium battery
- Full charge time 5-8h
- Work time 12 h
- Touch switch
- Dimmable

Беспроводный светильник, переносной, уличный

- База для зарядки в комплекте
- Литиевая батарея 2×2200 mAh
- Время полной зарядки 5-8 ч
- Рабочее время 12 ч
- Сенсорный выключатель
- Диммер

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Ingress protection	Lifetime
8177	2,2W LED	3000K	155 lm	46°	≥84	~220-230 V, 50/60 Hz	☐	IP54	30000h
8178	2,2W LED	3000K	155 lm	46°	≥84	~220-230 V, 50/60 Hz	☐	IP54	30000h

WHITE GRAPHITE




PICNIC LED 8178



MAHE LED 8397



MAHE LED 8398



MAHE LED

painted aluminum, plastic PC

8397 8398



Lampa bezprzewodowa, przenośna, zewnętrzna

- Ładowarka MICRO USB (w zestawie)
- Czas pełnego ładowania 5-7 h
- Czas pracy 9 h
- Włącznik dotykowy
- Ściemniacz

Wireless lamp, portable, outdoor

- Power adapter MICRO USB (set incl.)
- Full charge time 5-7 h
- Work time 9 h
- Touch switch
- Dimmable

Беспроводный светильник, переносной, уличный


- Зарядное устройство MICRO USB (в наборе)
- Время полной зарядки 5-7 ч
- Рабочее время 9 ч
- Сенсорный выключатель
- Диммер

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Ingress protection	Lifetime
8397	2,2W LED	3000K	168 lm	46°	≥ 84	~220-230 V, 50/60 Hz	☐	IP54	25000h
8398	2,2W LED	3000K	168 lm	46°	≥ 84	~220-230 V, 50/60 Hz	☐	IP54	25000h

WHITE BLACK



OTTAWA 9562



OTTAWA

■ painted aluminum, glass


■ 9562

● 1xGU10, max 10W only LED

IP44



SOUL 9555



SOUL

■ painted aluminum, glass


■ 9555

● 1xGU10, max 10W only LED

IP44



OTTAWA 9561



OTTAWA

■ painted aluminum, glass


■ 9561

● 1xGU10, max 10W only LED

IP44



SOUL 9557



SOUL

■ painted aluminum, glass

■ 9557

● 1xGU10, max 10W only LED

IP44



OTTAWA 9563



OTTAWA

■ painted aluminum, glass

■ 9563

● 1xGU10, max 10W only LED

IP44




TUBINGS M 8161



TUBINGS 8158

TUBINGS S 8160



TUBINGS S


■ painted aluminum, glass

■ 8160

🔌 1xGU10, max 10W only LED

IP54

TUBINGS M 8161



TUBINGS M


■ painted aluminum, glass, plastic

■ 8161

🔌 1xGU10, max 10W only LED

IP54

TUBINGS 8158



TUBINGS

■ painted aluminum, glass


■ 8158

🔌 1xGU10, max 10W only LED

IP54



SPIKE LED S 9101




SPIKE LED S
painted aluminum, glass

■ 9101



SPIKE LED M 9100




SPIKE LED M
painted aluminum, glass, plastic

■ 9100



BUSH 3401



BUSH
painted aluminum, glass

■ 3401

● 1xGU10, max 10W only LED

IP65


Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
9100	5W LED	3000K	300 lm	30°	>80	~220-230 V, 50/60 Hz	⊕	>0.5	IP54	10000h
9101	5W LED	3000K	300 lm	30°	>80	~220-230 V, 50/60 Hz	⊕	>0.5	IP54	10000h



THIKA LED 9118

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
9118	9W LED	3000K	550 lm	40°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0.5	IP54	20000h
9120	15W LED	3000K	1200 lm	110°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0.9	IP54	20000h
9121	10W LED	3000K	1000 lm	110°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0.9	IP54	20000h

THIKA LED B 9120




THIKA LED B
painted aluminum, glass

■ 9120




THIKA LED A 9121



THIKA LED A
painted aluminum, glass

■ 9121



THIKA LED
painted aluminum, glass


■ 9118



THIKA LED 9118



RIO 4424



RIO

■ painted aluminum, plastic PC


■ 4424

● 2xE27, max 10W only LED

IP54



RIO SENSOR 7017




RIO

■ painted aluminum, plastic PC

■ 4423

● 1xE27, max 10W only LED

IP54



RIO SENSOR

■ painted aluminum, plastic PC

■ 7017

● 1xE27, max 10W only LED

IP54



RIO SENSOR 9097



RIO SENSOR

■ painted aluminum, plastic PC

■ 9097


● 1xE27, max 10W only LED

IP54



RIO SENSOR 9097

MEKONG 4418




MEKONG

■ painted aluminum, glass

■ 4418

☛ 1xE27, max 10W only LED

IP42



MISTRAL

■ painted aluminum, plastic PC

■ 4390


☛ 1xE27, max 10W only LED

IP44

MISTRAL 4390



MEKONG 4420




MEKONG

■ painted aluminum, glass

■ 4420

☛ 2xE27, max 10W only LED

IP42



MISTRAL

■ painted aluminum, plastic PC

■ 3393


☛ 1xE27, max 10W only LED

IP44

MISTRAL 3393



MEKONG 4698




MEKONG

■ painted aluminum, glass

■ 4698

☛ 1xE27, max 10W only LED

IP42



MISTRAL

■ painted aluminum, plastic PC

■ 3394

☛ 1xE27, max 10W only LED

IP44



MISTRAL 3394





POLE LED 9185

LHOTSE LED 4448



LHOTSE LED

Painted aluminum, plastic PC


4448




TEPIC LED

Painted aluminum

9508



TEPIC LED 9508



POLE LED

Painted aluminum, plastic PC


9185



MONTERREY LED

Painted aluminum

9507



MONTERREY LED 9507




Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
9508	9W LED	3000K	395 lm	30°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0.8	IP54	10000h
9507	9W LED	3000K	410 lm	40°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0.8	IP54	10000h
4448	9W LED	3000K	169 lm	70°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0.8	IP54	10000h
9185	15W LED	3000K	1000 lm	70°	>80	~220-230 V, 50/60 Hz	⊕	>0.9	IP54	30000h

GRAPHITE

BLACK



NORIN 4446



NORIN

■ painted aluminum, glass

■ 4446

● 1xE27, max 10W only LED

IP44


OIR

■ painted aluminum, plastic PC

■ 9158

● 1xE27, max 10W only LED


IP44



OIR 9158



HORN 4906



HORN

■ painted aluminum, glass

■ 4906

● 1xE27, max 10W only LED

IP44


SIROCCO

■ aluminum, glass

■ 3396

● 1xE27, max 10W only LED

IP44




SIROCCO 3396






PATHWAY LED M 9252



PATHWAY FOUNDATION KIT

steel


8795



PATHWAY LED S

painting steel, painting aluminum


9420



PATHWAY LED M

painting steel, painting aluminum

9252



PATHWAY LED L

painting steel, painting aluminum


9125



PATHWAY LED S 9420

PATHWAY LED M 9252

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protect	Lifetime
9420	24W LED	3000K	2200 lm	100°	≥ 70	~220-230 V, 50/60 Hz	⊕	>0.9	IP65	30000h
9252	24W LED	3000K	2200 lm	100°	≥ 70	~220-230 V, 50/60 Hz	⊕	>0.9	IP65	30000h
9125	36W LED	3000K	3600 lm	100°	≥ 70	~220-230 V, 50/60 Hz	⊕	>0.9	IP65	30000h




PATHWAY LED PRO 10283

PATHWAY LED PRO

■ painted steel, painted aluminum, plastic

■ 10283 3000K ■ 10633 4000K



PATHWAY FOUNDATION KIT


■ steel

■ 8795

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
10641	60W LED	3000K	5700 lm	100°	>80	~220-230 V, 50/60 Hz	⊕	>0.9	IP65	30000h
10642	60W LED	4000K	5900 lm	100°	>80	~220-230 V, 50/60 Hz	⊕	>0.9	IP65	30000h
10283	60W LED	3000K	5700 lm	100°	>80	~220-230 V, 50/60 Hz	⊕	>0.9	IP65	30000h
10633	60W LED	4000K	5900 lm	100°	>80	~220-230 V, 50/60 Hz	⊕	>0.9	IP65	30000h



PATHWAY LED PRO HEAD 10641



PATHWAY LED PRO HEAD


■ painted steel, plastic PP

■ 10641 3000K ■ 10642 4000K





ROCK PRO 10687



ROCK PRO

■ painted aluminum, plastic PC


■ 10687

● 1xE27, max 25W only LED

IP44



ROCK PRO 10686



ROCK PRO

■ painted aluminum, plastic PC


■ 10686

● 1xE27, max 25W only LED

IP44



ROCK PRO 10688



ROCK PRO

■ painted aluminum, plastic PC

■ 10688

● 2xE27, max 25W only LED


IP44



ROCK PRO 10687



SIERRA 4421



SIERRA

■ painted aluminum, plastic PC


■ 4421

🔌 1xE27, max 25W only LED

IP54



SIERRA 4422



SIERRA


■ painted aluminum, plastic PC

■ 4422

🔌 2xE27, max 25W only LED

IP54

FOG 3403



FOG


■ painted aluminum, glass

■ 3403

🔌 1xE27, max 25W only LED

IP44

FOG 3402



FOG


■ painted aluminum, glass

■ 3402

🔌 1xE27, max 25W only LED

IP44

FOG 3404



FOG

■ painted aluminum, glass


■ 3404

🔌 2xE27, max 25W only LED

IP44



NEGRO 4425



NEGRO

■ painted aluminum, glass


■ 4425

● 1xGU10, max 10W only LED

IP54



EXE 8331



EXE

■ painted aluminum, glass


■ 8331

● 1xGU10, max 10W only LED

IP54



NEGRO 4426



NEGRO

■ painted aluminum, glass


■ 4426

● 2xGU10, max 10W only LED

IP54



EXE 8330



EXE


■ painted aluminum, glass

■ 8330

● 2xGU10, max 10W only LED

IP54

QUARTZ 3411



QUARTZ

■ painted aluminum, plastic PC


■ 3411

■ 1xE27, max 10W only LED

IP21



BRICK 3408



BRICK

■ painted aluminum, glass


■ 3408

■ 1xE27, max 25W only LED

IP65



ORINOKO 4387



ORINOKO


■ painted aluminum, plastic PC

■ 4387

■ 1xE27, max 10W only LED

IP44

INDUS 4440



INDUS

■ painted aluminum, glass


■ 4440

■ 2xE27, max 10W only LED

IP44



UNIT LED 9122



UNIT LED


■ painted aluminum

■ 9122

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
9122	2x5W LED	3000K	727 lm	110°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0.9	IP54	20000h



ASSOS 9123



ASSOS

■ painted aluminum, glass

■ 9123

● 1xGU10, max 10W only LED

IP54



ARRIS 9516



ARRIS 9515




NICO 9518



NICO 9517



ASSOS 9124




ASSOS

■ painted aluminum, glass

■ 9124

● 2xGU10, max 10W only LED

IP54




ARRIS

■ painted aluminum, glass

■ 9516

● 1xGU10, max 10W only LED

IP54




ARRIS

■ painted aluminum, glass

■ 9515

● 2xGU10, max 10W

IP54




NICO

■ painted aluminum, glass

■ 9518

● 1xGU10, max 10W only LED

IP54



NICO

■ painted aluminum, glass

■ 9517

● 2xGU10, max 10W only LED

IP54




PRIMM

■ painted aluminum, glass

■ 9551

🔌 1xGU10, max 10W only LED

IP54



PRIMM 9551


FALLON

■ painted aluminum, glass

■ 9552

🔌 1xGU10, max 10W only LED

IP54




FALLON 9552

SEMI LED


■ painted aluminum, glass

■ 6775




SEMI LED 6775

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
6775	7W LED	3000K	242 lm	120°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0.5	IP54	8000h



TRIANGLES LED 8141




TRIANGLES LED

Painted aluminum, glass

8143 8142 8141



SINUS 8144



SINUS

Painted aluminum, glass


8144

1xGU10, max 10W only LED

IP54



PATRAS LED 9115




PATRAS LED

Painted aluminum, glass

9115



ELLIPSES LED 8181




ELLIPSES LED

Painted aluminum, glass

8140 8182 8181



MUNO LED 6776



MUNO LED

Painted aluminum, glass

6776



Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
8140	2x5W LED	3000K	800 lm	180°	≥80	~220-230 V, 50/60 Hz	⊕	>0,5	IP54	10000h
8141	2x5W LED	3000K	750 lm	180°	≥80	~220-230 V, 50/60 Hz	⊕	>0,5	IP54	10000h
8142	2x5W LED	3000K	700 lm	180°	≥80	~220-230 V, 50/60 Hz	⊕	>0,5	IP54	10000h
8143	2x5W LED	3000K	800 lm	180°	≥80	~220-230 V, 50/60 Hz	⊕	>0,5	IP54	10000h
8181	2x5W LED	3000K	750 lm	180°	≥80	~220-230 V, 50/60 Hz	⊕	>0,5	IP54	10000h
8182	2x5W LED	3000K	700 lm	180°	≥80	~220-230 V, 50/60 Hz	⊕	>0,5	IP54	10000h

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
9115	4x1W LED	3000K	320 lm	38°	≥80	~220-230 V, 50/60 Hz	⊕	>0,5	IP54	10000h
6776	6W LED	3000K	240 lm	120°	≥80	~220-230 V, 50/60 Hz	⊕	>0,5	IP54	8000h

WHITE BLACK-GOLD BLACK


BLACK GRAPHITE



PUEBLA LED 9513




MERIDA LED 9514



PUEBLA LED
painted aluminum, plastic PC

9513




MERIDA LED
painted aluminum, plastic PC

9514



LIMA LED
painted aluminum

9510




LIMA LED 9510

KHUMBU
painted aluminum, glass

4443

1xG9, max 10W only LED
IP44



KHUMBU 4443

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
9513	12W LED	3000K	540 lm	110°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0.9	IP54	20000h
9514	12W LED	3000K	540 lm	110°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0.9	IP54	20000h

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
9510	6W LED	3000K	400 lm	100°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0.5	IP54	10000h

GRAPHITE

Can be used in the bathroom

WHITE GRAPHITE


EDESA LED M 9107



LENS LED 9113



LENS LED 9112




LENS LED

Painted aluminum, glass

9112 9113



HEXA 9565



HEXA

Painted aluminum, glass


9564 9565

1xGU10, max 10W only LED

IP44



EDESA LED M 9108




EDESA LED M

Painted aluminum, glass

9108 9107



EDESA LED S 9110



EDESA LED S

Painted aluminum, glass

9111 9110



Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
9112	2x2W LED	3000K	40 lm	10°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0.5	IP54	10000h
9113	2x2W LED	3000K	59 lm	10°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0.5	IP54	10000h
9107	7W LED	3000K	530 lm	19°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0.5	IP54	10000h
9108	7W LED	3000K	530 lm	19°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0.5	IP54	10000h
9110	3W LED	3000K	250 lm	30°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0.5	IP54	10000h
9111	3W LED	3000K	250 lm	30°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0.5	IP54	10000h


WHITE BLACK

Can be used in the bathroom

GRAPHITE WHITE BLACK



ANA 10499



ANA

■ painted aluminum, plastic PC


■ 10499

🔌 1xE27, max 10W only LED

IP44



ANA 10500




ANA

■ painted aluminum, plastic PC

■ 10500

🔌 1xE27, max 10W only LED

IP44




ANA

■ painted aluminum, plastic PC

■ 10501

🔌 1xE27, max 10W only LED

IP44



ANA

■ painted aluminum, plastic PC


■ 10502

🔌 1xE27, max 10W only LED

IP44



AMELIA 10495



AMELIA

■ painted aluminum, plastic PC

■ 10495

🔌 1xE27, max 10W only LED

IP44



AMELIA 10496




AMELIA

■ painted aluminum, plastic PC

■ 10496

🔌 1xE27, max 10W only LED

IP44




AMELIA

■ painted aluminum, plastic PC

■ 10497

🔌 1xE27, max 10W only LED

IP44



AMELIA

■ painted aluminum, plastic PC

■ 10498

🔌 1xE27, max 10W only LED

IP44




AMUR 4692



AMUR 4693




TYBR 4684




TYBR
painted aluminum, glass

- 4686
- 1xE27, max 25W only LED
- IP44




TYBR
painted aluminum, glass

- 4684
- 1xE27, max 25W only LED
- IP44




AMUR
painted aluminum, glass

- 4692
- 1xE27, max 25W only LED
- IP23



AMUR
painted aluminum, glass

- 4693
- 1xE27, max 25W only LED
- IP23




AMUR
painted aluminum, glass

- 4694
- 1xE27, max 25W only LED
- IP44



TYBR 4685



TYBR
painted aluminum, glass


- 4685
- 1xE27, max 25W only LED
- IP44



TAY 5294



TAY 5292




TAY

■ painted aluminum, glass

■ 5292

🔌 1xE27, max 25W only LED

IP23




LANTERN

■ painted aluminum, glass

■ 6911

🔌 1xE27, max 25W only LED

IP23




TAY

■ painted aluminum, glass

■ 5293

🔌 1xE27, max 25W only LED

IP23




TAY

■ painted aluminum, glass

■ 5294

🔌 1xE27, max 25W only LED

IP23



DON

■ painted aluminum, glass

■ 4687

🔌 1xE27, max 25W only LED

IP44



■ BLACK

■ BLACK WITH A COPPER PATINA



NOOK 7972



NOOK 7970





NOOK 7978



NOOK 7976



NOOK 7965



NOOK
plastic ABS, plastic PC


- 7972 □ 7970 □ 7965
- 7976 ■ 7978
- ☑ 1xE27, max 10W only LED
- IP44

NOOK SENSOR
plastic ABS, plastic PC

- 7964 ■ 7975
- 7977
- ☑ 1xE27, max 10W only LED
- IP44



TAHOE 7611



TAHOE
plastic PC, plastic ABS

- 10034 □ 10036
- ☑ 1xE27, max 15W only LED
- IP44




TAHOE 3242

TAHOE II
plastic PC, plastic ABS

- 10035 □ 10037
- 10044 ■ 10038
- ☑ 2xE27, max 15W only LED
- IP44



TAHOE 8831



TAHOE SENSOR
plastic PC, plastic ABS

- 10040
- ☑ 2xE27, max 15W only LED
- IP44




BAY LED 8165



BAY LED 8164




BAY LED 8165



BAY LED
painted aluminum, plastic PC

■ 8164



BAY LED
painted aluminum, plastic PC


■ 8165

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
8164	3W LED	3000K	200 lm	70°	≥80	~220-230 V, 50/60 Hz	⊕	>0.5	IP65	10000h
8165	5W LED	3000K	360 lm	70°	≥80	~220-230 V, 50/60 Hz	⊕	>0.5	IP65	10000h

■ BLACK



SIDEWALK SQUARE LED
8148




SIDEWALK SQUARE LED
painted aluminum, plastic PC

■ 8148



SIDEWALK ROUND LED
8147



SIDEWALK ROUND LED
painted aluminum, plastic PC

■ 8147




Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
8147	3W LED	3000K	100 lm	120°	≥80	~220-230 V, 50/60 Hz	⊕	>0.5	IP54	20000h
8148	3W LED	3000K	100 lm	120°	≥80	~220-230 V, 50/60 Hz	⊕	>0.5	IP54	20000h

■ BLACK



BASALT 3412




BASALT

■ painted aluminum, plastic


■ 3412 ■ 4966

⚡ 1xE14, max 10W only LED

IP44



ASSAM 4453



ASSAM

■ painted aluminum, glass, plastic


■ 4453

⚡ 1xE27, max 10W only LED

IP65



INA 4907



INA



■ painted aluminum, glass, plastic

■ 4907

⚡ 1xE27, max 10W only LED

IP65

STEP LED 6907




STEP LED

■ painted aluminum, plastic

■ 6907 □ 6908



OIA LED 9102



OIA LED

■ painted aluminum, plastic

■ 9102 □ 9103




⚡ cut out ø 40 mm



Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
9102 9103	2W LED	3000K	50 lm	50°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0.5	IP20	10000h
6907	3W LED	3000K	120 lm	92°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0.5	IP44	10000h
6908	3W LED	3000K	190 lm	92°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0.5	IP44	10000h



PICCO LED S 9106



PICCO LED S

aluminum


9106



cut out ø 38 mm



PAOLI 9554



PAOLI

steel, glass

9554




1xGU10, max 10W only LED

cut out ø 100 mm



MON LED 4454



MON LED

aluminum, glass


4454



cut out ø 64 mm



PICCO LED M 9105



PICCO LED M

aluminum



9105



cut out ø 55 mm



PAT LED 8162



PAT LED

aluminum, plastic PC


8162



cut out ø 56 mm



CIRCLET LED 8163



CIRCLET LED

aluminum, plastic PC


8163



cut out ø 57 mm



PICCO LED L 9104



PICCO LED L

aluminum

9104



cut out ø 65 mm



Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
9106	2W LED	3000K	60 lm	25°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0.5	IP67	10000h
9105	2W LED	3000K	80 lm	25°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0.5	IP67	10000h
9104	3W LED	3000K	200 lm	25°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0.5	IP67	10000h

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Safety type	Power factor	Ingress protection	Lifetime
4454	2W LED	3000K	100 lm	30°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0.5	IP67	10000h
8162	3W LED	3000K	12 lm	25°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0.5	IP65	10000h
8163	3W LED	3000K	120 lm	50°	≥ 80	~220-230 V, 50/60 Hz	⊕	>0.5	IP65	10000h



FASTOON LIGHTS 9 M 7872

FASTOON LIGHTS 6 M 7873



POWER CORD FOR FESTOON LIGHTS
rubber cable

- 7871
- IP65

FESTOON LIGHTS 6M
rubber cable

- 7873
- 10xE27, max 15W
- IP65

FESTOON LIGHTS 9M
rubber cable


- 7872
- 15xE27, max 15W
- IP65




5 PC SET

BULB LED E27, A60 2W, 5 PC SET

- glass
- 7487



Light sources
and accessories




BULB LED G9, 7W

ceramic housing, plastic PC

9197 3000K 10933 4000K

BULB LED G9, 7W 9197




BULB LED G9, 4W

plastic PC

7503 3000K 7504 4000K

BULB LED G9, 4W 7504




BULB LENS LED, G9, 3W

ceramic housing, plastic PC

9173 3000K 8447 4000K

BULB LENS LED, G9, 3W 9173




REFLECTOR LED, GU10, R35, 4W 10230

REFLECTOR LED, GU10, R35, 4W

plastic

10230 3000K 10231 4000K



REFLECTOR LED, GU10, R50, 7W 8347

REFLECTOR LED, GU10, R50, 7W

plastic


9180 3000K 9178 4000K
8348 3000K 8347 4000K

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Power factor	Lifetime
9197	7W LED	3000K	750 lm	360°	≥ 80	~220-230 V, 50/60 Hz	>0.5	25000h
10933	7W LED	4000K	900 lm	360°	≥ 80	~220-230 V, 50/60 Hz	>0.5	25000h
7503	4W LED	3000K	380 lm	360°	≥ 80	~220-230 V, 50/60 Hz	>0.5	25000h
7504	4W LED	4000K	390 lm	360°	≥ 80	~220-230 V, 50/60 Hz	>0.5	25000h
9173	3W LED	3000K	330 lm	90°	≥ 80	~220-230 V, 50/60 Hz	>0.5	25000h
8447	3W LED	4000K	310 lm	90°	>80	~220-230 V, 50/60 Hz	>0.5	25000h

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Power factor	Lifetime
9180	7W LED	3000K	600 lm	50°	≥ 80	~220-230 V, 50/60 Hz	>0.7	25000h
9178	7W LED	4000K	600 lm	50°	≥ 80	~220-230 V, 50/60 Hz	>0.7	25000h
8348	7W LED	3000K	600 lm	50°	≥ 80	~220-230 V, 50/60 Hz	>0.7	25000h
8347	7W LED	4000K	600 lm	50°	≥ 80	~220-230 V, 50/60 Hz	>0.7	25000h
10230	4W LED	3000K	370 lm	70°	>80	~220-230 V, 50/60 Hz	>0.5	20000h
10231	4W LED	4000K	400 lm	70°	>80	~220-230 V, 50/60 Hz	>0.5	20000h

WHITE

WHITE BLACK




**BULB GLASS BALL LED,
E27, 8W**

glass

9177

**BULB GLASS BALL LED, E27, 8W
9177**




**REFLECTOR LENS LED, GU10, ES111, 9W
9345**

**REFLECTOR LENS LED,
GU10, ES111, 9W**

plastic

9343 3000K 9213 4000K

9345 3000K 9214 4000K




BULB LED GX53, 8W

plastic PC

8377 3000K 8378 4000K

BULB LED, GX53, 8W 8378



**REFLECTOR DIFFUSER LED, GU10, ES111, 9W
9211**

**REFLECTOR DIFFUSER LED,
GU10, ES111, 9W**

plastic

9342 3000K 9211 4000K

9344 3000K 9212 4000K

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Power factor	Lifetime
8377	8W LED	3000K	680 lm	100°	>80	~220-230 V, 50/60 Hz	>0.5	25000h
8378	8W LED	4000K	700 lm	100°	>80	~220-230 V, 50/60 Hz	>0.5	25000h
9177	8W LED	3000K	840 lm	360°	≥ 80	~220-230 V, 50/60 Hz	>0.5	25000h

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Power factor	Lifetime
9343	9W LED	3000K	770 lm	30°	≥ 80	~220-230 V, 50/60 Hz	>0.5	25000h
9213	9W LED	4000K	870 lm	30°	≥ 80	~220-230 V, 50/60 Hz	>0.5	25000h
9345	9W LED	3000K	870 lm	30°	≥ 80	~220-230 V, 50/60 Hz	>0.5	25000h
9214	9W LED	4000K	930 lm	30°	≥ 80	~220-230 V, 50/60 Hz	>0.5	25000h
9342	9W LED	3000K	790 lm	120°	≥ 80	~220-230 V, 50/60 Hz	>0.5	25000h
9211	9W LED	4000K	900 lm	120°	≥ 80	~220-230 V, 50/60 Hz	>0.5	25000h
9344	9W LED	3000K	790 lm	120°	≥ 80	~220-230 V, 50/60 Hz	>0.5	25000h
9212	9W LED	4000K	900 lm	120°	≥ 80	~220-230 V, 50/60 Hz	>0.5	25000h


WHITE

WHITE BLACK



BULB VINTAGE LED E14, 6W
glass

10592



BULB VINTAGE LED E27, 6W
glass

10596



BULB VINTAGE LED E27, 6W
glass

10594



BULB LED E14, C35, 6W
glass

10589




BULB LED E27, A60, 7W
glass

10587



BULB VINTAGE LED E27, 6W
glass

10593



BULB VINTAGE LED E27, 6W
glass

10595



BULB LED E27, A60, 10W
glass

10588




5 PC SET

BULB LED E27, A60 2W, 5 PC SET
glass

7487

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Power factor	Lifetime
10592	6W LED	2200K	470 lm	360°	≥ 80	~220-230 V, 50/60 Hz	>0.5	15000h
10596	6W LED	2200K	580 lm	360°	≥ 80	~220-230 V, 50/60 Hz	>0.5	15000h
10594	6W LED	2200K	560 lm	360°	≥ 80	~220-230 V, 50/60 Hz	>0.5	15000h
10593	6W LED	2200K	550 lm	360°	≥ 80	~220-230 V, 50/60 Hz	>0.5	15000h
10595	6W LED	2200K	450 lm	360°	≥ 80	~220-230 V, 50/60 Hz	>0.5	15000h

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Power factor	Lifetime
10589	6W LED	3000K	650 lm	360°	≥ 80	~220-230 V, 50/60 Hz	>0.5	15000h
10587	7W LED	3000K	800 lm	360°	≥ 80	~220-230 V, 50/60 Hz	>0.5	15000h
10588	10W LED	3000K	1100 lm	360°	≥ 80	~220-230 V, 50/60 Hz	>0.5	15000h
7487	2W LED	2200K	160 lm	360°	≥ 80	~220-230 V, 50/60 Hz	>0.5	15000h



TUBE LED T8, 11W

glass

7500



TUBE LED T8, 16W

glass

7501




TUBE LED T8, 22W

glass

7502

Item No.	Power	Colour temp.	Leds	Luminous flux	Beam angle	Colour Rendering Index (CRI 2)	Input	Power factor	Lifetime
7500	11W LED	3000K	SMD2835	1700 lm	120°	≥80	~220-230 V, 50/60 Hz	>0.5	30000h
7501	16W LED	3000K	SMD2835	2300 lm	120°	≥80	~220-230 V, 50/60 Hz	>0.5	30000h
7502	22W LED	3000K	SMD2835	3200 lm	120°	≥80	~220-230 V, 50/60 Hz	>0.5	30000h




WATERPROOF CONNECTOR IP68

plastic PA

8845

IP68




WATERPROOF „Y” CONNECTOR IP68

plastic PA

8846

IP68



MICROWAVE SENSOR

plastic

8821



DUPLEX

plastic PC

9341

2xE27, max 40W

Informacje ogólne / General information / Главная Информация

Rzeczywiste parametry produktów mogą się różnić od wartości deklarowanych w katalogu o +/- 10%.

Zdjęcia prezentowanego asortymentu w niniejszym katalogu mają charakter poglądowy.

Rzeczywisty kolor produktów może nieznacznie odbiegać od prezentowanego na zdjęciach, ze względu na technologię druku.

The actual product parameters may differ from the values declared in the catalogue by +/- 10%.

Photos in this catalogue are for illustrative purposes only.

The actual color of the products may slightly differ from that shown in the photos, due to the printing technology.

Фактические параметры товаров могут отличаться от заявленных в каталоге значений на +/- 10%.

Фотографии представленного ассортимента в этом каталоге в качестве иллюстрации.

Фактический цвет продуктов может незначительно отличаться от представленного на фотографиях из-за технологии печати.

Informacje techniczne / Technical information / Техническая информация

Temperatura barwowa (K) - w potocznym rozumieniu, to „kolor” światła białego emitowanego przez źródło, np. źródło LED.

W uproszczeniu możemy podzielić je na światło o:

- barwie ciepłej
- barwie neutralnej
- barwie zimnej

Colour temperature (K) in common understanding is the colour of white light emitted by a source, for example such as an LED source.

In simple terms, we can divide them into:

- Warm white
- White
- Cool white

Цветовая температура (K) в общепринятом понимании - это «цвет» белого света, излучаемого источником, например светодиодом.

Проще говоря, мы можем разделить их на:

- Теплый белый
- Белый
- Холодный белый

2700-3300K

Barwa ciepła
Warm white
Теплый белый

3400-5300K

Barwa neutralna
White
Белый

5400-7000K

Barwa zimna
Cool white
Холодный белый

Strumień świetlny (lm/lumen) - w potocznym rozumieniu, to całkowita moc światła emitowanego z danego źródła światła.

Lumen (lm) - jednostka miary strumienia świetlnego w układzie SI

1 lm = 1 cd·sr

Luminous flux (lm / lumen) - the total power of light emitted from a light source.

Lumen (symbol: lm) - the unit of luminous flux in SI system.

1 lm = 1 cd·sr

Световой поток (лм / люмен) - общая мощность света, излучаемого данным источником света.

Люмен (лм) - единица светового потока в системе SI.

1 lm = 1 cd·sr

Natężenie oświetlenia (lx/luks) - w potocznym rozumieniu, to gęstość strumienia świetlnego padającego na daną powierzchnię.

Luks (lx) - jednostka natężenia oświetlenia w układzie SI.

1 lx = 1 cd·sr / m²

Illuminance (lx / lux) - in common understanding, it is the density of the luminous flux incident on a given surface.

Lux (lx) - a unit of illuminance in the SI system.

1 lx = 1 cd sr / m²

Освещенность (лк / люкс) - плотность светового потока на заданную площадь.

Единица освещенности в системе SI.

1 lx = 1 cd·sr / m²

CRI (od ang. colour rendering index), Ra - wskaźnik oddawania barw charakteryzujący źródło światła, który określa, jak dobrze postrzegane są barwy oświetlonych przedmiotów.

Im wskaźnik ten jest wyższy, tym barwy są lepiej oddawane, a oświetlane przedmioty wyglądają naturalniej.

Wyrażony jest liczbą z przedziału od 0 do 100, gdzie 100 to światło słoneczne.

Minimum wg przepisów w UE dla opraw wewnętrznych to 80.

CRI- is an index of a light source's ability to reveal colours. It determines how well illuminated colours are perceived.

The higher index, the better colour rendering and the illuminated objects look more natural.

It is expressed with a number from 0 to 100, where 100 is a sunlight.

The minimum according to EU regulations for indoor luminaires is 80.

CRI (colour rendering index) Индекс цветопередачи, характеризующий источник света, который определяет, насколько хорошо воспринимаются цвета освещенных объектов. Чем выше этот индекс, тем лучше передаются цвета и освещенные объекты выглядят естественнее.

Он выражается числом от 0 до 100, где 100 - солнечный свет.

Минимальное требование ЕС для светильников для внутреннего освещения - 80.

Stopień ochrony IP / Degree of protection IP / Степень защиты IP

Stopień ochrony jest wyrażony dwoma cyframi. Pierwsza oznacza ochronę przed ciałami stałymi. Druga to ochrona przed cieczami.













Degree of protection is expressed by two figures. The first one stands for protection against solid particles. The second one stands for protection against liquids.


Степень защиты выражается двумя цифрами. Первая цифра относится к защите от твердых веществ, вторая, к защите от жидкостей.


1 cyfra / 1st figure / 1-ая цифра	
IP0...	Brak ochrony / Not protected / Нет защиты
IP1...	Ochrona przed ciałami stałymi większymi niż 50 mm / Protected against solid objects greater than 50 mm / Защита от попадания твердых веществ > 50 мм
IP2...	Ochrona przed ciałami stałymi większymi niż 12 mm / Protected against solid objects greater than 12 mm / Защита от попадания твердых веществ > 12 мм
IP3...	Ochrona przed ciałami stałymi większymi niż 2,5 mm / Protected against solid objects greater than 2,5 mm / Защита от попадания твердых веществ > 2,5 мм
IP4...	Ochrona przed ciałami stałymi większymi niż 1 mm / Protected against solid objects greater than 1 mm / Защита от попадания твердых веществ > 1 мм
IP5...	Ochrona przed pyłem / Protected against dust infiltration / Защита от попадания пыли
IP6...	Ochrona ryłuszczelna / Totally protected against dust infiltration / Полная защита от попадания пыли


2 cyfra / 2nd figure / 2-ая цифра	
IP...0	Brak ochrony / Not protected / Нет защиты
IP...1	Ochrona przed padającymi kroplami wody / Protected against vertically falling water drops / Защита от попадания капель воды в вертикальном падении
IP...2	Ochrona przed padającymi kroplami wody przy wychyleniu do 15° / Protected against falling water drops up to 15° from the vertical / Защита от попадания капель воды под углом не более 15°
IP...3	Ochrona przed natryskiwaną wodą / Protected against rain / Защита от дождя
IP...4	Ochrona przed bryzgami wody / Protected against splashing water / Защита от брызг воды
IP...5	Ochrona przed strugami wody / Protected against water jets / Защита от струи воды
IP...6	Ochrona przed falami / Protected against powered water jets / Защита от сильной струи воды
IP...7	Ochrona przed zanurzeniem / Protected against temporary immersion / Защита от временного погружения
IP...8	Ochrona przed głębokim zanurzeniem / Protected against continuous immersion / Защита от продолжительного погружения


IKONY / ICONS / ИЗОБРАЖЕНИЯ


 Lampa wisząca / Pendant lamp / Подвесные светильники	 Kinkiet / Wall lamp / Настенные светильники	 Kinkiet podtynkowy / Recessed wall lamp / Встраиваемые настенные светильники
 Lampa sufitowa / Ceiling lamp / Потолочные светильники	 Oświetlenie punktowe / Spotlight / Точечные светильники	 Źródło światła / Light source / Источник света
 Lampa biurkowa / Table lamp / Настольные лампы	 Podtynkowa lampa sufitowa / Recessed ceiling lamp / Встраиваемые потолочные светильники	 Tuba ledowa / Led tube / Светодиодная лампа
 Lampa podłogowa / Floor lamp / Торшеры	 Lampa najazdowa / Overrun lamp / Встраиваемые дорожные светильники	 Wyciąć / Cut out / Вырезать


 Oprawy oznaczone tym symbolem nie wolno okrywać materiałem termoizolacyjnym. Fittings marked with this symbol must not be covered with thermal insulation materials. Светильники, обозначенные этим символом, нельзя покрывать термоизоляционным материалом.


 Klasa ochronna druga oznacza, że oprawa posiada podwójną izolację ochronną, a przewód ochronny (żyła żółto-zielona) nie może być podłączony do oprawy oświetleniowej. Protection class II means that the fittings are equipped with a double protective insulation, and the green and yellow protective conductor must not be connected to the fitting. Второй защитный класс обозначает светильник с двойной защитной изоляцией, а защитный желто-зеленый провод не должен подключаться к светильнику.


 Klasa ochronna pierwsza oznacza, że oprawa musi być podłączona za pomocą przewodu ochronnego (żyła żółto-zielona) do przewodu lub zacisku uziemiającego. Protection class I means that the fitting must be connected with the yellow and green protective conductor to the grounding wire or terminal. Первый защитный класс обозначает, что светильник должен быть подключен с помощью защитного желто-зеленого провода к заземленному проводу или зажиму.


 Klasa ochronna III oznacza, bezpieczeństwo elektryczne gwarantowane przez bardzo niskie zasilanie (poniżej 50 V). Bez uziemienia. Protection class III means, that electrical safety is guaranteed by a very low power supply (less than 50 Volt). No grounding. Класс III электрическая безопасность гарантирована подачей электроэнергии низкого напряжения (меньше чем 50 вольт).


 Oprawy oznaczone tym symbolem wolno instalować wyłącznie na podłożach niepalnych. Fittings marked with this symbol are suitable for installation only on nonflammable surfaces. Светильники, обозначенные этим символом, можно устанавливать только на негорючих поверхностях.


 Zgodność produktów z ukraińskimi normami. Ukrainian standards compliant. Соответствие продукции украинским стандартам.


 Zgodność z normami Unii Europejskiej. EU standards compliant. Соответствие стандартам Европейского Союза.

 Zgodność produktów z normami Euroazjatyckiej Unii Gospodarczej. EAEU standards compliant. Соответствие продукции стандартам Евразийского экономического союза.

 Do użytku zewnętrznego. Interior use only. Для внешнего использования.

 Do wewnętrznego użytku. Exterior use only. Для внутреннего использования.

 Do stosowania wewnątrz i na zewnątrz. Interior and exterior use. Для внутреннего и внешнего использования.

 Zużyte oprawy oświetleniowe są surowcami wtórnymi - nie wolno wyrzucać ich do pojemników na odpady domowe, mogą zawierać substancje niebezpieczne dla zdrowia i życia ludzkiego oraz środowiska. Zgodnie z dyrektywą WEEE 2012/19/UE użytkownik zobowiązany jest do oddania opraw do punktu zbierania zużytego sprzętu, co przyczyni się do ochrony środowiska naturalnego. Used lighting fixtures are recyclable materials - they must not be disposed of in household waste containers as they may contain substances hazardous to human health or life as well as to the natural environment. In accordance with Regulation WEEE 2012/19 /EU, luminaire user is obliged to return a used lighting fixture to a waste appliance collection point, which will contribute to the protection of the natural environment. Исползованные осветительные приборы являются вторсырьем, их нельзя выбрасывать в контейнеры с хозяйственными отходами, потому что они могут содержать в себе вещества, опасные для здоровья и жизни человека, и вредные для окружающей среды. Согласно директиве WEEE 2012/19/UE, потребитель обязан сдать осветительные приборы в пункт сбора использованного оборудования, что положительно влияет на окружающую среду.

Material	Materiał	Материал
Acrylic crystals	Kryształki akrylowe	Акриловые кристаллы
Aluminum	Aluminium	Алюминий
Braided cable	Przewód w oplocie	Плетеный кабель
Brass plated steel	Stal mosiądzowana	Сталь с латунным покрытием
Brushed stainless steel	Stal nierdzewna szczotkowana	Матовая нержавеющая сталь
Ceramic housing	Ceramiczna oprawka	Керамический патрон
Chrome	Chrom	Хром
Chrome plated steel	Stal chromowana	Хромистая сталь
Composite	Kompozyt	Композитный материал
Concrete	Beton architektoniczny	Архитектурный бетон
Copper plated steel	Stal miedziana	Сталь плакированная медью
Crystal	Kryształ	Кристаллы
Fabric	Tkanina	Ткань
Flexible stem	Peszel	Пешель
Glass	Szkoło	Стекло
Gypsum	Gips	Гипс
Metallized glass	Szkoło metalizowane	Металлизированное стекло
Painted aluminum	Aluminium lakierowane	Окрашенный алюминий
Painted steel	Stal lakierowana	Лакированная сталь
Plastic	Tworzywo sztuczne	Пластик
Plastic ABS	Tworzywo sztuczne ABS	АБС-пластик
Plastic PA	Tworzywo sztuczne PA	РА-пластик
Plastic PC	Tworzywo sztuczne PC	РС-пластик
Plastic PP	Tworzywo sztuczne PP	РР-пластик
Plastic PS	Tworzywo sztuczne PS	РС-пластик
Plastic PC/ABS	Tworzywo sztuczne PC/ABS	РС-АБС-пластик
Plastic PE	Tworzywo sztuczne PE	ПЭ-пластик
Plastic PMMA	Tworzywo sztuczne PMMA	РММА-пластик
Plywood	Sklejka	Фанера
Rubber cable	Przewód gumowy	Резиновый кабель
Silicone	Silikon	Силикон
Solid brass	Lity mosiądz	Твердой латуни
Steel	Stal	Сталь
Velvet	Aksamit	Бархат
Wood	Drewno	Древесина

KODY KOLORÓW / COLOUR CODES / ЦВЕТОВЫЕ КОДЫ

			
P001 / RAL 9003	P003 / RAL 9003	P004 / RAL 9003	P005
			
P006 / RAL 9006	P009 / RAL 7039	P010 / RAL 7016	P011 / RAL 9005
			
P012 / RAL 9005	P013 / RAL 9005	P014 / RAL 9005	P015
			
P016	P017	P018	P019
			
P020	P021	P022	P023



P024



P025



P026 / RAL 7044



P027 / RAL 7022



T001



T002



T003



T004




T005




T006




T007




T008



T009




T011



T012



T013



T014




T015




T019



T020



T021



T022



T023



T024



T025




T026




T027




T028



T029



T030



T031

A	BUSH.....	543
ABI.....	242	
ACRE.....	499	
ACROSS.....	169	
AGAVE.....	478	
AGNES.....	508	
ALICE.....	128	
ALLAN.....	247	
ALOE.....	476	
ALPHA.....	493	
AMALFI.....	97	
AMELIA.....	579	
AMUR.....	580	
ANA.....	578	
ARALIA.....	478	
ARENA.....	292	
ARES.....	251	
ARM LED.....	37	
ARRIS.....	567	
ASSAM.....	588	
ASSOS.....	566	
AVEIRO.....	249	
AWINION.....	164	
AXIS.....	185	
B		
BAHIA.....	499	
BALI.....	482	
BAR LED.....	41	
BASALT.....	588	
BASSA LED.....	507	
BATON.....	79	
BAY LED.....	586	
BERGEN.....	275	
BIO.....	168	
BIT.....	372	
BOL.....	493	
BOLD.....	201	
BOSTON.....	106	
BOX ES111.....	385	
BRAVO.....	492	
BRAZOS.....	488	
BRICK.....	565	
BULB LED E27, A60, 10W.....	601	
BULB LED E27, A60, 7W.....	601	
BULB GLASS BALL LED, E27, 8W.....	598	
BULB LED E14, C35, 6W.....	601	
BULB LED E27, A60 2W, 5 PC SET.....	601	
BULB LED G9, 4W.....	596	
BULB LED G9, 7W.....	596	
BULB LED GX53, 8W.....	598	
BULB LENS LED, G9, 3W.....	596	
BULB VINTAGE LED E14, 6W.....	600	
BULB VINTAGE LED E27, 6W.....	600	
BULLET.....	245	
C		
CADILAC.....	144	
CAGE.....	247	
CAMELEON ADAPTER CTLS.....	439	
CAMELEON ADAPTER PROFILE.....	465	
CAMERON.....	120	
CAMILLA.....	246	
CANDY.....	228	
CANOE.....	234	
CAYO.....	490	
CEARA.....	492	
CEZANNE LED.....	503	
CHARLIE.....	496	
CHIC LED.....	305	
CHILLIN.....	140	
CIRCLLET LED.....	591	
CIRCOLO LED.....	20	
CL DIA LED.....	382	
CL H LED PRO.....	269	
CL HALL LED PRO.....	272	
CL IOS LED.....	360	
CL ITAKA LED.....	298	
CL ITAKA POWER SUPPLY KIT.....	298	
CL ITAKA SUSPENSION KIT.....	298	
CL KEA LED.....	383	
CL KOS LED.....	380	
CL OFFICE LED PRO.....	270	
CL OFFICE PRO/HALL PRO POWER SUPPLY KIT.....	270	
CL OFFICE PRO/HALL PRO SUSPENSION KIT.....	270	
CL Q LED PRO.....	268	
COBA ANTIQUE.....	165	
COBBLE.....	358	
COSMO.....	300	
CRAFT.....	217	
CRANE.....	92	
CRATE.....	202	
CRES.....	374	
CRISTAL.....	108	
CROCO.....	117	
CROSS.....	342	
CTLS DEAD END CAP.....	443	
CTLS MILO LED.....	428	
CTLS MONO.....	438	
CTLS NEA LED.....	430	
CTLS POWER END CAP, LEFT (PE-L).....	442	
CTLS POWER END CAP, RIGHT (PE-R).....	442	
CTLS POWER FLEX CONNECTOR.....	443	
CTLS POWER L CONNECTOR, LEFT (L-L).....	442	
CTLS POWER L CONNECTOR, RIGHT (L-R).....	442	
CTLS POWER STRAIGHT CONNECTOR.....	442	
CTLS POWER SUPPLY KIT.....	441	
CTLS POWER T CONNECTOR, LEFT 1 (T-L1).....	443	
CTLS POWER T CONNECTOR, LEFT 2 (T-L2).....	443	
CTLS POWER T CONNECTOR, RIGHT 1 (T-R1).....	443	

CTLS POWER T CONNECTOR, RIGHT 2 (T-R2).....	443
CTLS POWER X CONNECTOR.....	443
CTLS RECESSED DEAD END CAP.....	447
CTLS RECESSED FIXING SET.....	447
CTLS RECESSED POWER END CAP, LEFT (PE-L).....	446
CTLS RECESSED POWER END CAP, RIGHT (PE-R).....	446
CTLS RECESSED POWER FLEX CONNECTOR.....	447
CTLS RECESSED POWER L CONNECTOR, LEFT (L-L).....	446
CTLS RECESSED POWER L CONNECTOR, RIGHT (L-R).....	446
CTLS RECESSED POWER STRAIGHT CONNECTOR.....	446
CTLS RECESSED POWER T CONNECTOR, LEFT 1 (T-L1).....	447
CTLS RECESSED POWER T CONNECTOR, LEFT 2 (T-L2).....	447
CTLS RECESSED POWER T CONNECTOR, RIGHT 1 (T-R1).....	447
CTLS RECESSED POWER T CONNECTOR, RIGHT 2 (T-R2).....	447
CTLS RECESSED POWER X CONNECTOR.....	447
CTLS RECESSED TRACK.....	444
CTLS STRAIGHT CONNECTOR MINI.....	443
CTLS SUSPENSION KIT.....	441
CTLS TINOS LED.....	434
CTLS TRACK.....	440
CUBE.....	297
CUMULUS CUBE.....	524
CUMULUS.....	520
CUP.....	377
CUP 3 PC SET.....	377
CYLINDER.....	90

D

DELTA.....	496
DISK.....	160
DON.....	583
DOT.....	387
DOVER.....	172
DOWNLIGHT ES111.....	385
DUPLEX.....	603

E

ECHO.....	497
EDESA LED.....	577
EGG.....	235
EGINA LED.....	379
ELLIPSES LED.....	570
EOL LED.....	498
EXE.....	563
EYE.....	62
EYE FIT.....	340
EYE FLEX.....	68
EYE MOD.....	386
EYE SPOT.....	338
EYE SUPER.....	70
EYE TONE.....	369
EYE WALL.....	67
EYE WALL CUT.....	67

F

FALCON.....	124
FALLON.....	569
FESTOON LIGHTS.....	593
FLEA.....	366
FLEX.....	135
FLEX SHADE.....	139
FLOWERPOT.....	522
FOCUS MINI LED.....	356
FOG.....	561
FORM.....	119
FOURTY.....	58
FOURTY WALL.....	60
FOXTROT.....	495

G

GALAXY.....	525
GAP.....	358
GARRET.....	221
GEOMETRIC.....	196
GIOTTO LED.....	255
GIPSY.....	198
GLOBE PLUS.....	100
GOLF.....	497
GROOVE.....	358
GSTAR.....	244

H

HAGA.....	275
HALO.....	365
HAMPTON.....	107
HANGING SET FOR PICNIC LED.....	532
HARMONY.....	218
HAWK.....	125
HEFT.....	158
HELIOS LED.....	498
HEMISPHERE HIT.....	225
HEMISPHERE RUST.....	222
HEMISPHERE SUPER.....	229
HERMANOS.....	208
HEXA.....	577
HIGH-BAY.....	219
HORN.....	552
HOTEL.....	132
HOTEL LED.....	133
HOTEL PLUS.....	134
HVAR.....	375

I

ICE BALL.....	476
ICE EGG.....	486
ICE TUBE LED.....	480
IKA.....	168

IMBRIA	78
IMPULSE LED	258
INA	588
INDIA	367
INDUS	564
ION LED	263
IRIS LED	340

J

JULIET	499
--------------	-----

K

KAGERA LED	505
KAREN	246
KARO	80
KASAI	295
KHUMBU	573
KIER	82
KYMI	166

L

LAGUNA	115
LANTERN	583
LASER	44
LASER WALL	52
LATH LED	504
LAVA	197
LENS LED	576
LHOTSE LED	550
LIA LED	297
LID ROUND LED	289
LID SQUARE LED	290
LIMA LED	573
LUKSOR	240
LVM 48V, 150W, INSIDE POWER SUPPLY	420, 424
LVM CORNER CONDUCTIVE MODULE	421, 424
LVM FOCUS LED	398
LVM FOCUS OUT LED	400
LVM HORIZONTAL CORNER	421
LVM INSIDE CORNER	421
LVM LID LED	416
LVM LINE LED	404
LVM OUTSIDE POWER SUPPLY CONDUCTIVE MODULE	421, 424
LVM POWER SUPPLY KIT	419
LVM RECESSED HORIZONTAL CORNER	425
LVM RECESSED INSIDE CORNER	425
LVM RECESSED TRACK	422
LVM ROLLER LED	410
LVM SLOT LED	415
LVM SPOT LED	406
LVM STRAIGHT CONDUCTIVE MODULE	421, 424
LVM SUSPENSION KIT	419
LVM TRACK	418
LVM TRACK BUCKLE CONNECTOR	421, 425

M

MAHE LED	535
MALAKKA LED	507
MALMO	275
MANUFACTURE	190
MARGARET	250
MARGOT	526
MAUN	493
MEKONG	548
MERIDA LED	572
MICROWAVE SENSOR	603
MIDI LED	348
MIDI LED RECESSED	352
MIKE	367
MILL	189
MINI LED RECESSED	355
MINIMAL	161
MIST	118
MISTRAL	549
MLJET	374
MOD	384
MOD PLUS	384
MON LED	591
MONACO	92
MONO	312-318, 321-323
MONO CORNER	319
MONO DEEP	332
MONO LONG	320
MONO SLIDE	335
MONO SLIDE TRIMLESS	335
MONO SURFACE	326
MONO SURFACE LONG	328
MONTERREY LED	551
MORE EYE	76
MORE TONE	77
MOSS	138
MOTIVE LED	34
MUNO LED	571
MURTER	374
MYKONOS LED	378

N

NATALIE	479
NEGRO	562
NESS	247
NEWPORT	104
NICO	567
NOOK	584
NORIN	552
NUNTUCET	103

O

OIA LED	589
OIR	553

ORBIT	175
ORGANIC	282
ORINOKO	565
OSLO	162
OTTAWA	536
OVAL	359

P

PAG	358
PALMAS LED	483
PAN LED	485
PANTOGRAPH	216
PAOLI	591
PARANA	492
PAT LED	591
PATHWAY FOUNDATION KIT	554
PATHWAY LED	555
PATHWAY LED PRO	556
PATHWAY LED PRO HEAD	557
PATIO	513
PATRAS LED	571
PEAR	88
PERM	213
PETIT	142
PICASSO LED	504
PICCO LED	590
PICNIC LED	532
PICO	243
PIK	83
PILE	188
PILLS	178
PIN LED	500
PLANE	306
PLANT	205
POINT	373
POINT PLEXI	372
POINT TONE	366
POLARIS	98
POLE LED	550
POWER CORD FOR FESTOON LIGHTS	593
PRIMM	569
PROFILE BIT	463
PROFILE BIT PLUS	463
PROFILE DEAD END CAP	469
PROFILE EYE	463
PROFILE EYE FLEX	462
PROFILE EYE SPOT	464
PROFILE EYE SUPER	462
PROFILE FLEX CONNECTOR	469
PROFILE FOCUS LED	458
PROFILE INDIA	458
PROFILE IRIS LED	454
PROFILE L CONNECTOR	469
PROFILE MIKE	458
PROFILE MONO	464
PROFILE POWER END CAP	468

PROFILE POWER STRAIGHT CONNECTOR	468
PROFILE POWER SUPPLY KIT	467
PROFILE PUCK	464
PROFILE RECESSED DEAD END CAP	473
PROFILE RECESSED FIXING SET	473
PROFILE RECESSED FLEX CONNECTOR	473
PROFILE RECESSED L CONNECTOR	473
PROFILE RECESSED POWER END CAP	472
PROFILE RECESSED POWER STRAIGHT CONNECTOR	472
PROFILE RECESSED STRAIGHT CONNECTOR	473
PROFILE RECESSED T CONNECTOR	473
PROFILE RECESSED TRACK	470
PROFILE RECESSED X CONNECTOR	473
PROFILE STORE PRO LED	456
PROFILE STRAIGHT CONNECTOR	469
PROFILE SUSPENSION KIT	467
PROFILE T CONNECTOR	469
PROFILE TINOS LED	450
PROFILE TRACK	466
PROFILE VESPA	465
PROFILE X CONNECTOR	469
PROFILE ZOOM LED	459
PUEBLA LED	572

Q

QUAD	294
QUARTZ	564

R

RADIUS	180
REFLECTOR DIFFUSER LED, GU10, ES111	599
REFLECTOR LED, GU10, R35, 4W	597
REFLECTOR LED, GU10, R50, 7W	597
REFLECTOR LENS LED, GU10, ES111	599
REMBRANT LED	254
RING LED	276
RING MIRROR LED	281
RING WOOD LED	278
RIO	546
ROCK PRO	558
ROD	186
ROTOR	182

S

SABER LED	36
SALVA	101
SATELLITE	286
SEMI LED	569
SET	368
SHY	196, 201
SIDEWALK ROUND LED	587
SIDEWALK SQUARE LED	587
SIERRA	560
SILBA	374

INDEKS LAMP / PROGRESSIVE CODE INDEX / ИНДЕКС СВЕТИЛЬНИКОВ

SILICONE	193
SIMI	489
SINUS	571
SIROCCO	553
SIS	491
SLING	75
SMART LED	304
SOFT CEILING LED	264
SOFT LED	267
SOFT WALL LED	265
SOLID	200
SOLTA	375
SOUL	537
SPHERE	86
SPIDER	194
SPIKE LED	542
SPIN LED	33
STALACTITE	54
STAR	525
STEP LED	589
STICKS	184
STONE	516
STRAIGHT CEILING LED	260
STRAIGHT WALL LED	262
STRUCTURE LED	528
STYLE LED	302
SUN LED	153
SUNRISE LED	152
SUNSET	150
SUNSET NATURAL	151
SYMMETRY LED	531

T

TAHOE	585
TAY	582
TECHNO	214
TEPIC LED	551
THIKA LED	545
TORCH	482
TRIANGLES LED	570
TRIFLE	146
TUBE	297
TUBE LED T8	602
TUBINGS	541
TURDA	112
TWIG	195
TYBR	581

U

UMBRELLA	248
UNIT LED	565
UNO	376

V

VAN GOGH LED	256
VERTIC LED	31
VESPA	343
VETRO	94
VIPER	126
VIOLET	123
VIS	375
VISTA	484
VIVIANE	122
VOLCANO L	197

W

WATERPROOF „Y” CONNECTOR IP68	603
WATERPROOF CONNECTOR IP68	603
WAVE	241
WHEEL	156
WHEEL LUX	157
WING LED	296
WORKS	224
WORKSHOP	192

Z

ZELDA	147
ZENITH	210

INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА
202	251	4424	546	5266	297	6136	338
203	251	4425	562	5272	297	6267	184
204	251	4426	562	5292	582	6268	184
205	251	4440	564	5293	582	6270	184
206	251	4443	573	5294	582	6330	250
2206	198	4446	552	5383	131	6333	168
2207	198	4448	550	5386	130	6335	192
2208	198	4453	588	5397	62	6336	192
2410	199	4454	591	5398	62	6337	192
2411	199	4607	246	5411	249	6345	262
3382	300	4610	246	5424	101	6350	262
3393	549	4611	246	5428	101	6367	222
3394	549	4684	581	5455	62	6368	222
3396	553	4685	581	5456	62	6390	122
3401	561	4686	581	5463	66	6391	122
3402	561	4687	583	5471	66	6403	193
3403	561	4692	580	5654	69	6404	193
3404	561	4693	580	5655	69	6442	221
3408	565	4694	580	5663	129	6443	221
3411	564	4698	548	5723	131	6444	221
3412	588	4730	133	6000	373	6481	63
3457	129	4731	133	6001	373	6487	71
3458	129	4906	552	6006	373	6488	71
3464	129	4907	588	6010	147	6490	71
3466	129	4917	300	6014	338	6491	72
4171	168	4961	128	6015	338	6492	73
4174	168	4962	128	6016	338	6493	70
4387	565	4963	128	6017	339	6501	71
4390	549	4966	588	6018	338	6502	71
4418	548	5067	219	6020	338	6503	71
4420	548	5126	249	6021	338	6504	72
4421	560	5126	249	6022	339	6505	73
4422	560	5255	66	6134	338	6506	70
4423	546	5256	66	6135	338	6510	224

INDEKS LAMP / PROGRESSIVE CODE INDEX / ИНДЕКС СВЕТИЛЬНИКОВ

INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА
6512	126	6840	62	7526	264	7581	464
6513	126	6841	62	7527	264	7582	464
6525	372	6842	69	7528	265	7583	464
6526	372	6844	247	7530	264	7584	464
6528	372	6845	101	7531	264	7585	464
6530	372	6852	197	7532	267	7594	262
6532	122	6855	197	7533	264	7595	262
6541	125	6868	218	7534	265	7596	262
6605	192	6902	307	7535	267	7597	260
6607	339	6904	306	7536	264	7598	260
6610	339	6907	589	7537	267	7600	260
6611	339	6908	589	7538	264	7601	262
6612	224	6911	583	7540	264	7602	373
6613	224	6913	297	7541	265	7603	373
6640	126	6927	169	7542	264	7605	100
6641	126	6941	247	7543	296	7606	100
6767	247	6948	488	7544	264	7607	100
6768	247	6950	488	7445	267	7608	76
6772	122	6951	488	7546	264	7610	76
6773	122	6976	520	7547	267	7614	109
6774	122	6977	520	7548	265	7615	109
6775	569	6978	520	7550	296	7616	108
6776	571	7017	546	7551	260	7617	108
6785	194	7487	593	7552	260	7618	458
6788	194	7487	601	7553	260	7620	458
6792	194	7500	602	7556	260	7621	458
6800	133	7501	602	7557	260	7622	458
6812	131	7502	602	7558	260	7623	459
6816	131	7503	596	7560	262	7624	459
6817	130	7504	596	7561	262	7625	459
6818	130	7520	163	7562	262	7626	459
6836	66	7522	163	7566	262	7627	108
6837	66	7524	264	7567	262	7628	108
6838	66	7525	267	7568	262	7630	109

INDEKS LAMP / PROGRESSIVE CODE INDEX / ИНДЕКС СВЕТИЛЬНИКОВ

INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА
7631	109	7672	320	7710	323	7747	327
7632	108	7673	320	7711	323	7748	327
7633	108	7674	320	7712	322	7750	318
7634	276	7675	320	7713	323	7751	319
7635	276	7676	328	7714	323	7752	318
7636	276	7677	328	7715	322	7753	319
7637	276	7678	329	7716	323	7754	318
7638	276	7680	328	7717	323	7755	319
7640	276	7681	328	7718	322	7756	318
7641	94	7682	329	7720	318	7757	319
7642	94	7683	326	7721	319	7758	146
7644	160	7684	326	7722	318	7761	146
7645	160	7685	327	7723	319	7762	180
7646	157	7686	327	7724	320	7763	314
7647	153	7687	327	7725	320	7764	321
7651	153	7688	326	7726	320	7765	321
7652	152	7690	326	7727	320	7766	314
7653	150	7691	327	7728	320	7767	315
7654	150	7692	327	7730	320	7768	315
7655	150	7693	327	7731	320	7770	318
7656	458	7694	318	7732	320	7771	314
7657	458	7695	319	7733	320	7772	321
7658	367	7696	318	7734	328	7773	321
7660	367	7697	319	7735	328	7774	314
7661	458	7698	318	7736	329	7775	315
7662	458	7700	319	7737	328	7776	315
7663	499	7701	318	7738	328	7777	318
7664	499	7702	319	7740	329	7778	314
7665	370	7703	323	7741	328	7780	321
7666	370	7704	323	7742	328	7781	321
7667	50	7705	322	7743	329	7782	314
7668	50	7706	323	7744	326	7783	315
7670	320	7707	323	7745	326	7784	315
7671	320	7708	322	7746	327	7785	318

INDEKS LAMP / PROGRESSIVE CODE INDEX / ИНДЕКС СВЕТИЛЬНИКОВ

INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА
7786	321	7828	326	7871	593	7977	584
7787	321	7830	327	7882	593	7978	584
7788	87	7831	327	7873	593	7988	144
7790	358	7832	327	7926	234	7990	144
7791	358	7833	326	7927	234	7991	145
7792	358	7834	326	7931	180	7992	145
7793	358	7835	327	7932	180	7993	67
7794	89	7836	327	7933	182	7994	67
7795	244	7837	327	7935	183	7995	67
7796	244	7838	314	7936	182	7996	210
7797	88	7840	321	7937	183	7997	210
7798	88	7841	314	7938	176	7998	210
7800	88	7842	315	7941	175	8001	210
7801	177	7843	315	7942	175	8002	210
7802	176	7844	318	7943	176	8003	210
7803	176	7846	86	7945	175	8005	210
7804	177	7847	86	7946	175	8006	210
7805	176	7848	86	7948	124	8007	210
7806	176	7850	86	7950	124	8010	286
7807	314	7851	79	7951	124	8011	286
7808	321	7852	79	7952	295	8012	286
7810	314	7855	79	7954	78	8013	286
7811	315	7856	79	7955	78	8014	286
7812	315	7857	464	7956	78	8015	286
7813	318	7858	367	7957	78	8016	286
7814	77	7860	367	7958	123	8017	286
7816	77	7862	63	7960	123	8018	286
7817	77	7863	63	7961	123	8020	286
7821	77	7864	90	7964	584	8021	287
7822	76	7865	90	7965	584	8022	287
7824	76	7866	90	7970	584	8023	287
7825	76	7867	90	7972	584	8024	287
7826	76	7868	90	7975	584	8030	209
7827	326	7870	90	7976	584	8031	209

INDEKS LAMP / PROGRESSIVE CODE INDEX / ИНДЕКС СВЕТИЛЬНИКОВ

INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА
8032	209	8111	509	8148	587	8186	508
8033	209	8112	509	8150	103	8187	508
8037	208	8113	509	8151	103	8188	508
8038	208	8114	509	8152	106	8190	144
8040	208	8115	259	8153	106	8191	145
8047	53	8116	258	8154	107	8192	208
8048	53	8117	258	8155	107	8194	208
8050	484	8118	481	8156	104	8195	365
8051	484	8120	481	8157	104	8196	365
8052	489	8121	480	8158	541	8197	141
8053	482	8122	480	8160	541	8200	141
8054	491	8123	482	8161	541	8201	141
8055	490	8124	486	8162	591	8202	366
8056	489	8125	486	8163	591	8202	366
8057	489	8126	476	8164	586	8203	366
8072	67	8127	500	8165	586	8204	508
8073	67	8128	501	8166	254	8205	508
8074	67	8130	501	8167	254	8206	508
8084	443	8131	504	8168	255	8207	508
8085	443	8132	486	8170	255	8208	508
8086	370	8133	509	8171	263	8210	508
8087	370	8134	509	8172	263	8213	140
8088	370	8135	509	8173	485	8214	140
8091	370	8136	509	8174	485	8215	140
8092	370	8137	509	8175	504	8216	140
8093	370	8138	509	8176	531	8220	366
8100	208	8140	570	8177	532	8221	366
8102	208	8141	570	8178	532	8222	366
8103	208	8142	570	8180	531	8223	366
8105	208	8143	570	8181	570	8224	366
8106	532	8144	571	8152	570	8225	366
8107	532	8145	528	8183	508	8227	422
8108	509	8146	528	8184	508	8228	422
8110	509	8147	587	8185	508	8230	446

INDEKS LAMP / PROGRESSIVE CODE INDEX / ИНДЕКС СВЕТИЛЬНИКОВ

INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА
8231	446	8282	439	8352	55	8430	157
8232	442	8283	441	8353	55	8431	45
8233	442	8284	441	8355	54	8432	45
8234	446	8285	244	8357	305	8433	45
8235	446	8288	270	8358	304	8434	45
8236	443	8290	270	8360	465	8435	45
8237	443	8291	270	8361	465	8436	45
8238	447	8302	282	8362	493	8447	596
8240	447	8303	282	8363	493	8456	298
8241	443	8304	282	8364	492	8460	298
8242	443	8305	282	8365	492	8671	88
8243	443	8306	447	8366	496	8672	88
8244	443	8308	53	8367	496	8673	88
8245	447	8314	298	8368	496	8676	447
8246	447	8321	456	8370	496	8677	447
8247	447	8322	456	8371	497	8678	447
8248	447	8323	456	8372	497	8680	447
8250	270	8325	456	8373	495	8681	447
8251	268	8326	456	8374	495	8682	447
8252	268	8327	456	8375	497	8683	446
8253	268	8330	563	8376	497	8684	446
8254	268	8331	563	8377	598	8685	446
8262	179	8333	143	8378	598	8686	446
8263	179	8334	143	8380	97	8687	447
8264	178	8335	143	8381	97	8688	447
8265	178	8337	143	8382	469	8690	446
8266	178	8340	143	8383	469	8691	446
8267	179	8343	143	8384	473	8692	444
8268	179	8344	143	8385	473	8693	444
8270	178	8345	142	8397	535	8694	444
8271	178	8346	142	8398	535	8695	444
8272	178	8347	597	8404	302	8696	441
8280	298	8348	597	8427	157	8697	441
8281	439	8351	55	8428	157	8698	443

INDEKS LAMP / PROGRESSIVE CODE INDEX / ИНДЕКС СВЕТИЛЬНИКОВ

INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА
8700	443	8737	360	8776	380	8842	343
8701	443	8738	360	8777	380	8843	125
8702	443	8740	360	8778	380	8845	603
8703	443	8741	360	8780	380	8846	603
8704	443	8742	360	8781	380	8847	240
8705	442	8743	360	8782	380	8850	240
8706	442	8744	360	8794	93	8851	240
8707	442	8745	432	8795	554	8853	240
8708	442	8746	432	8795	556	8854	244
8710	443	8747	432	8796	45	8857	241
8711	443	8748	432	8797	45	8858	241
8712	442	8750	431	8798	45	8861	241
8713	442	8751	431	8800	62	8862	243
8714	440	8752	431	8802	113	8863	243
8715	440	8753	431	8805	473	8864	242
8716	440	8754	430	8816	338	8866	242
8717	440	8756	430	8817	338	8870	242
8718	382	8757	430	8818	338	8873	248
8720	382	8758	429	8819	339	8874	248
8721	382	8760	429	8820	339	8895	368
8722	382	8761	429	8821	603	8896	368
8723	362	8762	429	8823	463	8896	368
8724	362	8763	428	8824	465	8897	368
8725	362	8764	428	8825	465	8898	368
8726	362	8765	428	8826	387	8900	368
8727	361	8766	428	8827	295	8901	368
8728	361	8767	383	8828	295	8902	368
8730	361	8768	383	8834	473	8903	368
8731	361	8770	383	8835	473	8911	66
8732	361	8771	383	8836	473	8912	66
8733	361	8772	383	8837	473	8913	66
8734	361	8773	383	8838	343	8914	62
8735	361	8774	380	8840	343	8915	65
8736	360	8775	380	8841	343	8916	65

INDEKS LAMP / PROGRESSIVE CODE INDEX / ИНДЕКС СВЕТИЛЬНИКОВ

INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА
8917	65	8960	114	9013	470	9084	128
8918	48	8962	115	9014	470	9090	131
8920	48	8965	524	9015	470	9091	128
8921	48	8966	524	9018	463	9097	546
8922	48	8967	473	9020	463	9100	542
8923	48	8968	473	9021	236	9101	542
8924	48	8970	473	9022	236	9102	589
8925	369	8971	473	9023	236	9103	589
8926	369	8972	472	9024	236	9104	590
8928	369	8973	472	9025	236	9105	590
8930	369	8974	473	9026	236	9106	590
8931	369	8975	473	9028	156	9107	577
8932	369	8980	132	9032	156	9108	577
8934	68	8981	132	9033	156	9110	577
8935	68	8982	132	9042	165	9111	577
8936	386	8988	498	9043	165	9112	576
8937	386	8990	498	9044	165	9113	576
8938	386	8991	498	9045	202	9115	571
8940	386	8992	498	9046	202	9118	545
8942	118	8993	340	9047	202	9120	545
8943	118	8994	340	9054	54	9121	545
8944	118	8995	454	9055	55	9122	565
8945	112	8996	454	9056	98	9123	566
8946	114	8997	454	9057	98	9124	566
8947	114	8998	454	9058	98	9125	555
8948	117	9000	454	9060	98	9126	216
8950	113	9001	454	9061	245	9127	188
8952	112	9002	454	9067	69	9131	95
8953	114	9003	454	9068	69	9132	95
8954	115	9004	455	9070	69	9135	189
8955	113	9005	455	9071	134	9136	189
8956	117	9006	455	9072	134	9138	195
8957	115	9007	455	9073	134	9140	195
8958	112	9012	470	9074	134	9141	195

INDEKS LAMP / PROGRESSIVE CODE INDEX / ИНДЕКС СВЕТИЛЬНИКОВ

INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА
9142	215	9247	221	9363	92	9453	469
9143	215	9245	462	9364	93	9454	469
9144	214	9246	525	9374	92	9455	469
9145	214	9252	555	9375	161	9456	469
9146	213	9260	173	9377	161	9457	469
9147	213	9261	173	9378	387	9458	469
9150	217	9263	172	9381	205	9460	467
9151	217	9264	172	9382	205	9461	467
9152	97	9266	173	9383	359	9462	468
9153	97	9297	185	9384	358	9463	468
9154	97	9298	132	9385	358	9470	385
9155	97	9300	132	9386	358	9472	385
9158	553	9301	132	9387	358	9481	372
9173	596	9302	133	9388	201	9482	372
9177	598	9303	132	9390	201	9485	372
9178	597	9304	133	9391	196	9486	372
9180	597	9308	93	9392	201	9490	295
9185	550	9316	359	9393	201	9491	295
9186	469	9317	297	9396	340	9495	385
9187	469	9320	297	9400	340	9497	385
9188	469	9321	464	9403	384	9500	507
9190	469	9322	464	9404	384	9501	507
9192	78	9324	462	9407	384	9502	505
9197	596	9325	462	9408	384	9503	505
9211	599	9332	462	9412	384	9505	490
9212	599	9337	463	9413	384	9506	491
9213	599	9338	463	9416	384	9507	551
9214	599	9341	603	9417	384	9508	551
9218	133	9342	599	9420	555	9510	573
9237	467	9343	599	9426	525	9513	572
9238	467	9344	599	9448	466	9514	572
9240	359	9345	599	9450	466	9515	567
9241	359	9353	482	9451	466	9516	567
9244	462	9362	92	9452	466	9517	567

INDEKS LAMP / PROGRESSIVE CODE INDEX / ИНДЕКС СВЕТИЛЬНИКОВ

INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА
9518	567	9685	120	9766	135	10067	356
9551	569	9687	121	9768	135	10068	356
9552	569	9695	196	9847	168	10070	356
9554	591	9696	196	9890	218	10071	356
9555	537	9700	162	10034	585	10105	513
9557	537	9704	275	10035	585	10142	407
9561	536	9705	275	10036	585	10143	405
9562	536	9706	275	10037	585	10144	399
9563	536	9707	275	10038	585	10145	401
9564	577	9708	275	10040	585	10146	410
9565	577	9710	275	10042	355	10147	406
9570	385	9711	522	10043	355	10148	404
9571	385	9712	522	10044	585	10150	398
9574	385	9713	522	10045	355	10151	400
9575	385	9714	520	10046	355	10152	416
9592	343	9715	521	10047	351	10153	416
9593	343	9716	164	10048	348	10154	415
9594	343	9717	164	10050	348	10155	415
9595	343	9718	164	10051	351	10156	422
9596	342	9721	200	10052	348	10157	422
9597	342	9733	186	10053	348	10158	425
9598	342	9734	186	10054	351	10160	425
9600	342	9736	138	10055	348	10161	420
9605	120	9737	138	10056	348	10162	418
9606	120	9738	191	10057	351	10163	418
9607	521	9740	190	10058	348	10164	421
9672	119	9741	190	10060	348	10165	421
9673	119	9742	190	10061	352	10166	421
9675	78	9743	194	10062	352	10167	421
9677	78	9744	194	10063	352	10168	421
9680	78	9745	194	10064	352	10170	419
9682	121	9751	521	10065	352	10171	421
9683	121	9758	139	10065	352	10175	292
9684	120	9764	139	10066	352	10176	292

INDEKS LAMP / PROGRESSIVE CODE INDEX / ИНДЕКС СВЕТИЛЬНИКОВ

INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА
10177	292	10281	278	10316	277	10375	453
10178	292	10282	278	10317	277	10376	450
10180	292	10283	556	10318	235	10377	451
10181	292	10284	256	10320	235	10378	452
10182	292	10285	256	10321	235	10380	453
10183	292	10286	256	10322	234	10381	450
10184	292	10287	256	10323	235	10382	451
10185	292	10288	256	10324	235	10383	452
10186	292	10289	256	10325	235	10384	453
10206	272	10290	256	10326	234	10385	450
10207	272	10291	256	10334	228	10386	451
10208	270	10292	256	10335	228	10387	452
10210	270	10293	228	10347	277	10388	453
10211	270	10294	228	10348	277	10390	434
10212	270	10295	228	10350	277	10391	435
10213	271	10296	299	10351	277	10392	436
10214	271	10297	299	10352	277	10393	434
10215	271	10298	229	10353	277	10394	435
10216	271	10299	83	10354	75	10395	436
10225	468	10300	83	10355	75	10396	434
10226	468	10301	83	10356	158	10397	435
10227	472	10302	82	10358	464	10398	436
10228	472	10303	80	10362	31	10399	434
10230	597	10304	80	10363	41	10400	435
10231	597	10305	80	10364	41	10401	436
10235	438	10306	82	10365	41	10402	289
10236	438	10307	82	10366	37	10403	289
10237	438	10308	82	10367	37	10404	289
10238	438	10310	82	10368	33	10405	289
10239	438	10311	34	10370	33	10406	289
10276	281	10312	36	10371	33	10407	289
10277	281	10313	34	10372	450	10408	289
10278	281	10314	36	10373	451	10410	289
10280	278	10315	277	10374	452	10411	289

INDEKS LAMP / PROGRESSIVE CODE INDEX / ИНДЕКС СВЕТИЛЬНИКОВ


INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА
10412	289	10457	275	10495	579	10556	379
10413	289	7992	135	10496	579	10557	379
10414	289	10458	332	10497	579	10558	379
10415	289	10460	332	10498	579	10562	53
10416	289	10461	332	10499	578	10563	53
10417	289	10462	333	10500	578	10564	53
10418	289	10463	333	10501	578	10570	166
10420	290	10464	332	10502	578	10571	166
10421	290	10465	332	10503	526	10572	166
10422	290	10466	332	10504	526	10573	166
10423	290	10467	333	10523	269	10574	166
10424	290	10468	333	10524	269	10575	166
10425	290	10470	294	10525	476	10576	151
10426	290	10471	294	10526	478	10577	151
10427	290	10472	294	10527	478	10578	151
10428	290	10473	294	10535	378	10579	516
10430	290	10476	374	10536	378	10580	516
10431	290	10477	374	10537	378	10581	516
10432	290	10478	374	10538	378	10587	601
10433	290	10480	374	10540	378	10588	601
10434	290	10481	493	10541	378	10589	601
10435	290	10482	493	10542	378	10592	600
10436	290	10483	493	10543	378	10593	600
10444	44	10484	493	10544	378	10594	600
10445	44	10485	375	10545	378	10595	600
10446	44	10486	375	10546	379	10596	600
10447	44	10487	375	10547	379	10597	419
10448	44	10488	375	10548	379	10616	229
10450	44	10489	374	10550	379	10617	229
10451	44	10490	374	10551	379	10618	229
10452	44	10491	375	10552	379	10620	33
10453	44	10492	375	10553	379	10621	33
10455	275	10493	374	10554	379	10622	33
10456	275	10494	374	10555	379	10623	82




INDEKS LAMP / PROGRESSIVE CODE INDEX / ИНДЕКС СВЕТИЛЬНИКОВ

INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА	INDEX	STRONA PAGE СТРАНИЦА
10633	556	10684	503	10728	479	10791	377
10637	177	10685	503	10729	483	10792	377
10638	177	10686	558	10730	483	10793	377
10641	557	10687	558	10734	58	10794	377
10642	557	10688	558	10735	58	10795	335
10643	398	10690	269	10746	60	10796	335
10644	399	10691	269	10747	60	10797	335
10645	400	10693	230	10748	60	10798	335
10646	401	10694	230	10752	60	10799	335
10647	416	10695	231	10753	60	10800	335
10648	416	10696	231	10754	60	10801	335
10650	404	10697	230	10758	61	10802	335
10651	405	10698	230	10759	61	10803	335
10652	410	10700	230	10760	61	10804	335
10653	415	10701	230	10764	59	10805	335
10654	415	10702	225	10765	59	10806	335
10655	406	10703	225	10766	59	10807	335
10656	407	10704	48	10770	59	10808	23
10665	503	10705	48	10771	59	10810	20
10666	503	10711	499	10772	59	10811	20
10667	503	10712	499	10776	313	10812	21
10668	503	10713	492	10777	313	10813	21
10670	503	10714	492	10778	313	10814	26
10671	503	10715	492	10779	313	10815	23
10672	503	10716	492	10780	313	10816	28
10673	503	10717	492	10781	313	10817	27
10674	503	10718	492	10782	313	10820	58
10676	503	10719	492	10783	313	10821	58
10677	503	10720	492	10784	313	10822	58
10678	503	10723	479	10785	313	10823	58
10680	503	10724	479	10786	313	10824	58
10681	503	10725	479	10788	377	10825	58
10682	503	10726	479	10789	377	10826	52
10683	503	10727	479	10790	377	10827	52



Nowodvorski
LIGHTING

 Nowodvorski Lighting sp. z o.o.
ul. Bojemskiego 11
42-202 Czestochowa
POLAND

 +48 34 344 91 10 / 11
 nowodvorski@nowodvorski.com
 www.nowodvorski.com

